



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω /km
芯线 PE 材质							
ANM11.014.02.030AB	UL20937	30V	2X30AWG	7/0.1	4.4	26.96	354 Ω /km
ANM11.014.03.030AB	UL20937	30V	3X30AWG	7/0.1	4.6	29.86	354 Ω /km
ANM11.014.04.030AB	UL20937	30V	4X30AWG	7/0.1	4.7	31.26	354 Ω /km
ANM11.014.05.030AB	UL20937	30V	5X30AWG	7/0.1	4.9	34.36	354 Ω /km
ANM11.014.06.030AB	UL20937	30V	6X30AWG	7/0.1	5.1	37.46	354 Ω /km
ANM11.014.07.030AB	UL20937	30V	7X30AWG	7/0.1	5.1	37.86	354 Ω /km
ANM11.014.08.030AB	UL20937	30V	8X30AWG	7/0.1	5.4	42.36	354 Ω /km
ANM11.014.09.030AB	UL20937	30V	9X30AWG	7/0.1	5.6	45.86	354 Ω /km
ANM11.014.10.030AB	UL20937	30V	10X30AWG	7/0.1	5.8	49.16	354 Ω /km
ANM11.014.11.030AB	UL20937	30V	11X30AWG	7/0.1	6	52.66	354 Ω /km
ANM11.014.12.030AB	UL20937	30V	12X30AWG	7/0.1	6	52.96	354 Ω /km
ANM11.014.13.030AB	UL20937	30V	13X30AWG	7/0.1	6.1	54.96	354 Ω /km
ANM11.014.14.030AB	UL20937	30V	14X30AWG	7/0.1	6.1	55.26	354 Ω /km
ANM11.014.15.030AB	UL20937	30V	15X30AWG	7/0.1	6.3	58.96	354 Ω /km
ANM11.014.16.030AB	UL20937	30V	16X30AWG	7/0.1	6.3	59.26	354 Ω /km
ANM11.014.17.030AB	UL20937	30V	17X30AWG	7/0.1	6.5	63.16	354 Ω /km
ANM11.014.18.030AB	UL20937	30V	18X30AWG	7/0.1	6.5	63.56	354 Ω /km
ANM11.014.19.030AB	UL20937	30V	19X30AWG	7/0.1	6.5	63.86	354 Ω /km
ANM11.014.20.030AB	UL20937	30V	20X30AWG	7/0.1	6.7	67.66	354 Ω /km
ANM11.014.21.030AB	UL20937	30V	21X30AWG	7/0.1	6.8	69.86	354 Ω /km
ANM11.014.22.030AB	UL20937	30V	22X30AWG	7/0.1	7	73.76	354 Ω /km
ANM11.014.23.030AB	UL20937	30V	23X30AWG	7/0.1	7.2	77.96	354 Ω /km
ANM11.014.24.030AB	UL20937	30V	24X30AWG	7/0.1	7.2	78.26	354 Ω /km
ANM11.014.25.030AB	UL20937	30V	25X30AWG	7/0.1	7.4	82.46	354 Ω /km
ANM11.014.26.030AB	UL20937	30V	26X30AWG	7/0.1	7.4	82.86	354 Ω /km
ANM11.014.27.030AB	UL20937	30V	27X30AWG	7/0.1	7.4	83.16	354 Ω /km
ANM11.014.28.030AB	UL20937	30V	28X30AWG	7/0.1	7.5	85.46	354 Ω /km
ANM11.014.29.030AB	UL20937	30V	29X30AWG	7/0.1	7.5	85.86	354 Ω /km
ANM11.014.30.030AB	UL20937	30V	30X30AWG	7/0.1	7.5	86.26	354 Ω /km
ANM11.014.31.030AB	UL20937	30V	31X30AWG	7/0.1	7.7	90.46	354 Ω /km
ANM11.014.32.030AB	UL20937	30V	32X30AWG	7/0.1	7.7	90.86	354 Ω /km
ANM11.014.33.030AB	UL20937	30V	33X30AWG	7/0.1	7.7	91.16	354 Ω /km
ANM11.014.34.030AB	UL20937	30V	34X30AWG	7/0.1	7.9	95.76	354 Ω /km
ANM11.014.35.030AB	UL20937	30V	35X30AWG	7/0.1	7.9	96.06	354 Ω /km
ANM11.014.36.030AB	UL20937	30V	36X30AWG	7/0.1	7.9	96.46	354 Ω /km
ANM11.014.37.030AB	UL20937	30V	37X30AWG	7/0.1	7.9	96.76	354 Ω /km
ANM11.014.38.030AB	UL20937	30V	38X30AWG	7/0.1	8.2	103.36	354 Ω /km
ANM11.014.39.030AB	UL20937	30V	39X30AWG	7/0.1	8.2	103.66	354 Ω /km
ANM11.014.40.030AB	UL20937	30V	40X30AWG	7/0.1	8.2	104.06	354 Ω /km



ANM11.014.41.030AB	UL20937	30V	41X30AWG	7/0.1	8.6	113.26	354 Ω/km
ANM11.014.42.030AB	UL20937	30V	42X30AWG	7/0.1	8.6	113.46	354 Ω/km
ANM11.014.43.030AB	UL20937	30V	43X30AWG	7/0.1	8.6	113.96	354 Ω/km
ANM11.014.44.030AB	UL20937	30V	44X30AWG	7/0.1	8.6	114.36	354 Ω/km
ANM11.014.45.030AB	UL20937	30V	45X30AWG	7/0.1	8.8	119.26	354 Ω/km
ANM11.014.46.030AB	UL20937	30V	46X30AWG	7/0.1	8.8	119.56	354 Ω/km
ANM11.014.47.030AB	UL20937	30V	47X30AWG	7/0.1	8.8	119.86	354 Ω/km
ANM11.014.48.030AB	UL20937	30V	48X30AWG	7/0.1	8.8	120.26	354 Ω/km
ANM11.014.49.030AB	UL20937	30V	49X30AWG	7/0.1	8.9	122.86	354 Ω/km
ANM11.014.50.030AB	UL20937	30V	50X30AWG	7/0.1	8.9	123.16	354 Ω/km
ANM11.014.51.030AB	UL20937	30V	51X30AWG	7/0.1	8.9	123.46	354 Ω/km
ANM11.014.52.030AB	UL20937	30V	52X30AWG	7/0.1	8.9	123.86	354 Ω/km
ANM11.014.53.030AB	UL20937	30V	53X30AWG	7/0.1	9.1	128.96	354 Ω/km
ANM11.014.54.030AB	UL20937	30V	54X30AWG	7/0.1	9.1	129.36	354 Ω/km
ANM11.014.55.030AB	UL20937	30V	55X30AWG	7/0.1	9.1	129.76	354 Ω/km
ANM11.014.56.030AB	UL20937	30V	56X30AWG	7/0.1	9.1	130.06	354 Ω/km
ANM11.014.57.030AB	UL20937	30V	57X30AWG	7/0.1	9.3	135.26	354 Ω/km
ANM11.014.58.030AB	UL20937	30V	58X30AWG	7/0.1	9.3	135.56	354 Ω/km
ANM11.014.59.030AB	UL20937	30V	59X30AWG	7/0.1	9.3	135.96	354 Ω/km
ANM11.014.60.030AB	UL20937	30V	60X30AWG	7/0.1	9.3	136.26	354 Ω/km
ANM11.014.61.030AB	UL20937	30V	61X30AWG	7/0.1	9.3	136.56	354 Ω/km
ANM11.014.62.030AB	UL20937	30V	62X30AWG	7/0.1	9.6	144.16	354 Ω/km
ANM11.014.63.030AB	UL20937	30V	63X30AWG	7/0.1	9.6	144.56	354 Ω/km
ANM11.014.64.030AB	UL20937	30V	64X30AWG	7/0.1	9.6	144.96	354 Ω/km
ANM11.014.65.030AB	UL20937	30V	65X30AWG	7/0.1	9.6	145.26	354 Ω/km
ANM11.014.02.029AB	UL20937	30V	2X29AWG	9/0.1	4.6	29.67	277 Ω/km
ANM11.014.03.029AB	UL20937	30V	3X29AWG	9/0.1	4.8	32.77	277 Ω/km
ANM11.014.04.029AB	UL20937	30V	4X29AWG	9/0.1	5	35.87	277 Ω/km
ANM11.014.05.029AB	UL20937	30V	5X29AWG	9/0.1	5.2	38.97	277 Ω/km
ANM11.014.06.029AB	UL20937	30V	6X29AWG	9/0.1	5.4	42.37	277 Ω/km
ANM11.014.07.029AB	UL20937	30V	7X29AWG	9/0.1	5.4	42.77	277 Ω/km
ANM11.014.08.029AB	UL20937	30V	8X29AWG	9/0.1	5.7	47.67	277 Ω/km
ANM11.014.09.029AB	UL20937	30V	9X29AWG	9/0.1	6	52.97	277 Ω/km
ANM11.014.10.029AB	UL20937	30V	10X29AWG	9/0.1	6.2	56.77	277 Ω/km
ANM11.014.11.029AB	UL20937	30V	11X29AWG	9/0.1	6.4	60.57	277 Ω/km
ANM11.014.12.029AB	UL20937	30V	12X29AWG	9/0.1	6.4	60.97	277 Ω/km
ANM11.014.13.029AB	UL20937	30V	13X29AWG	9/0.1	6.6	64.87	277 Ω/km
ANM11.014.14.029AB	UL20937	30V	14X29AWG	9/0.1	6.6	65.37	277 Ω/km
ANM11.014.15.029AB	UL20937	30V	15X29AWG	9/0.1	6.8	69.37	277 Ω/km
ANM11.014.16.029AB	UL20937	30V	16X29AWG	9/0.1	6.8	69.77	277 Ω/km
ANM11.014.17.029AB	UL20937	30V	17X29AWG	9/0.1	7	73.87	277 Ω/km
ANM11.014.18.029AB	UL20937	30V	18X29AWG	9/0.1	7	74.37	277 Ω/km



ANM11.014.19.029AB	UL20937	30V	19X29AWG	9/0.1	7	74.77	277 Ω/km
ANM11.014.20.029AB	UL20937	30V	20X29AWG	9/0.1	7.2	79.27	277 Ω/km
ANM11.014.21.029AB	UL20937	30V	21X29AWG	9/0.1	7.3	81.47	277 Ω/km
ANM11.014.22.029AB	UL20937	30V	22X29AWG	9/0.1	7.6	87.87	277 Ω/km
ANM11.014.23.029AB	UL20937	30V	23X29AWG	9/0.1	7.8	92.37	277 Ω/km
ANM11.014.24.029AB	UL20937	30V	24X29AWG	9/0.1	7.8	92.77	277 Ω/km
ANM11.014.25.029AB	UL20937	30V	25X29AWG	9/0.1	8	97.37	277 Ω/km
ANM11.014.26.029AB	UL20937	30V	26X29AWG	9/0.1	8	97.77	277 Ω/km
ANM11.014.27.029AB	UL20937	30V	27X29AWG	9/0.1	8	98.27	277 Ω/km
ANM11.014.28.029AB	UL20937	30V	28X29AWG	9/0.1	8.2	102.87	277 Ω/km
ANM11.014.29.029AB	UL20937	30V	29X29AWG	9/0.1	8.2	103.47	277 Ω/km
ANM11.014.30.029AB	UL20937	30V	30X29AWG	9/0.1	8.2	103.97	277 Ω/km
ANM11.014.31.029AB	UL20937	30V	31X29AWG	9/0.1	8.4	108.77	277 Ω/km
ANM11.014.32.029AB	UL20937	30V	32X29AWG	9/0.1	8.4	109.17	277 Ω/km
ANM11.014.33.029AB	UL20937	30V	33X29AWG	9/0.1	8.4	109.67	277 Ω/km
ANM11.014.34.029AB	UL20937	30V	34X29AWG	9/0.1	8.6	114.57	277 Ω/km
ANM11.014.35.029AB	UL20937	30V	35X29AWG	9/0.1	8.6	114.97	277 Ω/km
ANM11.014.36.029AB	UL20937	30V	36X29AWG	9/0.1	8.6	115.57	277 Ω/km
ANM11.014.37.029AB	UL20937	30V	37X29AWG	9/0.1	8.6	115.97	277 Ω/km
ANM11.014.38.029AB	UL20937	30V	38X29AWG	9/0.1	8.9	123.07	277 Ω/km
ANM11.014.39.029AB	UL20937	30V	39X29AWG	9/0.1	8.9	123.77	277 Ω/km
ANM11.014.40.029AB	UL20937	30V	40X29AWG	9/0.1	8.9	124.17	277 Ω/km
ANM11.014.41.029AB	UL20937	30V	41X29AWG	9/0.1	9.4	136.57	277 Ω/km
ANM11.014.42.029AB	UL20937	30V	42X29AWG	9/0.1	9.4	136.97	277 Ω/km
ANM11.014.43.029AB	UL20937	30V	43X29AWG	9/0.1	9.4	137.47	277 Ω/km
ANM11.014.44.029AB	UL20937	30V	44X29AWG	9/0.1	9.4	137.97	277 Ω/km
ANM11.014.45.029AB	UL20937	30V	45X29AWG	9/0.1	9.6	143.17	277 Ω/km
ANM11.014.46.029AB	UL20937	30V	46X29AWG	9/0.1	9.6	143.67	277 Ω/km
ANM11.014.47.029AB	UL20937	30V	47X29AWG	9/0.1	9.6	144.17	277 Ω/km
ANM11.014.48.029AB	UL20937	30V	48X29AWG	9/0.1	9.6	144.57	277 Ω/km
ANM11.014.49.029AB	UL20937	30V	49X29AWG	9/0.1	9.8	150.07	277 Ω/km
ANM11.014.50.029AB	UL20937	30V	50X29AWG	9/0.1	9.8	150.57	277 Ω/km
ANM11.014.51.029AB	UL20937	30V	51X29AWG	9/0.1	9.8	150.97	277 Ω/km
ANM11.014.52.029AB	UL20937	30V	52X29AWG	9/0.1	9.8	151.57	277 Ω/km
ANM11.014.53.029AB	UL20937	30V	53X29AWG	9/0.1	10	157.07	277 Ω/km
ANM11.014.54.029AB	UL20937	30V	54X29AWG	9/0.1	10	157.57	277 Ω/km
ANM11.014.55.029AB	UL20937	30V	55X29AWG	9/0.1	10	158.07	277 Ω/km
ANM11.014.56.029AB	UL20937	30V	56X29AWG	9/0.1	10	158.47	277 Ω/km
ANM11.014.57.029AB	UL20937	30V	57X29AWG	9/0.1	10.2	164.17	277 Ω/km
ANM11.014.58.029AB	UL20937	30V	58X29AWG	9/0.1	10.2	164.77	277 Ω/km
ANM11.014.59.029AB	UL20937	30V	59X29AWG	9/0.1	10.2	165.17	277 Ω/km
ANM11.014.60.029AB	UL20937	30V	60X29AWG	9/0.1	10.2	165.67	277 Ω/km



ANM11.014.61.029AB	UL20937	30V	61X29AWG	9/0.1	10.2	166.17	277 Ω/km
ANM11.014.62.029AB	UL20937	30V	62X29AWG	9/0.1	10.5	174.47	277 Ω/km
ANM11.014.63.029AB	UL20937	30V	63X29AWG	9/0.1	10.5	174.97	277 Ω/km
ANM11.014.64.029AB	UL20937	30V	64X29AWG	9/0.1	10.5	175.37	277 Ω/km
ANM11.014.65.029AB	UL20937	30V	65X29AWG	9/0.1	10.5	175.77	277 Ω/km
ANM11.014.02.028AB	UL20937	30V	2X28AWG	11/0.1	4.6	29.99	223 Ω/km
ANM11.014.03.028AB	UL20937	30V	3X28AWG	11/0.1	4.8	33.09	223 Ω/km
ANM11.014.04.028AB	UL20937	30V	4X28AWG	11/0.1	5	36.39	223 Ω/km
ANM11.014.05.028AB	UL20937	30V	5X28AWG	11/0.1	5.2	39.59	223 Ω/km
ANM11.014.06.028AB	UL20937	30V	6X28AWG	11/0.1	5.4	43.09	223 Ω/km
ANM11.014.07.028AB	UL20937	30V	7X28AWG	11/0.1	5.4	43.69	223 Ω/km
ANM11.014.08.028AB	UL20937	30V	8X28AWG	11/0.1	5.7	48.69	223 Ω/km
ANM11.014.09.028AB	UL20937	30V	9X28AWG	11/0.1	6	54.09	223 Ω/km
ANM11.014.10.028AB	UL20937	30V	10X28AWG	11/0.1	6.2	57.89	223 Ω/km
ANM11.014.11.028AB	UL20937	30V	11X28AWG	11/0.1	6.4	61.79	223 Ω/km
ANM11.014.12.028AB	UL20937	30V	12X28AWG	11/0.1	6.4	62.39	223 Ω/km
ANM11.014.13.028AB	UL20937	30V	13X28AWG	11/0.1	6.6	66.39	223 Ω/km
ANM11.014.14.028AB	UL20937	30V	14X28AWG	11/0.1	6.6	66.99	223 Ω/km
ANM11.014.15.028AB	UL20937	30V	15X28AWG	11/0.1	6.8	71.09	223 Ω/km
ANM11.014.16.028AB	UL20937	30V	16X28AWG	11/0.1	6.8	71.69	223 Ω/km
ANM11.014.17.028AB	UL20937	30V	17X28AWG	11/0.1	7	75.79	223 Ω/km
ANM11.014.18.028AB	UL20937	30V	18X28AWG	11/0.1	7	76.49	223 Ω/km
ANM11.014.19.028AB	UL20937	30V	19X28AWG	11/0.1	7	77.09	223 Ω/km
ANM11.014.20.028AB	UL20937	30V	20X28AWG	11/0.1	7.2	81.49	223 Ω/km
ANM11.014.21.028AB	UL20937	30V	21X28AWG	11/0.1	7.3	83.89	223 Ω/km
ANM11.014.22.028AB	UL20937	30V	22X28AWG	11/0.1	7.6	90.29	223 Ω/km
ANM11.014.23.028AB	UL20937	30V	23X28AWG	11/0.1	7.8	95.09	223 Ω/km
ANM11.014.24.028AB	UL20937	30V	24X28AWG	11/0.1	7.8	95.69	223 Ω/km
ANM11.014.25.028AB	UL20937	30V	25X28AWG	11/0.1	8	100.29	223 Ω/km
ANM11.014.26.028AB	UL20937	30V	26X28AWG	11/0.1	8	100.89	223 Ω/km
ANM11.014.27.028AB	UL20937	30V	27X28AWG	11/0.1	8	101.49	223 Ω/km
ANM11.014.28.028AB	UL20937	30V	28X28AWG	11/0.1	8.2	106.19	223 Ω/km
ANM11.014.29.028AB	UL20937	30V	29X28AWG	11/0.1	8.2	106.79	223 Ω/km
ANM11.014.30.028AB	UL20937	30V	30X28AWG	11/0.1	8.2	107.39	223 Ω/km
ANM11.014.31.028AB	UL20937	30V	31X28AWG	11/0.1	8.4	112.39	223 Ω/km
ANM11.014.32.028AB	UL20937	30V	32X28AWG	11/0.1	8.4	112.89	223 Ω/km
ANM11.014.33.028AB	UL20937	30V	33X28AWG	11/0.1	8.4	113.49	223 Ω/km
ANM11.014.34.028AB	UL20937	30V	34X28AWG	11/0.1	8.6	118.49	223 Ω/km
ANM11.014.35.028AB	UL20937	30V	35X28AWG	11/0.1	8.6	119.09	223 Ω/km
ANM11.014.36.028AB	UL20937	30V	36X28AWG	11/0.1	8.6	119.79	223 Ω/km
ANM11.014.37.028AB	UL20937	30V	37X28AWG	11/0.1	8.6	120.29	223 Ω/km
ANM11.014.38.028AB	UL20937	30V	38X28AWG	11/0.1	8.9	127.59	223 Ω/km



ANM11.014.39.028AB	UL20937	30V	39X28AWG	11/0.1	8.9	128.19	223 Ω/km
ANM11.014.40.028AB	UL20937	30V	40X28AWG	11/0.1	8.9	128.79	223 Ω/km
ANM11.014.41.028AB	UL20937	30V	41X28AWG	11/0.1	9.4	141.19	223 Ω/km
ANM11.014.42.028AB	UL20937	30V	42X28AWG	11/0.1	9.4	141.79	223 Ω/km
ANM11.014.43.028AB	UL20937	30V	43X28AWG	11/0.1	9.4	142.49	223 Ω/km
ANM11.014.44.028AB	UL20937	30V	44X28AWG	11/0.1	9.4	142.99	223 Ω/km
ANM11.014.45.028AB	UL20937	30V	45X28AWG	11/0.1	9.6	148.49	223 Ω/km
ANM11.014.46.028AB	UL20937	30V	46X28AWG	11/0.1	9.6	149.09	223 Ω/km
ANM11.014.47.028AB	UL20937	30V	47X28AWG	11/0.1	9.6	149.69	223 Ω/km
ANM11.014.48.028AB	UL20937	30V	48X28AWG	11/0.1	9.6	150.29	223 Ω/km
ANM11.014.49.028AB	UL20937	30V	49X28AWG	11/0.1	9.8	155.79	223 Ω/km
ANM11.014.50.028AB	UL20937	30V	50X28AWG	11/0.1	9.8	156.39	223 Ω/km
ANM11.014.51.028AB	UL20937	30V	51X28AWG	11/0.1	9.8	156.89	223 Ω/km
ANM11.014.52.028AB	UL20937	30V	52X28AWG	11/0.1	9.8	157.59	223 Ω/km
ANM11.014.53.028AB	UL20937	30V	53X28AWG	11/0.1	10	163.29	223 Ω/km
ANM11.014.54.028AB	UL20937	30V	54X28AWG	11/0.1	10	163.89	223 Ω/km
ANM11.014.55.028AB	UL20937	30V	55X28AWG	11/0.1	10	164.49	223 Ω/km
ANM11.014.56.028AB	UL20937	30V	56X28AWG	11/0.1	10	164.99	223 Ω/km
ANM11.014.57.028AB	UL20937	30V	57X28AWG	11/0.1	10.2	170.89	223 Ω/km
ANM11.014.58.028AB	UL20937	30V	58X28AWG	11/0.1	10.2	171.39	223 Ω/km
ANM11.014.59.028AB	UL20937	30V	59X28AWG	11/0.1	10.2	171.99	223 Ω/km
ANM11.014.60.028AB	UL20937	30V	60X28AWG	11/0.1	10.2	172.59	223 Ω/km
ANM11.014.61.028AB	UL20937	30V	61X28AWG	11/0.1	10.2	173.19	223 Ω/km
ANM11.014.62.028AB	UL20937	30V	62X28AWG	11/0.1	10.5	181.69	223 Ω/km
ANM11.014.63.028AB	UL20937	30V	63X28AWG	11/0.1	10.5	182.19	223 Ω/km
ANM11.014.64.028AB	UL20937	30V	64X28AWG	11/0.1	10.5	182.79	223 Ω/km
ANM11.014.65.028AB	UL20937	30V	65X28AWG	11/0.1	10.5	183.39	223 Ω/km
ANM11.014.02.027AB	UL20937	30V	2X27AWG	7/0.14	4.8	32.61	175 Ω/km
ANM11.014.03.027AB	UL20937	30V	3X27AWG	7/0.14	5	35.91	175 Ω/km
ANM11.014.04.027AB	UL20937	30V	4X27AWG	7/0.14	5.2	39.31	175 Ω/km
ANM11.014.05.027AB	UL20937	30V	5X27AWG	7/0.14	5.5	44.41	175 Ω/km
ANM11.014.06.027AB	UL20937	30V	6X27AWG	7/0.14	5.7	47.81	175 Ω/km
ANM11.014.07.027AB	UL20937	30V	7X27AWG	7/0.14	5.7	48.61	175 Ω/km
ANM11.014.08.027AB	UL20937	30V	8X27AWG	7/0.14	6	53.91	175 Ω/km
ANM11.014.09.027AB	UL20937	30V	9X27AWG	7/0.14	6.4	61.11	175 Ω/km
ANM11.014.10.027AB	UL20937	30V	10X27AWG	7/0.14	6.6	65.21	175 Ω/km
ANM11.014.11.027AB	UL20937	30V	11X27AWG	7/0.14	6.8	69.31	175 Ω/km
ANM11.014.12.027AB	UL20937	30V	12X27AWG	7/0.14	6.8	70.01	175 Ω/km
ANM11.014.13.027AB	UL20937	30V	13X27AWG	7/0.14	7	74.31	175 Ω/km
ANM11.014.14.027AB	UL20937	30V	14X27AWG	7/0.14	7	74.91	175 Ω/km
ANM11.014.15.027AB	UL20937	30V	15X27AWG	7/0.14	7.3	81.21	175 Ω/km
ANM11.014.16.027AB	UL20937	30V	16X27AWG	7/0.14	7.3	81.91	175 Ω/km



ANM11.014.17.027AB	UL20937	30V	17X27AWG	7/0.14	7.5	86.41	175 Ω/km
ANM11.014.18.027AB	UL20937	30V	18X27AWG	7/0.14	7.5	87.11	175 Ω/km
ANM11.014.19.027AB	UL20937	30V	19X27AWG	7/0.14	7.5	87.81	175 Ω/km
ANM11.014.20.027AB	UL20937	30V	20X27AWG	7/0.14	7.7	92.31	175 Ω/km
ANM11.014.21.027AB	UL20937	30V	21X27AWG	7/0.14	7.8	95.11	175 Ω/km
ANM11.014.22.027AB	UL20937	30V	22X27AWG	7/0.14	8.2	103.91	175 Ω/km
ANM11.014.23.027AB	UL20937	30V	23X27AWG	7/0.14	8.4	108.91	175 Ω/km
ANM11.014.24.027AB	UL20937	30V	24X27AWG	7/0.14	8.4	109.61	175 Ω/km
ANM11.014.25.027AB	UL20937	30V	25X27AWG	7/0.14	8.6	114.61	175 Ω/km
ANM11.014.26.027AB	UL20937	30V	26X27AWG	7/0.14	8.6	115.41	175 Ω/km
ANM11.014.27.027AB	UL20937	30V	27X27AWG	7/0.14	8.6	116.01	175 Ω/km
ANM11.014.28.027AB	UL20937	30V	28X27AWG	7/0.14	8.8	121.21	175 Ω/km
ANM11.014.29.027AB	UL20937	30V	29X27AWG	7/0.14	8.8	121.91	175 Ω/km
ANM11.014.30.027AB	UL20937	30V	30X27AWG	7/0.14	8.8	122.41	175 Ω/km
ANM11.014.31.027AB	UL20937	30V	31X27AWG	7/0.14	9.1	130.01	175 Ω/km
ANM11.014.32.027AB	UL20937	30V	32X27AWG	7/0.14	9.1	130.61	175 Ω/km
ANM11.014.33.027AB	UL20937	30V	33X27AWG	7/0.14	9.1	131.21	175 Ω/km
ANM11.014.34.027AB	UL20937	30V	34X27AWG	7/0.14	9.3	136.71	175 Ω/km
ANM11.014.35.027AB	UL20937	30V	35X27AWG	7/0.14	9.3	137.41	175 Ω/km
ANM11.014.36.027AB	UL20937	30V	36X27AWG	7/0.14	9.3	138.01	175 Ω/km
ANM11.014.37.027AB	UL20937	30V	37X27AWG	7/0.14	9.3	138.71	175 Ω/km
ANM11.014.38.027AB	UL20937	30V	38X27AWG	7/0.14	9.6	146.51	175 Ω/km
ANM11.014.39.027AB	UL20937	30V	39X27AWG	7/0.14	9.6	147.21	175 Ω/km
ANM11.014.40.027AB	UL20937	30V	40X27AWG	7/0.14	9.6	147.81	175 Ω/km
ANM11.014.41.027AB	UL20937	30V	41X27AWG	7/0.14	10.2	163.71	175 Ω/km
ANM11.014.42.027AB	UL20937	30V	42X27AWG	7/0.14	10.2	164.41	175 Ω/km
ANM11.014.43.027AB	UL20937	30V	43X27AWG	7/0.14	10.2	165.11	175 Ω/km
ANM11.014.44.027AB	UL20937	30V	44X27AWG	7/0.14	10.2	165.71	175 Ω/km
ANM11.014.45.027AB	UL20937	30V	45X27AWG	7/0.14	10.4	171.71	175 Ω/km
ANM11.014.46.027AB	UL20937	30V	46X27AWG	7/0.14	10.4	172.31	175 Ω/km
ANM11.014.47.027AB	UL20937	30V	47X27AWG	7/0.14	10.4	173.01	175 Ω/km
ANM11.014.48.027AB	UL20937	30V	48X27AWG	7/0.14	10.4	173.61	175 Ω/km
ANM11.014.49.027AB	UL20937	30V	49X27AWG	7/0.14	10.6	179.51	175 Ω/km
ANM11.014.50.027AB	UL20937	30V	50X27AWG	7/0.14	10.6	180.31	175 Ω/km
ANM11.014.51.027AB	UL20937	30V	51X27AWG	7/0.14	10.6	180.91	175 Ω/km
ANM11.014.52.027AB	UL20937	30V	52X27AWG	7/0.14	10.6	181.51	175 Ω/km
ANM11.014.53.027AB	UL20937	30V	53X27AWG	7/0.14	10.9	190.51	175 Ω/km
ANM11.014.54.027AB	UL20937	30V	54X27AWG	7/0.14	10.9	191.11	175 Ω/km
ANM11.014.55.027AB	UL20937	30V	55X27AWG	7/0.14	10.9	191.71	175 Ω/km
ANM11.014.56.027AB	UL20937	30V	56X27AWG	7/0.14	10.9	192.31	175 Ω/km
ANM11.014.57.027AB	UL20937	30V	57X27AWG	7/0.14	11.1	198.61	175 Ω/km
ANM11.014.58.027AB	UL20937	30V	58X27AWG	7/0.14	11.1	199.31	175 Ω/km



ANM11.014.59.027AB	UL20937	30V	59X27AWG	7/0.14	11.1	199.91	175 Ω/km
ANM11.014.60.027AB	UL20937	30V	60X27AWG	7/0.14	11.1	200.51	175 Ω/km
ANM11.014.61.027AB	UL20937	30V	61X27AWG	7/0.14	11.1	201.11	175 Ω/km
ANM11.014.62.027AB	UL20937	30V	62X27AWG	7/0.14	11.4	210.41	175 Ω/km
ANM11.014.63.027AB	UL20937	30V	63X27AWG	7/0.14	11.4	211.01	175 Ω/km
ANM11.014.64.027AB	UL20937	30V	64X27AWG	7/0.14	11.4	211.61	175 Ω/km
ANM11.014.65.027AB	UL20937	30V	65X27AWG	7/0.14	11.4	212.31	175 Ω/km
ANM11.014.02.026AB	UL20937	30V	2X26AWG	9/0.14	4.8	33.13	140 Ω/km
ANM11.014.03.026AB	UL20937	30V	3X26AWG	9/0.14	5	36.73	140 Ω/km
ANM11.014.04.026AB	UL20937	30V	4X26AWG	9/0.14	5.2	40.33	140 Ω/km
ANM11.014.05.026AB	UL20937	30V	5X26AWG	9/0.14	5.5	45.63	140 Ω/km
ANM11.014.06.026AB	UL20937	30V	6X26AWG	9/0.14	5.7	49.33	140 Ω/km
ANM11.014.07.026AB	UL20937	30V	7X26AWG	9/0.14	5.7	50.33	140 Ω/km
ANM11.014.08.026AB	UL20937	30V	8X26AWG	9/0.14	6	55.93	140 Ω/km
ANM11.014.09.026AB	UL20937	30V	9X26AWG	9/0.14	6.4	63.33	140 Ω/km
ANM11.014.10.026AB	UL20937	30V	10X26AWG	9/0.14	6.6	67.63	140 Ω/km
ANM11.014.11.026AB	UL20937	30V	11X26AWG	9/0.14	6.8	72.03	140 Ω/km
ANM11.014.12.026AB	UL20937	30V	12X26AWG	9/0.14	6.8	72.93	140 Ω/km
ANM11.014.13.026AB	UL20937	30V	13X26AWG	9/0.14	7	77.43	140 Ω/km
ANM11.014.14.026AB	UL20937	30V	14X26AWG	9/0.14	7	78.43	140 Ω/km
ANM11.014.15.026AB	UL20937	30V	15X26AWG	9/0.14	7.3	84.93	140 Ω/km
ANM11.014.16.026AB	UL20937	30V	16X26AWG	9/0.14	7.3	85.93	140 Ω/km
ANM11.014.17.026AB	UL20937	30V	17X26AWG	9/0.14	7.5	90.63	140 Ω/km
ANM11.014.18.026AB	UL20937	30V	18X26AWG	9/0.14	7.5	91.53	140 Ω/km
ANM11.014.19.026AB	UL20937	30V	19X26AWG	9/0.14	7.5	92.53	140 Ω/km
ANM11.014.20.026AB	UL20937	30V	20X26AWG	9/0.14	7.7	97.23	140 Ω/km
ANM11.014.21.026AB	UL20937	30V	21X26AWG	9/0.14	7.8	100.23	140 Ω/km
ANM11.014.22.026AB	UL20937	30V	22X26AWG	9/0.14	8.2	109.33	140 Ω/km
ANM11.014.23.026AB	UL20937	30V	23X26AWG	9/0.14	8.4	114.53	140 Ω/km
ANM11.014.24.026AB	UL20937	30V	24X26AWG	9/0.14	8.4	115.53	140 Ω/km
ANM11.014.25.026AB	UL20937	30V	25X26AWG	9/0.14	8.6	120.73	140 Ω/km
ANM11.014.26.026AB	UL20937	30V	26X26AWG	9/0.14	8.6	121.73	140 Ω/km
ANM11.014.27.026AB	UL20937	30V	27X26AWG	9/0.14	8.6	122.73	140 Ω/km
ANM11.014.28.026AB	UL20937	30V	28X26AWG	9/0.14	8.8	128.13	140 Ω/km
ANM11.014.29.026AB	UL20937	30V	29X26AWG	9/0.14	8.8	129.03	140 Ω/km
ANM11.014.30.026AB	UL20937	30V	30X26AWG	9/0.14	8.8	129.83	140 Ω/km
ANM11.014.31.026AB	UL20937	30V	31X26AWG	9/0.14	9.1	137.63	140 Ω/km
ANM11.014.32.026AB	UL20937	30V	32X26AWG	9/0.14	9.1	138.53	140 Ω/km
ANM11.014.33.026AB	UL20937	30V	33X26AWG	9/0.14	9.1	139.33	140 Ω/km
ANM11.014.34.026AB	UL20937	30V	34X26AWG	9/0.14	9.3	145.03	140 Ω/km
ANM11.014.35.026AB	UL20937	30V	35X26AWG	9/0.14	9.3	146.03	140 Ω/km
ANM11.014.36.026AB	UL20937	30V	36X26AWG	9/0.14	9.3	146.83	140 Ω/km



ANM11.014.37.026AB	UL20937	30V	37X26AWG	9/0.14	9.3	147.73	140 Ω/km
ANM11.014.38.026AB	UL20937	30V	38X26AWG	9/0.14	9.6	155.83	140 Ω/km
ANM11.014.39.026AB	UL20937	30V	39X26AWG	9/0.14	9.6	156.73	140 Ω/km
ANM11.014.40.026AB	UL20937	30V	40X26AWG	9/0.14	9.6	157.73	140 Ω/km
ANM11.014.41.026AB	UL20937	30V	41X26AWG	9/0.14	10.2	173.83	140 Ω/km
ANM11.014.42.026AB	UL20937	30V	42X26AWG	9/0.14	10.2	174.73	140 Ω/km
ANM11.014.43.026AB	UL20937	30V	43X26AWG	9/0.14	10.2	175.73	140 Ω/km
ANM11.014.44.026AB	UL20937	30V	44X26AWG	9/0.14	10.2	176.53	140 Ω/km
ANM11.014.45.026AB	UL20937	30V	45X26AWG	9/0.14	10.4	182.73	140 Ω/km
ANM11.014.46.026AB	UL20937	30V	46X26AWG	9/0.14	10.4	183.63	140 Ω/km
ANM11.014.47.026AB	UL20937	30V	47X26AWG	9/0.14	10.4	184.53	140 Ω/km
ANM11.014.48.026AB	UL20937	30V	48X26AWG	9/0.14	10.4	185.43	140 Ω/km
ANM11.014.49.026AB	UL20937	30V	49X26AWG	9/0.14	10.6	191.53	140 Ω/km
ANM11.014.50.026AB	UL20937	30V	50X26AWG	9/0.14	10.6	192.53	140 Ω/km
ANM11.014.51.026AB	UL20937	30V	51X26AWG	9/0.14	10.6	193.43	140 Ω/km
ANM11.014.52.026AB	UL20937	30V	52X26AWG	9/0.14	10.6	194.23	140 Ω/km
ANM11.014.53.026AB	UL20937	30V	53X26AWG	9/0.14	10.9	203.53	140 Ω/km
ANM11.014.54.026AB	UL20937	30V	54X26AWG	9/0.14	10.9	204.43	140 Ω/km
ANM11.014.55.026AB	UL20937	30V	55X26AWG	9/0.14	10.9	205.23	140 Ω/km
ANM11.014.56.026AB	UL20937	30V	56X26AWG	9/0.14	10.9	206.13	140 Ω/km
ANM11.014.57.026AB	UL20937	30V	57X26AWG	9/0.14	11.1	212.63	140 Ω/km
ANM11.014.58.026AB	UL20937	30V	58X26AWG	9/0.14	11.1	213.53	140 Ω/km
ANM11.014.59.026AB	UL20937	30V	59X26AWG	9/0.14	11.1	214.43	140 Ω/km
ANM11.014.60.026AB	UL20937	30V	60X26AWG	9/0.14	11.1	215.23	140 Ω/km
ANM11.014.61.026AB	UL20937	30V	61X26AWG	9/0.14	11.1	216.13	140 Ω/km
ANM11.014.62.026AB	UL20937	30V	62X26AWG	9/0.14	11.4	225.63	140 Ω/km
ANM11.014.63.026AB	UL20937	30V	63X26AWG	9/0.14	11.4	226.43	140 Ω/km
ANM11.014.64.026AB	UL20937	30V	64X26AWG	9/0.14	11.4	227.33	140 Ω/km
ANM11.014.65.026AB	UL20937	30V	65X26AWG	9/0.14	11.4	228.23	140 Ω/km
ANM11.014.02.025AB	UL20937	30V	2X25AWG	11/0.14	5	36.27	111 Ω/km
ANM11.014.03.025AB	UL20937	30V	3X25AWG	11/0.14	5.2	39.97	111 Ω/km
ANM11.014.04.025AB	UL20937	30V	4X25AWG	11/0.14	5.5	45.47	111 Ω/km
ANM11.014.05.025AB	UL20937	30V	5X25AWG	11/0.14	5.7	49.47	111 Ω/km
ANM11.014.06.025AB	UL20937	30V	6X25AWG	11/0.14	6	55.27	111 Ω/km
ANM11.014.07.025AB	UL20937	30V	7X25AWG	11/0.14	6	56.37	111 Ω/km
ANM11.014.08.025AB	UL20937	30V	8X25AWG	11/0.14	6.3	62.27	111 Ω/km
ANM11.014.09.025AB	UL20937	30V	9X25AWG	11/0.14	6.7	70.37	111 Ω/km
ANM11.014.10.025AB	UL20937	30V	10X25AWG	11/0.14	7	76.67	111 Ω/km
ANM11.014.11.025AB	UL20937	30V	11X25AWG	11/0.14	7.2	81.77	111 Ω/km
ANM11.014.12.025AB	UL20937	30V	12X25AWG	11/0.14	7.2	82.77	111 Ω/km
ANM11.014.13.025AB	UL20937	30V	13X25AWG	11/0.14	7.5	89.47	111 Ω/km
ANM11.014.14.025AB	UL20937	30V	14X25AWG	11/0.14	7.5	90.57	111 Ω/km



ANM11.014.15.025AB	UL20937	30V	15X25AWG	11/0.14	7.7	95.57	111 Ω/km
ANM11.014.16.025AB	UL20937	30V	16X25AWG	11/0.14	7.7	96.67	111 Ω/km
ANM11.014.17.025AB	UL20937	30V	17X25AWG	11/0.14	8	103.87	111 Ω/km
ANM11.014.18.025AB	UL20937	30V	18X25AWG	11/0.14	8	105.07	111 Ω/km
ANM11.014.19.025AB	UL20937	30V	19X25AWG	11/0.14	8	106.17	111 Ω/km
ANM11.014.20.025AB	UL20937	30V	20X25AWG	11/0.14	8.2	111.27	111 Ω/km
ANM11.014.21.025AB	UL20937	30V	21X25AWG	11/0.14	8.3	114.57	111 Ω/km
ANM11.014.22.025AB	UL20937	30V	22X25AWG	11/0.14	8.7	124.47	111 Ω/km
ANM11.014.23.025AB	UL20937	30V	23X25AWG	11/0.14	9	132.47	111 Ω/km
ANM11.014.24.025AB	UL20937	30V	24X25AWG	11/0.14	9	133.47	111 Ω/km
ANM11.014.25.025AB	UL20937	30V	25X25AWG	11/0.14	9.2	139.37	111 Ω/km
ANM11.014.26.025AB	UL20937	30V	26X25AWG	11/0.14	9.2	140.37	111 Ω/km
ANM11.014.27.025AB	UL20937	30V	27X25AWG	11/0.14	9.2	141.37	111 Ω/km
ANM11.014.28.025AB	UL20937	30V	28X25AWG	11/0.14	9.5	149.77	111 Ω/km
ANM11.014.29.025AB	UL20937	30V	29X25AWG	11/0.14	9.5	150.87	111 Ω/km
ANM11.014.30.025AB	UL20937	30V	30X25AWG	11/0.14	9.5	151.97	111 Ω/km
ANM11.014.31.025AB	UL20937	30V	31X25AWG	11/0.14	9.7	157.87	111 Ω/km
ANM11.014.32.025AB	UL20937	30V	32X25AWG	11/0.14	9.7	159.07	111 Ω/km
ANM11.014.33.025AB	UL20937	30V	33X25AWG	11/0.14	9.7	160.17	111 Ω/km
ANM11.014.34.025AB	UL20937	30V	34X25AWG	11/0.14	10	168.67	111 Ω/km
ANM11.014.35.025AB	UL20937	30V	35X25AWG	11/0.14	10	169.77	111 Ω/km
ANM11.014.36.025AB	UL20937	30V	36X25AWG	11/0.14	10	170.87	111 Ω/km
ANM11.014.37.025AB	UL20937	30V	37X25AWG	11/0.14	10	171.97	111 Ω/km
ANM11.014.38.025AB	UL20937	30V	38X25AWG	11/0.14	10.3	180.87	111 Ω/km
ANM11.014.39.025AB	UL20937	30V	39X25AWG	11/0.14	10.3	181.97	111 Ω/km
ANM11.014.40.025AB	UL20937	30V	40X25AWG	11/0.14	10.3	183.07	111 Ω/km
ANM11.014.41.025AB	UL20937	30V	41X25AWG	11/0.14	11	203.17	111 Ω/km
ANM11.014.42.025AB	UL20937	30V	42X25AWG	11/0.14	11	204.27	111 Ω/km
ANM11.014.43.025AB	UL20937	30V	43X25AWG	11/0.14	11	205.37	111 Ω/km
ANM11.014.44.025AB	UL20937	30V	44X25AWG	11/0.14	11	206.47	111 Ω/km
ANM11.014.45.025AB	UL20937	30V	45X25AWG	11/0.14	11.2	213.17	111 Ω/km
ANM11.014.46.025AB	UL20937	30V	46X25AWG	11/0.14	11.2	214.27	111 Ω/km
ANM11.014.47.025AB	UL20937	30V	47X25AWG	11/0.14	11.2	215.27	111 Ω/km
ANM11.014.48.025AB	UL20937	30V	48X25AWG	11/0.14	11.2	216.27	111 Ω/km
ANM11.014.49.025AB	UL20937	30V	49X25AWG	11/0.14	11.5	226.07	111 Ω/km
ANM11.014.50.025AB	UL20937	30V	50X25AWG	11/0.14	11.5	227.27	111 Ω/km
ANM11.014.51.025AB	UL20937	30V	51X25AWG	11/0.14	11.5	228.27	111 Ω/km
ANM11.014.52.025AB	UL20937	30V	52X25AWG	11/0.14	11.5	229.37	111 Ω/km
ANM11.014.53.025AB	UL20937	30V	53X25AWG	11/0.14	11.7	236.37	111 Ω/km
ANM11.014.54.025AB	UL20937	30V	54X25AWG	11/0.14	11.7	237.37	111 Ω/km
ANM11.014.55.025AB	UL20937	30V	55X25AWG	11/0.14	11.7	238.37	111 Ω/km
ANM11.014.56.025AB	UL20937	30V	56X25AWG	11/0.14	11.7	239.47	111 Ω/km



ANM11.014.57.025AB	UL20937	30V	57X25AWG	11/0.14	12	249.77	111 Ω/km
ANM11.014.58.025AB	UL20937	30V	58X25AWG	11/0.14	12	250.77	111 Ω/km
ANM11.014.59.025AB	UL20937	30V	59X25AWG	11/0.14	12	251.87	111 Ω/km
ANM11.014.60.025AB	UL20937	30V	60X25AWG	11/0.14	12	252.87	111 Ω/km
ANM11.014.61.025AB	UL20937	30V	61X25AWG	11/0.14	12	253.97	111 Ω/km
ANM11.014.62.025AB	UL20937	30V	62X25AWG	11/0.14	12.3	264.37	111 Ω/km
ANM11.014.63.025AB	UL20937	30V	63X25AWG	11/0.14	12.3	265.47	111 Ω/km
ANM11.014.64.025AB	UL20937	30V	64X25AWG	11/0.14	12.3	266.67	111 Ω/km
ANM11.014.65.025AB	UL20937	30V	65X25AWG	11/0.14	12.3	267.67	111 Ω/km
ANM11.014.02.024AB	UL20937	30V	2X24AWG	14/0.14	5	37.11	87.6 Ω/km
ANM11.014.03.024AB	UL20937	30V	3X24AWG	14/0.14	5.2	41.31	87.6 Ω/km
ANM11.014.04.024AB	UL20937	30V	4X24AWG	14/0.14	5.5	47.11	87.6 Ω/km
ANM11.014.05.024AB	UL20937	30V	5X24AWG	14/0.14	5.7	51.51	87.6 Ω/km
ANM11.014.06.024AB	UL20937	30V	6X24AWG	14/0.14	6	57.81	87.6 Ω/km
ANM11.014.07.024AB	UL20937	30V	7X24AWG	14/0.14	6	59.31	87.6 Ω/km
ANM11.014.08.024AB	UL20937	30V	8X24AWG	14/0.14	6.3	65.51	87.6 Ω/km
ANM11.014.09.024AB	UL20937	30V	9X24AWG	14/0.14	6.7	74.11	87.6 Ω/km
ANM11.014.10.024AB	UL20937	30V	10X24AWG	14/0.14	7	80.81	87.6 Ω/km
ANM11.014.11.024AB	UL20937	30V	11X24AWG	14/0.14	7.2	86.21	87.6 Ω/km
ANM11.014.12.024AB	UL20937	30V	12X24AWG	14/0.14	7.2	87.71	87.6 Ω/km
ANM11.014.13.024AB	UL20937	30V	13X24AWG	14/0.14	7.5	94.81	87.6 Ω/km
ANM11.014.14.024AB	UL20937	30V	14X24AWG	14/0.14	7.5	96.31	87.6 Ω/km
ANM11.014.15.024AB	UL20937	30V	15X24AWG	14/0.14	7.7	101.71	87.6 Ω/km
ANM11.014.16.024AB	UL20937	30V	16X24AWG	14/0.14	7.7	103.21	87.6 Ω/km
ANM11.014.17.024AB	UL20937	30V	17X24AWG	14/0.14	8	110.81	87.6 Ω/km
ANM11.014.18.024AB	UL20937	30V	18X24AWG	14/0.14	8	112.41	87.6 Ω/km
ANM11.014.19.024AB	UL20937	30V	19X24AWG	14/0.14	8	113.91	87.6 Ω/km
ANM11.014.20.024AB	UL20937	30V	20X24AWG	14/0.14	8.2	119.41	87.6 Ω/km
ANM11.014.21.024AB	UL20937	30V	21X24AWG	14/0.14	8.3	123.21	87.6 Ω/km
ANM11.014.22.024AB	UL20937	30V	22X24AWG	14/0.14	8.7	133.41	87.6 Ω/km
ANM11.014.23.024AB	UL20937	30V	23X24AWG	14/0.14	9	141.81	87.6 Ω/km
ANM11.014.24.024AB	UL20937	30V	24X24AWG	14/0.14	9	143.31	87.6 Ω/km
ANM11.014.25.024AB	UL20937	30V	25X24AWG	14/0.14	9.2	149.51	87.6 Ω/km
ANM11.014.26.024AB	UL20937	30V	26X24AWG	14/0.14	9.2	150.91	87.6 Ω/km
ANM11.014.27.024AB	UL20937	30V	27X24AWG	14/0.14	9.2	152.41	87.6 Ω/km
ANM11.014.28.024AB	UL20937	30V	28X24AWG	14/0.14	9.5	161.21	87.6 Ω/km
ANM11.014.29.024AB	UL20937	30V	29X24AWG	14/0.14	9.5	162.61	87.6 Ω/km
ANM11.014.30.024AB	UL20937	30V	30X24AWG	14/0.14	9.5	164.21	87.6 Ω/km
ANM11.014.31.024AB	UL20937	30V	31X24AWG	14/0.14	9.7	170.51	87.6 Ω/km
ANM11.014.32.024AB	UL20937	30V	32X24AWG	14/0.14	9.7	172.01	87.6 Ω/km
ANM11.014.33.024AB	UL20937	30V	33X24AWG	14/0.14	9.7	173.61	87.6 Ω/km
ANM11.014.34.024AB	UL20937	30V	34X24AWG	14/0.14	10	182.51	87.6 Ω/km



ANM11.014.35.024AB	UL20937	30V	35X24AWG	14/0.14	10	184.01	87.6Ω/km
ANM11.014.36.024AB	UL20937	30V	36X24AWG	14/0.14	10	185.51	87.6Ω/km
ANM11.014.37.024AB	UL20937	30V	37X24AWG	14/0.14	10	187.01	87.6Ω/km
ANM11.014.38.024AB	UL20937	30V	38X24AWG	14/0.14	10.3	196.31	87.6Ω/km
ANM11.014.39.024AB	UL20937	30V	39X24AWG	14/0.14	10.3	197.81	87.6Ω/km
ANM11.014.40.024AB	UL20937	30V	40X24AWG	14/0.14	10.3	199.31	87.6Ω/km
ANM11.014.41.024AB	UL20937	30V	41X24AWG	14/0.14	11	219.81	87.6Ω/km
ANM11.014.42.024AB	UL20937	30V	42X24AWG	14/0.14	11	221.41	87.6Ω/km
ANM11.014.43.024AB	UL20937	30V	43X24AWG	14/0.14	11	222.81	87.6Ω/km
ANM11.014.44.024AB	UL20937	30V	44X24AWG	14/0.14	11	224.31	87.6Ω/km
ANM11.014.45.024AB	UL20937	30V	45X24AWG	14/0.14	11.2	231.51	87.6Ω/km
ANM11.014.46.024AB	UL20937	30V	46X24AWG	14/0.14	11.2	232.91	87.6Ω/km
ANM11.014.47.024AB	UL20937	30V	47X24AWG	14/0.14	11.2	234.31	87.6Ω/km
ANM11.014.48.024AB	UL20937	30V	48X24AWG	14/0.14	11.2	235.81	87.6Ω/km
ANM11.014.49.024AB	UL20937	30V	49X24AWG	14/0.14	11.5	246.01	87.6Ω/km
ANM11.014.50.024AB	UL20937	30V	50X24AWG	14/0.14	11.5	247.51	87.6Ω/km
ANM11.014.51.024AB	UL20937	30V	51X24AWG	14/0.14	11.5	249.01	87.6Ω/km
ANM11.014.52.024AB	UL20937	30V	52X24AWG	14/0.14	11.5	250.51	87.6Ω/km
ANM11.014.53.024AB	UL20937	30V	53X24AWG	14/0.14	11.7	257.91	87.6Ω/km
ANM11.014.54.024AB	UL20937	30V	54X24AWG	14/0.14	11.7	259.31	87.6Ω/km
ANM11.014.55.024AB	UL20937	30V	55X24AWG	14/0.14	11.7	260.71	87.6Ω/km
ANM11.014.56.024AB	UL20937	30V	56X24AWG	14/0.14	11.7	262.31	87.6Ω/km
ANM11.014.57.024AB	UL20937	30V	57X24AWG	14/0.14	12	272.91	87.6Ω/km
ANM11.014.58.024AB	UL20937	30V	58X24AWG	14/0.14	12	274.31	87.6Ω/km
ANM11.014.59.024AB	UL20937	30V	59X24AWG	14/0.14	12	275.91	87.6Ω/km
ANM11.014.60.024AB	UL20937	30V	60X24AWG	14/0.14	12	277.31	87.6Ω/km
ANM11.014.61.024AB	UL20937	30V	61X24AWG	14/0.14	12	278.71	87.6Ω/km
ANM11.014.62.024AB	UL20937	30V	62X24AWG	14/0.14	12.3	289.61	87.6Ω/km
ANM11.014.63.024AB	UL20937	30V	63X24AWG	14/0.14	12.3	291.11	87.6Ω/km
ANM11.014.64.024AB	UL20937	30V	64X24AWG	14/0.14	12.3	292.61	87.6Ω/km
ANM11.014.65.024AB	UL20937	30V	65X24AWG	14/0.14	12.3	294.11	87.6Ω/km
ANM11.014.02.023AB	UL20937	30V	2X23AWG	17/0.14	5.6	46.36	69.2Ω/km
ANM11.014.03.023AB	UL20937	30V	3X23AWG	17/0.14	5.9	52.76	69.2Ω/km
ANM11.014.04.023AB	UL20937	30V	4X23AWG	17/0.14	6.2	59.46	69.2Ω/km
ANM11.014.05.023AB	UL20937	30V	5X23AWG	17/0.14	6.6	68.06	69.2Ω/km
ANM11.014.06.023AB	UL20937	30V	6X23AWG	17/0.14	6.9	75.26	69.2Ω/km
ANM11.014.07.023AB	UL20937	30V	7X23AWG	17/0.14	6.9	77.16	69.2Ω/km
ANM11.014.08.023AB	UL20937	30V	8X23AWG	17/0.14	7.3	86.26	69.2Ω/km
ANM11.014.09.023AB	UL20937	30V	9X23AWG	17/0.14	7.9	99.96	69.2Ω/km
ANM11.014.10.023AB	UL20937	30V	10X23AWG	17/0.14	8.2	108.16	69.2Ω/km
ANM11.014.11.023AB	UL20937	30V	11X23AWG	17/0.14	8.5	116.56	69.2Ω/km
ANM11.014.12.023AB	UL20937	30V	12X23AWG	17/0.14	8.5	118.36	69.2Ω/km



ANM11.014.13.023AB	UL20937	30V	13X23AWG	17/0.14	8.8	126.86	69.2Ω/km
ANM11.014.14.023AB	UL20937	30V	14X23AWG	17/0.14	8.8	128.76	69.2Ω/km
ANM11.014.15.023AB	UL20937	30V	15X23AWG	17/0.14	9.2	139.76	69.2Ω/km
ANM11.014.16.023AB	UL20937	30V	16X23AWG	17/0.14	9.2	141.56	69.2Ω/km
ANM11.014.17.023AB	UL20937	30V	17X23AWG	17/0.14	9.5	150.66	69.2Ω/km
ANM11.014.18.023AB	UL20937	30V	18X23AWG	17/0.14	9.5	152.46	69.2Ω/km
ANM11.014.19.023AB	UL20937	30V	19X23AWG	17/0.14	9.5	154.36	69.2Ω/km
ANM11.014.20.023AB	UL20937	30V	20X23AWG	17/0.14	9.8	163.46	69.2Ω/km
ANM11.014.21.023AB	UL20937	30V	21X23AWG	17/0.14	9.9	167.96	69.2Ω/km
ANM11.014.22.023AB	UL20937	30V	22X23AWG	17/0.14	10.5	185.36	69.2Ω/km
ANM11.014.23.023AB	UL20937	30V	23X23AWG	17/0.14	10.8	195.26	69.2Ω/km
ANM11.014.24.023AB	UL20937	30V	24X23AWG	17/0.14	10.8	197.26	69.2Ω/km
ANM11.014.25.023AB	UL20937	30V	25X23AWG	17/0.14	11.1	207.46	69.2Ω/km
ANM11.014.26.023AB	UL20937	30V	26X23AWG	17/0.14	11.1	209.26	69.2Ω/km
ANM11.014.27.023AB	UL20937	30V	27X23AWG	17/0.14	11.1	211.06	69.2Ω/km
ANM11.014.28.023AB	UL20937	30V	28X23AWG	17/0.14	11.4	221.46	69.2Ω/km
ANM11.014.29.023AB	UL20937	30V	29X23AWG	17/0.14	11.4	223.26	69.2Ω/km
ANM11.014.30.023AB	UL20937	30V	30X23AWG	17/0.14	11.4	225.16	69.2Ω/km
ANM11.014.31.023AB	UL20937	30V	31X23AWG	17/0.14	11.8	238.86	69.2Ω/km
ANM11.014.32.023AB	UL20937	30V	32X23AWG	17/0.14	11.8	240.56	69.2Ω/km
ANM11.014.33.023AB	UL20937	30V	33X23AWG	17/0.14	11.8	242.56	69.2Ω/km
ANM11.014.34.023AB	UL20937	30V	34X23AWG	17/0.14	12.1	253.36	69.2Ω/km
ANM11.014.35.023AB	UL20937	30V	35X23AWG	17/0.14	12.1	255.16	69.2Ω/km
ANM11.014.36.023AB	UL20937	30V	36X23AWG	17/0.14	12.1	256.96	69.2Ω/km
ANM11.014.37.023AB	UL20937	30V	37X23AWG	17/0.14	12.1	258.76	69.2Ω/km
ANM11.014.38.023AB	UL20937	30V	38X23AWG	17/0.14	12.5	273.26	69.2Ω/km
ANM11.014.39.023AB	UL20937	30V	39X23AWG	17/0.14	12.5	274.96	69.2Ω/km
ANM11.014.40.023AB	UL20937	30V	40X23AWG	17/0.14	12.5	276.86	69.2Ω/km
ANM11.014.41.023AB	UL20937	30V	41X23AWG	17/0.14	13.5	311.46	69.2Ω/km
ANM11.014.42.023AB	UL20937	30V	42X23AWG	17/0.14	13.5	313.36	69.2Ω/km
ANM11.014.43.023AB	UL20937	30V	43X23AWG	17/0.14	13.5	315.16	69.2Ω/km
ANM11.014.44.023AB	UL20937	30V	44X23AWG	17/0.14	13.5	317.06	69.2Ω/km
ANM11.014.45.023AB	UL20937	30V	45X23AWG	17/0.14	13.8	329.16	69.2Ω/km
ANM11.014.46.023AB	UL20937	30V	46X23AWG	17/0.14	13.8	330.96	69.2Ω/km
ANM11.014.47.023AB	UL20937	30V	47X23AWG	17/0.14	13.8	332.76	69.2Ω/km
ANM11.014.48.023AB	UL20937	30V	48X23AWG	17/0.14	13.8	334.66	69.2Ω/km
ANM11.014.49.023AB	UL20937	30V	49X23AWG	17/0.14	14.1	347.06	69.2Ω/km
ANM11.014.50.023AB	UL20937	30V	50X23AWG	17/0.14	14.1	348.86	69.2Ω/km
ANM11.014.51.023AB	UL20937	30V	51X23AWG	17/0.14	14.1	350.66	69.2Ω/km
ANM11.014.52.023AB	UL20937	30V	52X23AWG	17/0.14	14.1	352.56	69.2Ω/km
ANM11.014.53.023AB	UL20937	30V	53X23AWG	17/0.14	14.5	368.86	69.2Ω/km
ANM11.014.54.023AB	UL20937	30V	54X23AWG	17/0.14	14.5	370.56	69.2Ω/km



ANM11.014.55.023AB	UL20937	30V	55X23AWG	17/0.14	14.5	372.36	69.2Ω/km
ANM11.014.56.023AB	UL20937	30V	56X23AWG	17/0.14	14.5	374.26	69.2Ω/km
ANM11.014.57.023AB	UL20937	30V	57X23AWG	17/0.14	14.8	387.16	69.2Ω/km
ANM11.014.58.023AB	UL20937	30V	58X23AWG	17/0.14	14.8	389.06	69.2Ω/km
ANM11.014.59.023AB	UL20937	30V	59X23AWG	17/0.14	14.8	390.76	69.2Ω/km
ANM11.014.60.023AB	UL20937	30V	60X23AWG	17/0.14	14.8	392.66	69.2Ω/km
ANM11.014.61.023AB	UL20937	30V	61X23AWG	17/0.14	14.8	394.36	69.2Ω/km
ANM11.014.62.023AB	UL20937	30V	62X23AWG	17/0.14	15.2	411.26	69.2Ω/km
ANM11.014.63.023AB	UL20937	30V	63X23AWG	17/0.14	15.2	413.06	69.2Ω/km
ANM11.014.64.023AB	UL20937	30V	64X23AWG	17/0.14	15.2	414.86	69.2Ω/km
ANM11.014.65.023AB	UL20937	30V	65X23AWG	17/0.14	15.2	416.76	69.2Ω/km
ANM11.014.02.022AB	UL20937	30V	2X22AWG	22/0.14	5.8	50.43	55.4Ω/km
ANM11.014.03.022AB	UL20937	30V	3X22AWG	22/0.14	6.1	57.23	55.4Ω/km
ANM11.014.04.022AB	UL20937	30V	4X22AWG	22/0.14	6.4	64.53	55.4Ω/km
ANM11.014.05.022AB	UL20937	30V	5X22AWG	22/0.14	6.8	73.73	55.4Ω/km
ANM11.014.06.022AB	UL20937	30V	6X22AWG	22/0.14	7.2	83.43	55.4Ω/km
ANM11.014.07.022AB	UL20937	30V	7X22AWG	22/0.14	7.2	85.73	55.4Ω/km
ANM11.014.08.022AB	UL20937	30V	8X22AWG	22/0.14	7.7	97.63	55.4Ω/km
ANM11.014.09.022AB	UL20937	30V	9X22AWG	22/0.14	8.2	110.23	55.4Ω/km
ANM11.014.10.022AB	UL20937	30V	10X22AWG	22/0.14	8.6	121.23	55.4Ω/km
ANM11.014.11.022AB	UL20937	30V	11X22AWG	22/0.14	8.9	130.23	55.4Ω/km
ANM11.014.12.022AB	UL20937	30V	12X22AWG	22/0.14	8.9	132.43	55.4Ω/km
ANM11.014.13.022AB	UL20937	30V	13X22AWG	22/0.14	9.2	141.83	55.4Ω/km
ANM11.014.14.022AB	UL20937	30V	14X22AWG	22/0.14	9.2	143.93	55.4Ω/km
ANM11.014.15.022AB	UL20937	30V	15X22AWG	22/0.14	9.6	155.93	55.4Ω/km
ANM11.014.16.022AB	UL20937	30V	16X22AWG	22/0.14	9.6	158.23	55.4Ω/km
ANM11.014.17.022AB	UL20937	30V	17X22AWG	22/0.14	10	170.53	55.4Ω/km
ANM11.014.18.022AB	UL20937	30V	18X22AWG	22/0.14	10	172.83	55.4Ω/km
ANM11.014.19.022AB	UL20937	30V	19X22AWG	22/0.14	10	175.03	55.4Ω/km
ANM11.014.20.022AB	UL20937	30V	20X22AWG	22/0.14	10.3	185.13	55.4Ω/km
ANM11.014.21.022AB	UL20937	30V	21X22AWG	22/0.14	10.5	192.63	55.4Ω/km
ANM11.014.22.022AB	UL20937	30V	22X22AWG	22/0.14	11	208.63	55.4Ω/km
ANM11.014.23.022AB	UL20937	30V	23X22AWG	22/0.14	11.4	222.33	55.4Ω/km
ANM11.014.24.022AB	UL20937	30V	24X22AWG	22/0.14	11.4	224.53	55.4Ω/km
ANM11.014.25.022AB	UL20937	30V	25X22AWG	22/0.14	11.7	235.63	55.4Ω/km
ANM11.014.26.022AB	UL20937	30V	26X22AWG	22/0.14	11.7	237.83	55.4Ω/km
ANM11.014.27.022AB	UL20937	30V	27X22AWG	22/0.14	11.7	240.13	55.4Ω/km
ANM11.014.28.022AB	UL20937	30V	28X22AWG	22/0.14	12	251.33	55.4Ω/km
ANM11.014.29.022AB	UL20937	30V	29X22AWG	22/0.14	12	253.73	55.4Ω/km
ANM11.014.30.022AB	UL20937	30V	30X22AWG	22/0.14	12	255.93	55.4Ω/km
ANM11.014.31.022AB	UL20937	30V	31X22AWG	22/0.14	12.4	270.53	55.4Ω/km
ANM11.014.32.022AB	UL20937	30V	32X22AWG	22/0.14	12.4	272.93	55.4Ω/km



ANM11.014.33.022AB	UL20937	30V	33X22AWG	22/0.14	12.4	275.03	55.4 Ω/km
ANM11.014.34.022AB	UL20937	30V	34X22AWG	22/0.14	12.8	290.13	55.4 Ω/km
ANM11.014.35.022AB	UL20937	30V	35X22AWG	22/0.14	12.8	292.33	55.4 Ω/km
ANM11.014.36.022AB	UL20937	30V	36X22AWG	22/0.14	12.8	294.63	55.4 Ω/km
ANM11.014.37.022AB	UL20937	30V	37X22AWG	22/0.14	12.8	296.83	55.4 Ω/km
ANM11.014.38.022AB	UL20937	30V	38X22AWG	22/0.14	13.4	319.13	55.4 Ω/km
ANM11.014.39.022AB	UL20937	30V	39X22AWG	22/0.14	13.4	321.33	55.4 Ω/km
ANM11.014.40.022AB	UL20937	30V	40X22AWG	22/0.14	13.4	323.53	55.4 Ω/km
ANM11.014.41.022AB	UL20937	30V	41X22AWG	22/0.14	14.3	357.23	55.4 Ω/km
ANM11.014.42.022AB	UL20937	30V	42X22AWG	22/0.14	14.3	359.43	55.4 Ω/km
ANM11.014.43.022AB	UL20937	30V	43X22AWG	22/0.14	14.3	361.83	55.4 Ω/km
ANM11.014.44.022AB	UL20937	30V	44X22AWG	22/0.14	14.3	363.93	55.4 Ω/km
ANM11.014.45.022AB	UL20937	30V	45X22AWG	22/0.14	14.6	377.23	55.4 Ω/km
ANM11.014.46.022AB	UL20937	30V	46X22AWG	22/0.14	14.6	379.53	55.4 Ω/km
ANM11.014.47.022AB	UL20937	30V	47X22AWG	22/0.14	14.6	381.63	55.4 Ω/km
ANM11.014.48.022AB	UL20937	30V	48X22AWG	22/0.14	14.6	384.03	55.4 Ω/km
ANM11.014.49.022AB	UL20937	30V	49X22AWG	22/0.14	14.9	397.33	55.4 Ω/km
ANM11.014.50.022AB	UL20937	30V	50X22AWG	22/0.14	14.9	399.53	55.4 Ω/km
ANM11.014.51.022AB	UL20937	30V	51X22AWG	22/0.14	14.9	401.73	55.4 Ω/km
ANM11.014.52.022AB	UL20937	30V	52X22AWG	22/0.14	14.9	404.03	55.4 Ω/km
ANM11.014.53.022AB	UL20937	30V	53X22AWG	22/0.14	15.3	421.63	55.4 Ω/km
ANM11.014.54.022AB	UL20937	30V	54X22AWG	22/0.14	15.3	423.83	55.4 Ω/km
ANM11.014.55.022AB	UL20937	30V	55X22AWG	22/0.14	15.3	426.13	55.4 Ω/km
ANM11.014.56.022AB	UL20937	30V	56X22AWG	22/0.14	15.3	428.33	55.4 Ω/km
ANM11.014.57.022AB	UL20937	30V	57X22AWG	22/0.14	15.7	446.23	55.4 Ω/km
ANM11.014.58.022AB	UL20937	30V	58X22AWG	22/0.14	15.7	448.33	55.4 Ω/km
ANM11.014.59.022AB	UL20937	30V	59X22AWG	22/0.14	15.7	450.73	55.4 Ω/km
ANM11.014.60.022AB	UL20937	30V	60X22AWG	22/0.14	15.7	452.93	55.4 Ω/km
ANM11.014.61.022AB	UL20937	30V	61X22AWG	22/0.14	15.7	455.13	55.4 Ω/km
ANM11.014.62.022AB	UL20937	30V	62X22AWG	22/0.14	16.2	477.53	55.4 Ω/km
ANM11.014.63.022AB	UL20937	30V	63X22AWG	22/0.14	16.2	479.63	55.4 Ω/km
ANM11.014.64.022AB	UL20937	30V	64X22AWG	22/0.14	16.2	481.93	55.4 Ω/km
ANM11.014.65.022AB	UL20937	30V	65X22AWG	22/0.14	16.2	484.13	55.4 Ω/km
ANM11.014.02.021AB	UL20937	30V	2X21AWG	27/0.14	6	54.82	43.6 Ω/km
ANM11.014.03.021AB	UL20937	30V	3X21AWG	27/0.14	6.3	62.52	43.6 Ω/km
ANM11.014.04.021AB	UL20937	30V	4X21AWG	27/0.14	6.7	72.42	43.6 Ω/km
ANM11.014.05.021AB	UL20937	30V	5X21AWG	27/0.14	7.1	82.52	43.6 Ω/km
ANM11.014.06.021AB	UL20937	30V	6X21AWG	27/0.14	7.5	93.02	43.6 Ω/km
ANM11.014.07.021AB	UL20937	30V	7X21AWG	27/0.14	7.5	95.92	43.6 Ω/km
ANM11.014.08.021AB	UL20937	30V	8X21AWG	27/0.14	8	108.82	43.6 Ω/km
ANM11.014.09.021AB	UL20937	30V	9X21AWG	27/0.14	8.6	124.62	43.6 Ω/km
ANM11.014.10.021AB	UL20937	30V	10X21AWG	27/0.14	9	136.62	43.6 Ω/km



ANM11.014.11.021AB	UL20937	30V	11X21AWG	27/0.14	9.3	146.62	43.6Ω/km
ANM11.014.12.021AB	UL20937	30V	12X21AWG	27/0.14	9.3	149.52	43.6Ω/km
ANM11.014.13.021AB	UL20937	30V	13X21AWG	27/0.14	9.7	162.22	43.6Ω/km
ANM11.014.14.021AB	UL20937	30V	14X21AWG	27/0.14	9.7	165.02	43.6Ω/km
ANM11.014.15.021AB	UL20937	30V	15X21AWG	27/0.14	10.1	178.02	43.6Ω/km
ANM11.014.16.021AB	UL20937	30V	16X21AWG	27/0.14	10.1	180.82	43.6Ω/km
ANM11.014.17.021AB	UL20937	30V	17X21AWG	27/0.14	10.5	194.22	43.6Ω/km
ANM11.014.18.021AB	UL20937	30V	18X21AWG	27/0.14	10.5	197.12	43.6Ω/km
ANM11.014.19.021AB	UL20937	30V	19X21AWG	27/0.14	10.5	200.12	43.6Ω/km
ANM11.014.20.021AB	UL20937	30V	20X21AWG	27/0.14	10.8	211.12	43.6Ω/km
ANM11.014.21.021AB	UL20937	30V	21X21AWG	27/0.14	11	219.62	43.6Ω/km
ANM11.014.22.021AB	UL20937	30V	22X21AWG	27/0.14	11.6	239.82	43.6Ω/km
ANM11.014.23.021AB	UL20937	30V	23X21AWG	27/0.14	12	254.52	43.6Ω/km
ANM11.014.24.021AB	UL20937	30V	24X21AWG	27/0.14	12	257.42	43.6Ω/km
ANM11.014.25.021AB	UL20937	30V	25X21AWG	27/0.14	12.3	269.72	43.6Ω/km
ANM11.014.26.021AB	UL20937	30V	26X21AWG	27/0.14	12.3	272.62	43.6Ω/km
ANM11.014.27.021AB	UL20937	30V	27X21AWG	27/0.14	12.3	275.42	43.6Ω/km
ANM11.014.28.021AB	UL20937	30V	28X21AWG	27/0.14	12.7	290.92	43.6Ω/km
ANM11.014.29.021AB	UL20937	30V	29X21AWG	27/0.14	12.7	293.82	43.6Ω/km
ANM11.014.30.021AB	UL20937	30V	30X21AWG	27/0.14	12.7	296.72	43.6Ω/km
ANM11.014.31.021AB	UL20937	30V	31X21AWG	27/0.14	13.2	315.92	43.6Ω/km
ANM11.014.32.021AB	UL20937	30V	32X21AWG	27/0.14	13.2	318.82	43.6Ω/km
ANM11.014.33.021AB	UL20937	30V	33X21AWG	27/0.14	13.2	321.72	43.6Ω/km
ANM11.014.34.021AB	UL20937	30V	34X21AWG	27/0.14	13.6	338.02	43.6Ω/km
ANM11.014.35.021AB	UL20937	30V	35X21AWG	27/0.14	13.6	340.92	43.6Ω/km
ANM11.014.36.021AB	UL20937	30V	36X21AWG	27/0.14	13.6	343.82	43.6Ω/km
ANM11.014.37.021AB	UL20937	30V	37X21AWG	27/0.14	13.6	346.72	43.6Ω/km
ANM11.014.38.021AB	UL20937	30V	38X21AWG	27/0.14	14.1	367.12	43.6Ω/km
ANM11.014.39.021AB	UL20937	30V	39X21AWG	27/0.14	14.1	370.02	43.6Ω/km
ANM11.014.40.021AB	UL20937	30V	40X21AWG	27/0.14	14.1	372.82	43.6Ω/km
ANM11.014.41.021AB	UL20937	30V	41X21AWG	27/0.14	15.1	412.52	43.6Ω/km
ANM11.014.42.021AB	UL20937	30V	42X21AWG	27/0.14	15.1	415.32	43.6Ω/km
ANM11.014.43.021AB	UL20937	30V	43X21AWG	27/0.14	15.1	418.22	43.6Ω/km
ANM11.014.44.021AB	UL20937	30V	44X21AWG	27/0.14	15.1	421.12	43.6Ω/km
ANM11.014.45.021AB	UL20937	30V	45X21AWG	27/0.14	15.4	435.52	43.6Ω/km
ANM11.014.46.021AB	UL20937	30V	46X21AWG	27/0.14	15.4	438.32	43.6Ω/km
ANM11.014.47.021AB	UL20937	30V	47X21AWG	27/0.14	15.4	441.22	43.6Ω/km
ANM11.014.48.021AB	UL20937	30V	48X21AWG	27/0.14	15.4	444.02	43.6Ω/km
ANM11.014.49.021AB	UL20937	30V	49X21AWG	27/0.14	15.8	462.62	43.6Ω/km
ANM11.014.50.021AB	UL20937	30V	50X21AWG	27/0.14	15.8	465.52	43.6Ω/km
ANM11.014.51.021AB	UL20937	30V	51X21AWG	27/0.14	15.8	468.42	43.6Ω/km
ANM11.014.52.021AB	UL20937	30V	52X21AWG	27/0.14	15.8	471.22	43.6Ω/km



ANM11.014.53.021AB	UL20937	30V	53X21AWG	27/0.14	16.2	490.22	43.6Ω/km
ANM11.014.54.021AB	UL20937	30V	54X21AWG	27/0.14	16.2	493.02	43.6Ω/km
ANM11.014.55.021AB	UL20937	30V	55X21AWG	27/0.14	16.2	496.02	43.6Ω/km
ANM11.014.56.021AB	UL20937	30V	56X21AWG	27/0.14	16.2	498.82	43.6Ω/km
ANM11.014.57.021AB	UL20937	30V	57X21AWG	27/0.14	16.6	518.22	43.6Ω/km
ANM11.014.58.021AB	UL20937	30V	58X21AWG	27/0.14	16.6	521.02	43.6Ω/km
ANM11.014.59.021AB	UL20937	30V	59X21AWG	27/0.14	16.6	523.92	43.6Ω/km
ANM11.014.60.021AB	UL20937	30V	60X21AWG	27/0.14	16.6	526.82	43.6Ω/km
ANM11.014.61.021AB	UL20937	30V	61X21AWG	27/0.14	16.6	529.62	43.6Ω/km
ANM11.014.62.021AB	UL20937	30V	62X21AWG	27/0.14	17.1	553.62	43.6Ω/km
ANM11.014.63.021AB	UL20937	30V	63X21AWG	27/0.14	17.1	556.42	43.6Ω/km
ANM11.014.64.021AB	UL20937	30V	64X21AWG	27/0.14	17.1	559.32	43.6Ω/km
ANM11.014.65.021AB	UL20937	30V	65X21AWG	27/0.14	17.1	562.22	43.6Ω/km
ANM11.014.02.020AB	UL20937	30V	2X20AWG	34/0.14	6.6	66.42	34.6Ω/km
ANM11.014.03.020AB	UL20937	30V	3X20AWG	34/0.14	6.9	75.42	34.6Ω/km
ANM11.014.04.020AB	UL20937	30V	4X20AWG	34/0.14	7.4	88.52	34.6Ω/km
ANM11.014.05.020AB	UL20937	30V	5X20AWG	34/0.14	7.9	102.02	34.6Ω/km
ANM11.014.06.020AB	UL20937	30V	6X20AWG	34/0.14	8.4	116.32	34.6Ω/km
ANM11.014.07.020AB	UL20937	30V	7X20AWG	34/0.14	8.4	119.82	34.6Ω/km
ANM11.014.08.020AB	UL20937	30V	8X20AWG	34/0.14	9	137.12	34.6Ω/km
ANM11.014.09.020AB	UL20937	30V	9X20AWG	34/0.14	9.7	157.62	34.6Ω/km
ANM11.014.10.020AB	UL20937	30V	10X20AWG	34/0.14	10.2	174.02	34.6Ω/km
ANM11.014.11.020AB	UL20937	30V	11X20AWG	34/0.14	10.5	185.52	34.6Ω/km
ANM11.014.12.020AB	UL20937	30V	12X20AWG	34/0.14	10.5	189.12	34.6Ω/km
ANM11.014.13.020AB	UL20937	30V	13X20AWG	34/0.14	11	206.52	34.6Ω/km
ANM11.014.14.020AB	UL20937	30V	14X20AWG	34/0.14	11	210.22	34.6Ω/km
ANM11.014.15.020AB	UL20937	30V	15X20AWG	34/0.14	11.5	228.12	34.6Ω/km
ANM11.014.16.020AB	UL20937	30V	16X20AWG	34/0.14	11.5	231.82	34.6Ω/km
ANM11.014.17.020AB	UL20937	30V	17X20AWG	34/0.14	12	250.42	34.6Ω/km
ANM11.014.18.020AB	UL20937	30V	18X20AWG	34/0.14	12	254.02	34.6Ω/km
ANM11.014.19.020AB	UL20937	30V	19X20AWG	34/0.14	12	257.72	34.6Ω/km
ANM11.014.20.020AB	UL20937	30V	20X20AWG	34/0.14	12.3	270.62	34.6Ω/km
ANM11.014.21.020AB	UL20937	30V	21X20AWG	34/0.14	12.6	283.72	34.6Ω/km
ANM11.014.22.020AB	UL20937	30V	22X20AWG	34/0.14	13.4	313.62	34.6Ω/km
ANM11.014.23.020AB	UL20937	30V	23X20AWG	34/0.14	13.9	334.52	34.6Ω/km
ANM11.014.24.020AB	UL20937	30V	24X20AWG	34/0.14	13.9	338.12	34.6Ω/km
ANM11.014.25.020AB	UL20937	30V	25X20AWG	34/0.14	14.2	352.52	34.6Ω/km
ANM11.014.26.020AB	UL20937	30V	26X20AWG	34/0.14	14.2	356.02	34.6Ω/km
ANM11.014.27.020AB	UL20937	30V	27X20AWG	34/0.14	14.2	359.62	34.6Ω/km
ANM11.014.28.020AB	UL20937	30V	28X20AWG	34/0.14	14.7	381.42	34.6Ω/km
ANM11.014.29.020AB	UL20937	30V	29X20AWG	34/0.14	14.7	385.12	34.6Ω/km
ANM11.014.30.020AB	UL20937	30V	30X20AWG	34/0.14	14.7	388.72	34.6Ω/km



ANM11.014.31.020AB	UL20937	30V	31X20AWG	34/0.14	15.2	411.12	34.6Ω/km
ANM11.014.32.020AB	UL20937	30V	32X20AWG	34/0.14	15.2	414.72	34.6Ω/km
ANM11.014.33.020AB	UL20937	30V	33X20AWG	34/0.14	15.2	418.42	34.6Ω/km
ANM11.014.34.020AB	UL20937	30V	34X20AWG	34/0.14	15.7	441.62	34.6Ω/km
ANM11.014.35.020AB	UL20937	30V	35X20AWG	34/0.14	15.7	445.22	34.6Ω/km
ANM11.014.36.020AB	UL20937	30V	36X20AWG	34/0.14	15.7	448.82	34.6Ω/km
ANM11.014.37.020AB	UL20937	30V	37X20AWG	34/0.14	15.7	452.42	34.6Ω/km
ANM11.014.38.020AB	UL20937	30V	38X20AWG	34/0.14	16.3	480.22	34.6Ω/km
ANM11.014.39.020AB	UL20937	30V	39X20AWG	34/0.14	16.3	483.72	34.6Ω/km
ANM11.014.40.020AB	UL20937	30V	40X20AWG	34/0.14	16.3	487.42	34.6Ω/km
ANM11.014.41.020AB	UL20937	30V	41X20AWG	34/0.14	17.5	541.82	34.6Ω/km
ANM11.014.42.020AB	UL20937	30V	42X20AWG	34/0.14	17.5	545.52	34.6Ω/km
ANM11.014.43.020AB	UL20937	30V	43X20AWG	34/0.14	17.5	549.12	34.6Ω/km
ANM11.014.44.020AB	UL20937	30V	44X20AWG	34/0.14	17.5	552.82	34.6Ω/km
ANM11.014.45.020AB	UL20937	30V	45X20AWG	34/0.14	17.8	569.62	34.6Ω/km
ANM11.014.46.020AB	UL20937	30V	46X20AWG	34/0.14	17.8	573.32	34.6Ω/km
ANM11.014.47.020AB	UL20937	30V	47X20AWG	34/0.14	17.8	576.92	34.6Ω/km
ANM11.014.48.020AB	UL20937	30V	48X20AWG	34/0.14	17.8	580.62	34.6Ω/km
ANM11.014.49.020AB	UL20937	30V	49X20AWG	34/0.14	18.3	606.82	34.6Ω/km
ANM11.014.50.020AB	UL20937	30V	50X20AWG	34/0.14	18.3	610.52	34.6Ω/km
ANM11.014.51.020AB	UL20937	30V	51X20AWG	34/0.14	18.3	614.22	34.6Ω/km
ANM11.014.52.020AB	UL20937	30V	52X20AWG	34/0.14	18.3	617.82	34.6Ω/km
ANM11.014.53.020AB	UL20937	30V	53X20AWG	34/0.14	18.8	644.52	34.6Ω/km
ANM11.014.54.020AB	UL20937	30V	54X20AWG	34/0.14	18.8	648.02	34.6Ω/km
ANM11.014.55.020AB	UL20937	30V	55X20AWG	34/0.14	18.8	651.72	34.6Ω/km
ANM11.014.56.020AB	UL20937	30V	56X20AWG	34/0.14	18.8	655.22	34.6Ω/km
ANM11.014.57.020AB	UL20937	30V	57X20AWG	34/0.14	19.3	682.72	34.6Ω/km
ANM11.014.58.020AB	UL20937	30V	58X20AWG	34/0.14	19.3	686.22	34.6Ω/km
ANM11.014.59.020AB	UL20937	30V	59X20AWG	34/0.14	19.3	689.92	34.6Ω/km
ANM11.014.60.020AB	UL20937	30V	60X20AWG	34/0.14	19.3	693.52	34.6Ω/km
ANM11.014.61.020AB	UL20937	30V	61X20AWG	34/0.14	19.3	697.22	34.6Ω/km
ANM11.014.62.020AB	UL20937	30V	62X20AWG	34/0.14	20.9	778.62	34.6Ω/km
ANM11.014.63.020AB	UL20937	30V	63X20AWG	34/0.14	20.9	782.22	34.6Ω/km
ANM11.014.64.020AB	UL20937	30V	64X20AWG	34/0.14	20.9	785.82	34.6Ω/km
ANM11.014.65.020AB	UL20937	30V	65X20AWG	34/0.14	20.9	789.52	34.6Ω/km
ANM11.014.02.019AB	UL20937	30V	2X19AWG	43/0.14	6.8	72.16	27.4Ω/km
ANM11.014.03.019AB	UL20937	30V	3X19AWG	43/0.14	7.1	82.26	27.4Ω/km
ANM11.014.04.019AB	UL20937	30V	4X19AWG	43/0.14	7.6	96.56	27.4Ω/km
ANM11.014.05.019AB	UL20937	30V	5X19AWG	43/0.14	8.2	113.46	27.4Ω/km
ANM11.014.06.019AB	UL20937	30V	6X19AWG	43/0.14	8.7	129.16	27.4Ω/km
ANM11.014.07.019AB	UL20937	30V	7X19AWG	43/0.14	8.7	133.66	27.4Ω/km
ANM11.014.08.019AB	UL20937	30V	8X19AWG	43/0.14	9.3	152.36	27.4Ω/km



ANM11.014.09.019AB	UL20937	30V	9X19AWG	43/0.14	10.1	176.76	27.4 Ω/km
ANM11.014.10.019AB	UL20937	30V	10X19AWG	43/0.14	10.6	194.86	27.4 Ω/km
ANM11.014.11.019AB	UL20937	30V	11X19AWG	43/0.14	10.9	207.66	27.4 Ω/km
ANM11.014.12.019AB	UL20937	30V	12X19AWG	43/0.14	10.9	212.36	27.4 Ω/km
ANM11.014.13.019AB	UL20937	30V	13X19AWG	43/0.14	11.4	230.96	27.4 Ω/km
ANM11.014.14.019AB	UL20937	30V	14X19AWG	43/0.14	11.4	235.66	27.4 Ω/km
ANM11.014.15.019AB	UL20937	30V	15X19AWG	43/0.14	12	258.16	27.4 Ω/km
ANM11.014.16.019AB	UL20937	30V	16X19AWG	43/0.14	12	262.86	27.4 Ω/km
ANM11.014.17.019AB	UL20937	30V	17X19AWG	43/0.14	12.5	283.06	27.4 Ω/km
ANM11.014.18.019AB	UL20937	30V	18X19AWG	43/0.14	12.5	287.76	27.4 Ω/km
ANM11.014.19.019AB	UL20937	30V	19X19AWG	43/0.14	12.5	292.36	27.4 Ω/km
ANM11.014.20.019AB	UL20937	30V	20X19AWG	43/0.14	12.8	306.56	27.4 Ω/km
ANM11.014.21.019AB	UL20937	30V	21X19AWG	43/0.14	13.2	324.36	27.4 Ω/km
ANM11.014.22.019AB	UL20937	30V	22X19AWG	43/0.14	14	356.46	27.4 Ω/km
ANM11.014.23.019AB	UL20937	30V	23X19AWG	43/0.14	14.5	379.06	27.4 Ω/km
ANM11.014.24.019AB	UL20937	30V	24X19AWG	43/0.14	14.5	383.76	27.4 Ω/km
ANM11.014.25.019AB	UL20937	30V	25X19AWG	43/0.14	14.8	399.46	27.4 Ω/km
ANM11.014.26.019AB	UL20937	30V	26X19AWG	43/0.14	14.8	404.16	27.4 Ω/km
ANM11.014.27.019AB	UL20937	30V	27X19AWG	43/0.14	14.8	408.66	27.4 Ω/km
ANM11.014.28.019AB	UL20937	30V	28X19AWG	43/0.14	15.3	432.26	27.4 Ω/km
ANM11.014.29.019AB	UL20937	30V	29X19AWG	43/0.14	15.3	436.86	27.4 Ω/km
ANM11.014.30.019AB	UL20937	30V	30X19AWG	43/0.14	15.3	441.46	27.4 Ω/km
ANM11.014.31.019AB	UL20937	30V	31X19AWG	43/0.14	15.9	469.66	27.4 Ω/km
ANM11.014.32.019AB	UL20937	30V	32X19AWG	43/0.14	15.9	474.26	27.4 Ω/km
ANM11.014.33.019AB	UL20937	30V	33X19AWG	43/0.14	15.9	478.86	27.4 Ω/km
ANM11.014.34.019AB	UL20937	30V	34X19AWG	43/0.14	16.4	503.86	27.4 Ω/km
ANM11.014.35.019AB	UL20937	30V	35X19AWG	43/0.14	16.4	508.36	27.4 Ω/km
ANM11.014.36.019AB	UL20937	30V	36X19AWG	43/0.14	16.4	513.16	27.4 Ω/km
ANM11.014.37.019AB	UL20937	30V	37X19AWG	43/0.14	16.4	517.66	27.4 Ω/km
ANM11.014.38.019AB	UL20937	30V	38X19AWG	43/0.14	17	547.46	27.4 Ω/km
ANM11.014.39.019AB	UL20937	30V	39X19AWG	43/0.14	17	551.96	27.4 Ω/km
ANM11.014.40.019AB	UL20937	30V	40X19AWG	43/0.14	17	556.76	27.4 Ω/km
ANM11.014.41.019AB	UL20937	30V	41X19AWG	43/0.14	18.3	618.76	27.4 Ω/km
ANM11.014.42.019AB	UL20937	30V	42X19AWG	43/0.14	18.3	623.36	27.4 Ω/km
ANM11.014.43.019AB	UL20937	30V	43X19AWG	43/0.14	18.3	628.06	27.4 Ω/km
ANM11.014.44.019AB	UL20937	30V	44X19AWG	43/0.14	18.3	632.66	27.4 Ω/km
ANM11.014.45.019AB	UL20937	30V	45X19AWG	43/0.14	18.6	651.06	27.4 Ω/km
ANM11.014.46.019AB	UL20937	30V	46X19AWG	43/0.14	18.6	655.66	27.4 Ω/km
ANM11.014.47.019AB	UL20937	30V	47X19AWG	43/0.14	18.6	660.26	27.4 Ω/km
ANM11.014.48.019AB	UL20937	30V	48X19AWG	43/0.14	18.6	664.96	27.4 Ω/km
ANM11.014.49.019AB	UL20937	30V	49X19AWG	43/0.14	19.1	693.06	27.4 Ω/km
ANM11.014.50.019AB	UL20937	30V	50X19AWG	43/0.14	19.1	697.76	27.4 Ω/km



ANM11.014.51.019AB	UL20937	30V	51X19AWG	43/0.14	19.1	702.26	27.4 Ω/km
ANM11.014.52.019AB	UL20937	30V	52X19AWG	43/0.14	19.1	707.06	27.4 Ω/km
ANM11.014.53.019AB	UL20937	30V	53X19AWG	43/0.14	20.7	788.66	27.4 Ω/km
ANM11.014.54.019AB	UL20937	30V	54X19AWG	43/0.14	20.7	793.16	27.4 Ω/km
ANM11.014.55.019AB	UL20937	30V	55X19AWG	43/0.14	20.7	797.96	27.4 Ω/km
ANM11.014.56.019AB	UL20937	30V	56X19AWG	43/0.14	20.7	802.46	27.4 Ω/km
ANM11.014.57.019AB	UL20937	30V	57X19AWG	43/0.14	21.2	833.16	27.4 Ω/km
ANM11.014.58.019AB	UL20937	30V	58X19AWG	43/0.14	21.2	837.66	27.4 Ω/km
ANM11.014.59.019AB	UL20937	30V	59X19AWG	43/0.14	21.2	842.36	27.4 Ω/km
ANM11.014.60.019AB	UL20937	30V	60X19AWG	43/0.14	21.2	846.96	27.4 Ω/km
ANM11.014.61.019AB	UL20937	30V	61X19AWG	43/0.14	21.2	851.56	27.4 Ω/km
ANM11.014.62.019AB	UL20937	30V	62X19AWG	43/0.14	21.8	888.26	27.4 Ω/km
ANM11.014.63.019AB	UL20937	30V	63X19AWG	43/0.14	21.8	892.96	27.4 Ω/km
ANM11.014.64.019AB	UL20937	30V	64X19AWG	43/0.14	21.8	897.56	27.4 Ω/km
ANM11.014.65.019AB	UL20937	30V	65X19AWG	43/0.14	21.8	902.16	27.4 Ω/km
ANM11.014.02.018AB	UL20937	30V	2X18AWG	29/0.19	7	78.53	21.8 Ω/km
ANM11.014.03.018AB	UL20937	30V	3X18AWG	29/0.19	7.4	92.03	21.8 Ω/km
ANM11.014.04.018AB	UL20937	30V	4X18AWG	29/0.19	7.9	108.13	21.8 Ω/km
ANM11.014.05.018AB	UL20937	30V	5X18AWG	29/0.19	8.4	124.63	21.8 Ω/km
ANM11.014.06.018AB	UL20937	30V	6X18AWG	29/0.19	9	144.03	21.8 Ω/km
ANM11.014.07.018AB	UL20937	30V	7X18AWG	29/0.19	9	150.13	21.8 Ω/km
ANM11.014.08.018AB	UL20937	30V	8X18AWG	29/0.19	9.6	170.43	21.8 Ω/km
ANM11.014.09.018AB	UL20937	30V	9X18AWG	29/0.19	10.4	196.93	21.8 Ω/km
ANM11.014.10.018AB	UL20937	30V	10X18AWG	29/0.19	11	219.33	21.8 Ω/km
ANM11.014.11.018AB	UL20937	30V	11X18AWG	29/0.19	11.4	236.63	21.8 Ω/km
ANM11.014.12.018AB	UL20937	30V	12X18AWG	29/0.19	11.4	242.43	21.8 Ω/km
ANM11.014.13.018AB	UL20937	30V	13X18AWG	29/0.19	11.9	263.43	21.8 Ω/km
ANM11.014.14.018AB	UL20937	30V	14X18AWG	29/0.19	11.9	269.33	21.8 Ω/km
ANM11.014.15.018AB	UL20937	30V	15X18AWG	29/0.19	12.4	290.63	21.8 Ω/km
ANM11.014.16.018AB	UL20937	30V	16X18AWG	29/0.19	12.4	296.73	21.8 Ω/km
ANM11.014.17.018AB	UL20937	30V	17X18AWG	29/0.19	13	321.83	21.8 Ω/km
ANM11.014.18.018AB	UL20937	30V	18X18AWG	29/0.19	13	327.83	21.8 Ω/km
ANM11.014.19.018AB	UL20937	30V	19X18AWG	29/0.19	13	333.93	21.8 Ω/km
ANM11.014.20.018AB	UL20937	30V	20X18AWG	29/0.19	13.5	356.63	21.8 Ω/km
ANM11.014.21.018AB	UL20937	30V	21X18AWG	29/0.19	13.7	369.43	21.8 Ω/km
ANM11.014.22.018AB	UL20937	30V	22X18AWG	29/0.19	14.5	404.03	21.8 Ω/km
ANM11.014.23.018AB	UL20937	30V	23X18AWG	29/0.19	15.1	432.23	21.8 Ω/km
ANM11.014.24.018AB	UL20937	30V	24X18AWG	29/0.19	15.1	438.13	21.8 Ω/km
ANM11.014.25.018AB	UL20937	30V	25X18AWG	29/0.19	15.5	459.63	21.8 Ω/km
ANM11.014.26.018AB	UL20937	30V	26X18AWG	29/0.19	15.5	465.43	21.8 Ω/km
ANM11.014.27.018AB	UL20937	30V	27X18AWG	29/0.19	15.5	471.43	21.8 Ω/km
ANM11.014.28.018AB	UL20937	30V	28X18AWG	29/0.19	16	497.13	21.8 Ω/km



ANM11.014.29.018AB	UL20937	30V	29X18AWG	29/0.19	16	503.23	21.8Ω/km
ANM11.014.30.018AB	UL20937	30V	30X18AWG	29/0.19	16	509.23	21.8Ω/km
ANM11.014.31.018AB	UL20937	30V	31X18AWG	29/0.19	16.5	535.33	21.8Ω/km
ANM11.014.32.018AB	UL20937	30V	32X18AWG	29/0.19	16.5	541.33	21.8Ω/km
ANM11.014.33.018AB	UL20937	30V	33X18AWG	29/0.19	16.5	547.33	21.8Ω/km
ANM11.014.34.018AB	UL20937	30V	34X18AWG	29/0.19	17.1	578.53	21.8Ω/km
ANM11.014.35.018AB	UL20937	30V	35X18AWG	29/0.19	17.1	584.63	21.8Ω/km
ANM11.014.36.018AB	UL20937	30V	36X18AWG	29/0.19	17.1	590.53	21.8Ω/km
ANM11.014.37.018AB	UL20937	30V	37X18AWG	29/0.19	17.1	596.43	21.8Ω/km
ANM11.014.38.018AB	UL20937	30V	38X18AWG	29/0.19	17.7	628.63	21.8Ω/km
ANM11.014.39.018AB	UL20937	30V	39X18AWG	29/0.19	17.7	634.63	21.8Ω/km
ANM11.014.40.018AB	UL20937	30V	40X18AWG	29/0.19	17.7	640.53	21.8Ω/km
ANM11.014.41.018AB	UL20937	30V	41X18AWG	29/0.19	19.1	710.83	21.8Ω/km
ANM11.014.42.018AB	UL20937	30V	42X18AWG	29/0.19	19.1	716.73	21.8Ω/km
ANM11.014.43.018AB	UL20937	30V	43X18AWG	29/0.19	19.1	722.73	21.8Ω/km
ANM11.014.44.018AB	UL20937	30V	44X18AWG	29/0.19	19.1	728.73	21.8Ω/km
ANM11.014.45.018AB	UL20937	30V	45X18AWG	29/0.19	20.5	801.33	21.8Ω/km
ANM11.014.46.018AB	UL20937	30V	46X18AWG	29/0.19	20.5	807.23	21.8Ω/km
ANM11.014.47.018AB	UL20937	30V	47X18AWG	29/0.19	20.5	813.33	21.8Ω/km
ANM11.014.48.018AB	UL20937	30V	48X18AWG	29/0.19	20.5	819.13	21.8Ω/km
ANM11.014.49.018AB	UL20937	30V	49X18AWG	29/0.19	21	850.93	21.8Ω/km
ANM11.014.50.018AB	UL20937	30V	50X18AWG	29/0.19	21	857.03	21.8Ω/km
ANM11.014.51.018AB	UL20937	30V	51X18AWG	29/0.19	21	862.83	21.8Ω/km
ANM11.014.52.018AB	UL20937	30V	52X18AWG	29/0.19	21	868.83	21.8Ω/km
ANM11.014.53.018AB	UL20937	30V	53X18AWG	29/0.19	21.5	901.23	21.8Ω/km
ANM11.014.54.018AB	UL20937	30V	54X18AWG	29/0.19	21.5	907.13	21.8Ω/km
ANM11.014.55.018AB	UL20937	30V	55X18AWG	29/0.19	21.5	913.13	21.8Ω/km
ANM11.014.56.018AB	UL20937	30V	56X18AWG	29/0.19	21.5	918.93	21.8Ω/km
ANM11.014.57.018AB	UL20937	30V	57X18AWG	29/0.19	22.1	957.43	21.8Ω/km
ANM11.014.58.018AB	UL20937	30V	58X18AWG	29/0.19	22.1	963.43	21.8Ω/km
ANM11.014.59.018AB	UL20937	30V	59X18AWG	29/0.19	22.1	969.33	21.8Ω/km
ANM11.014.60.018AB	UL20937	30V	60X18AWG	29/0.19	22.1	975.33	21.8Ω/km
ANM11.014.61.018AB	UL20937	30V	61X18AWG	29/0.19	22.1	981.33	21.8Ω/km
ANM11.014.62.018AB	UL20937	30V	62X18AWG	29/0.19	22.7	1020.63	21.8Ω/km
ANM11.014.63.018AB	UL20937	30V	63X18AWG	29/0.19	22.7	1026.73	21.8Ω/km
ANM11.014.64.018AB	UL20937	30V	64X18AWG	29/0.19	22.7	1032.73	21.8Ω/km
ANM11.014.65.018AB	UL20937	30V	65X18AWG	29/0.19	22.7	1038.53	21.8Ω/km
ANM11.014.02.017AB	UL20937	30V	2X17AWG	37/0.19	7.4	89.24	17.3Ω/km
ANM11.014.03.017AB	UL20937	30V	3X17AWG	37/0.19	7.8	104.54	17.3Ω/km
ANM11.014.04.017AB	UL20937	30V	4X17AWG	37/0.19	8.4	124.54	17.3Ω/km
ANM11.014.05.017AB	UL20937	30V	5X17AWG	37/0.19	9	145.44	17.3Ω/km
ANM11.014.06.017AB	UL20937	30V	6X17AWG	37/0.19	9.6	167.14	17.3Ω/km



ANM11.014.07.017AB	UL20937	30V	7X17AWG	37/0.19	9.6	174.44	17.3 Ω/km
ANM11.014.08.017AB	UL20937	30V	8X17AWG	37/0.19	10.3	199.74	17.3 Ω/km
ANM11.014.09.017AB	UL20937	30V	9X17AWG	37/0.19	11.2	231.84	17.3 Ω/km
ANM11.014.10.017AB	UL20937	30V	10X17AWG	37/0.19	11.8	256.94	17.3 Ω/km
ANM11.014.11.017AB	UL20937	30V	11X17AWG	37/0.19	12.2	276.44	17.3 Ω/km
ANM11.014.12.017AB	UL20937	30V	12X17AWG	37/0.19	12.2	283.84	17.3 Ω/km
ANM11.014.13.017AB	UL20937	30V	13X17AWG	37/0.19	12.8	310.14	17.3 Ω/km
ANM11.014.14.017AB	UL20937	30V	14X17AWG	37/0.19	12.8	317.44	17.3 Ω/km
ANM11.014.15.017AB	UL20937	30V	15X17AWG	37/0.19	13.5	348.14	17.3 Ω/km
ANM11.014.16.017AB	UL20937	30V	16X17AWG	37/0.19	13.5	355.54	17.3 Ω/km
ANM11.014.17.017AB	UL20937	30V	17X17AWG	37/0.19	14.1	383.84	17.3 Ω/km
ANM11.014.18.017AB	UL20937	30V	18X17AWG	37/0.19	14.1	391.24	17.3 Ω/km
ANM11.014.19.017AB	UL20937	30V	19X17AWG	37/0.19	14.1	398.74	17.3 Ω/km
ANM11.014.20.017AB	UL20937	30V	20X17AWG	37/0.19	14.5	420.44	17.3 Ω/km
ANM11.014.21.017AB	UL20937	30V	21X17AWG	37/0.19	14.8	438.94	17.3 Ω/km
ANM11.014.22.017AB	UL20937	30V	22X17AWG	37/0.19	15.7	480.74	17.3 Ω/km
ANM11.014.23.017AB	UL20937	30V	23X17AWG	37/0.19	16.3	512.14	17.3 Ω/km
ANM11.014.24.017AB	UL20937	30V	24X17AWG	37/0.19	16.3	519.54	17.3 Ω/km
ANM11.014.25.017AB	UL20937	30V	25X17AWG	37/0.19	16.7	543.44	17.3 Ω/km
ANM11.014.26.017AB	UL20937	30V	26X17AWG	37/0.19	16.7	550.74	17.3 Ω/km
ANM11.014.27.017AB	UL20937	30V	27X17AWG	37/0.19	16.7	558.24	17.3 Ω/km
ANM11.014.28.017AB	UL20937	30V	28X17AWG	37/0.19	17.3	591.24	17.3 Ω/km
ANM11.014.29.017AB	UL20937	30V	29X17AWG	37/0.19	17.3	598.64	17.3 Ω/km
ANM11.014.30.017AB	UL20937	30V	30X17AWG	37/0.19	17.3	605.94	17.3 Ω/km
ANM11.014.31.017AB	UL20937	30V	31X17AWG	37/0.19	17.9	639.74	17.3 Ω/km
ANM11.014.32.017AB	UL20937	30V	32X17AWG	37/0.19	17.9	647.04	17.3 Ω/km
ANM11.014.33.017AB	UL20937	30V	33X17AWG	37/0.19	17.9	654.34	17.3 Ω/km
ANM11.014.34.017AB	UL20937	30V	34X17AWG	37/0.19	18.5	689.04	17.3 Ω/km
ANM11.014.35.017AB	UL20937	30V	35X17AWG	37/0.19	18.5	696.44	17.3 Ω/km
ANM11.014.36.017AB	UL20937	30V	36X17AWG	37/0.19	18.5	703.84	17.3 Ω/km
ANM11.014.37.017AB	UL20937	30V	37X17AWG	37/0.19	18.5	711.34	17.3 Ω/km
ANM11.014.38.017AB	UL20937	30V	38X17AWG	37/0.19	19.2	751.64	17.3 Ω/km
ANM11.014.39.017AB	UL20937	30V	39X17AWG	37/0.19	19.2	759.04	17.3 Ω/km
ANM11.014.40.017AB	UL20937	30V	40X17AWG	37/0.19	19.2	766.34	17.3 Ω/km
ANM11.014.41.017AB	UL20937	30V	41X17AWG	37/0.19	21.7	898.44	17.3 Ω/km
ANM11.014.42.017AB	UL20937	30V	42X17AWG	37/0.19	21.7	905.74	17.3 Ω/km
ANM11.014.43.017AB	UL20937	30V	43X17AWG	37/0.19	21.7	913.14	17.3 Ω/km
ANM11.014.44.017AB	UL20937	30V	44X17AWG	37/0.19	21.7	920.44	17.3 Ω/km
ANM11.014.45.017AB	UL20937	30V	45X17AWG	37/0.19	22.1	949.64	17.3 Ω/km
ANM11.014.46.017AB	UL20937	30V	46X17AWG	37/0.19	22.1	957.04	17.3 Ω/km
ANM11.014.47.017AB	UL20937	30V	47X17AWG	37/0.19	22.1	964.44	17.3 Ω/km
ANM11.014.48.017AB	UL20937	30V	48X17AWG	37/0.19	22.1	971.74	17.3 Ω/km



ANM11.014.49.017AB	UL20937	30V	49X17AWG	37/0.19	22.7	1012.64	17.3 Ω/km
ANM11.014.50.017AB	UL20937	30V	50X17AWG	37/0.19	22.7	1019.94	17.3 Ω/km
ANM11.014.51.017AB	UL20937	30V	51X17AWG	37/0.19	22.7	1027.24	17.3 Ω/km
ANM11.014.52.017AB	UL20937	30V	52X17AWG	37/0.19	22.7	1034.64	17.3 Ω/km
ANM11.014.53.017AB	UL20937	30V	53X17AWG	37/0.19	23.3	1076.24	17.3 Ω/km
ANM11.014.54.017AB	UL20937	30V	54X17AWG	37/0.19	23.3	1083.54	17.3 Ω/km
ANM11.014.55.017AB	UL20937	30V	55X17AWG	37/0.19	23.3	1091.04	17.3 Ω/km
ANM11.014.56.017AB	UL20937	30V	56X17AWG	37/0.19	23.3	1098.34	17.3 Ω/km
ANM11.014.57.017AB	UL20937	30V	57X17AWG	37/0.19	23.9	1140.84	17.3 Ω/km
ANM11.014.58.017AB	UL20937	30V	58X17AWG	37/0.19	23.9	1148.24	17.3 Ω/km
ANM11.014.59.017AB	UL20937	30V	59X17AWG	37/0.19	23.9	1155.54	17.3 Ω/km
ANM11.014.60.017AB	UL20937	30V	60X17AWG	37/0.19	23.9	1162.94	17.3 Ω/km
ANM11.014.61.017AB	UL20937	30V	61X17AWG	37/0.19	23.9	1170.24	17.3 Ω/km
ANM11.014.62.017AB	UL20937	30V	62X17AWG	37/0.19	24.6	1219.84	17.3 Ω/km
ANM11.014.63.017AB	UL20937	30V	63X17AWG	37/0.19	24.6	1227.14	17.3 Ω/km
ANM11.014.64.017AB	UL20937	30V	64X17AWG	37/0.19	24.6	1234.64	17.3 Ω/km
ANM11.014.65.017AB	UL20937	30V	65X17AWG	37/0.19	24.6	1241.94	17.3 Ω/km
ANM11.014.02.016AB	UL20937	30V	2X16AWG	27/0.25	7.6	97.81	13.7 Ω/km
ANM11.014.03.016AB	UL20937	30V	3X16AWG	27/0.25	8	115.51	13.7 Ω/km
ANM11.014.04.016AB	UL20937	30V	4X16AWG	27/0.25	8.6	138.01	13.7 Ω/km
ANM11.014.05.016AB	UL20937	30V	5X16AWG	27/0.25	9.3	163.81	13.7 Ω/km
ANM11.014.06.016AB	UL20937	30V	6X16AWG	27/0.25	9.9	188.11	13.7 Ω/km
ANM11.014.07.016AB	UL20937	30V	7X16AWG	27/0.25	9.9	197.71	13.7 Ω/km
ANM11.014.08.016AB	UL20937	30V	8X16AWG	27/0.25	10.6	225.71	13.7 Ω/km
ANM11.014.09.016AB	UL20937	30V	9X16AWG	27/0.25	11.6	263.61	13.7 Ω/km
ANM11.014.10.016AB	UL20937	30V	10X16AWG	27/0.25	12.2	291.21	13.7 Ω/km
ANM11.014.11.016AB	UL20937	30V	11X16AWG	27/0.25	12.6	313.41	13.7 Ω/km
ANM11.014.12.016AB	UL20937	30V	12X16AWG	27/0.25	12.6	323.01	13.7 Ω/km
ANM11.014.13.016AB	UL20937	30V	13X16AWG	27/0.25	13.3	355.41	13.7 Ω/km
ANM11.014.14.016AB	UL20937	30V	14X16AWG	27/0.25	13.3	365.01	13.7 Ω/km
ANM11.014.15.016AB	UL20937	30V	15X16AWG	27/0.25	14	398.71	13.7 Ω/km
ANM11.014.16.016AB	UL20937	30V	16X16AWG	27/0.25	14	408.31	13.7 Ω/km
ANM11.014.17.016AB	UL20937	30V	17X16AWG	27/0.25	14.6	439.51	13.7 Ω/km
ANM11.014.18.016AB	UL20937	30V	18X16AWG	27/0.25	14.6	449.11	13.7 Ω/km
ANM11.014.19.016AB	UL20937	30V	19X16AWG	27/0.25	14.6	458.71	13.7 Ω/km
ANM11.014.20.016AB	UL20937	30V	20X16AWG	27/0.25	15	483.11	13.7 Ω/km
ANM11.014.21.016AB	UL20937	30V	21X16AWG	27/0.25	15.3	504.21	13.7 Ω/km
ANM11.014.22.016AB	UL20937	30V	22X16AWG	27/0.25	16.3	553.31	13.7 Ω/km
ANM11.014.23.016AB	UL20937	30V	23X16AWG	27/0.25	16.9	588.01	13.7 Ω/km
ANM11.014.24.016AB	UL20937	30V	24X16AWG	27/0.25	16.9	597.61	13.7 Ω/km
ANM11.014.25.016AB	UL20937	30V	25X16AWG	27/0.25	17.3	624.21	13.7 Ω/km
ANM11.014.26.016AB	UL20937	30V	26X16AWG	27/0.25	17.3	633.81	13.7 Ω/km



ANM11.014.27.016AB	UL20937	30V	27X16AWG	27/0.25	17.3	643.31	13.7 Ω/km
ANM11.014.28.016AB	UL20937	30V	28X16AWG	27/0.25	17.9	679.31	13.7 Ω/km
ANM11.014.29.016AB	UL20937	30V	29X16AWG	27/0.25	17.9	688.81	13.7 Ω/km
ANM11.014.30.016AB	UL20937	30V	30X16AWG	27/0.25	17.9	698.41	13.7 Ω/km
ANM11.014.31.016AB	UL20937	30V	31X16AWG	27/0.25	18.6	739.91	13.7 Ω/km
ANM11.014.32.016AB	UL20937	30V	32X16AWG	27/0.25	18.6	749.41	13.7 Ω/km
ANM11.014.33.016AB	UL20937	30V	33X16AWG	27/0.25	18.6	759.01	13.7 Ω/km
ANM11.014.34.016AB	UL20937	30V	34X16AWG	27/0.25	19.2	796.91	13.7 Ω/km
ANM11.014.35.016AB	UL20937	30V	35X16AWG	27/0.25	19.2	806.51	13.7 Ω/km
ANM11.014.36.016AB	UL20937	30V	36X16AWG	27/0.25	19.2	816.11	13.7 Ω/km
ANM11.014.37.016AB	UL20937	30V	37X16AWG	27/0.25	19.2	825.61	13.7 Ω/km
ANM11.014.38.016AB	UL20937	30V	38X16AWG	27/0.25	20.9	917.71	13.7 Ω/km
ANM11.014.39.016AB	UL20937	30V	39X16AWG	27/0.25	20.9	927.21	13.7 Ω/km
ANM11.014.40.016AB	UL20937	30V	40X16AWG	27/0.25	20.9	936.81	13.7 Ω/km
ANM11.014.41.016AB	UL20937	30V	41X16AWG	27/0.25	22.5	1032.71	13.7 Ω/km
ANM11.014.42.016AB	UL20937	30V	42X16AWG	27/0.25	22.5	1042.21	13.7 Ω/km
ANM11.014.43.016AB	UL20937	30V	43X16AWG	27/0.25	22.5	1051.81	13.7 Ω/km
ANM11.014.44.016AB	UL20937	30V	44X16AWG	27/0.25	22.5	1061.31	13.7 Ω/km
ANM11.014.45.016AB	UL20937	30V	45X16AWG	27/0.25	22.9	1093.41	13.7 Ω/km
ANM11.014.46.016AB	UL20937	30V	46X16AWG	27/0.25	22.9	1102.91	13.7 Ω/km
ANM11.014.47.016AB	UL20937	30V	47X16AWG	27/0.25	22.9	1112.51	13.7 Ω/km
ANM11.014.48.016AB	UL20937	30V	48X16AWG	27/0.25	22.9	1122.11	13.7 Ω/km
ANM11.014.49.016AB	UL20937	30V	49X16AWG	27/0.25	23.5	1166.01	13.7 Ω/km
ANM11.014.50.016AB	UL20937	30V	50X16AWG	27/0.25	23.5	1175.61	13.7 Ω/km
ANM11.014.51.016AB	UL20937	30V	51X16AWG	27/0.25	23.5	1185.11	13.7 Ω/km
ANM11.014.52.016AB	UL20937	30V	52X16AWG	27/0.25	23.5	1194.71	13.7 Ω/km
ANM11.014.53.016AB	UL20937	30V	53X16AWG	27/0.25	24.2	1245.81	13.7 Ω/km
ANM11.014.54.016AB	UL20937	30V	54X16AWG	27/0.25	24.2	1255.31	13.7 Ω/km
ANM11.014.55.016AB	UL20937	30V	55X16AWG	27/0.25	24.2	1264.91	13.7 Ω/km
ANM11.014.56.016AB	UL20937	30V	56X16AWG	27/0.25	24.2	1274.41	13.7 Ω/km
ANM11.014.57.016AB	UL20937	30V	57X16AWG	27/0.25	24.8	1320.41	13.7 Ω/km
ANM11.014.58.016AB	UL20937	30V	58X16AWG	27/0.25	24.8	1329.91	13.7 Ω/km
ANM11.014.59.016AB	UL20937	30V	59X16AWG	27/0.25	24.8	1339.51	13.7 Ω/km
ANM11.014.60.016AB	UL20937	30V	60X16AWG	27/0.25	24.8	1349.11	13.7 Ω/km
ANM11.014.61.016AB	UL20937	30V	61X16AWG	27/0.25	24.8	1358.61	13.7 Ω/km
ANM11.014.62.016AB	UL20937	30V	62X16AWG	27/0.25	25.5	1411.81	13.7 Ω/km
ANM11.014.63.016AB	UL20937	30V	63X16AWG	27/0.25	25.5	1421.31	13.7 Ω/km
ANM11.014.64.016AB	UL20937	30V	64X16AWG	27/0.25	25.5	1430.91	13.7 Ω/km
ANM11.014.65.016AB	UL20937	30V	65X16AWG	27/0.25	25.5	1440.51	13.7 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 PVC 材质							



ANM11.017.02.030AB	UL20937	30V	2X30AWG	7/0.1	5	34.66	354 Ω/km
ANM11.017.03.030AB	UL20937	30V	3X30AWG	7/0.1	5.2	37.76	354 Ω/km
ANM11.017.04.030AB	UL20937	30V	4X30AWG	7/0.1	5.5	42.46	354 Ω/km
ANM11.017.05.030AB	UL20937	30V	5X30AWG	7/0.1	5.7	45.66	354 Ω/km
ANM11.017.06.030AB	UL20937	30V	6X30AWG	7/0.1	6	50.76	354 Ω/km
ANM11.017.07.030AB	UL20937	30V	7X30AWG	7/0.1	6	51.16	354 Ω/km
ANM11.017.08.030AB	UL20937	30V	8X30AWG	7/0.1	6.3	56.36	354 Ω/km
ANM11.017.09.030AB	UL20937	30V	9X30AWG	7/0.1	6.7	63.76	354 Ω/km
ANM11.017.10.030AB	UL20937	30V	10X30AWG	7/0.1	7	69.26	354 Ω/km
ANM11.017.11.030AB	UL20937	30V	11X30AWG	7/0.1	7.2	73.56	354 Ω/km
ANM11.017.12.030AB	UL20937	30V	12X30AWG	7/0.1	7.2	73.96	354 Ω/km
ANM11.017.13.030AB	UL20937	30V	13X30AWG	7/0.1	7.5	79.96	354 Ω/km
ANM11.017.14.030AB	UL20937	30V	14X30AWG	7/0.1	7.5	80.16	354 Ω/km
ANM11.017.15.030AB	UL20937	30V	15X30AWG	7/0.1	7.7	84.46	354 Ω/km
ANM11.017.16.030AB	UL20937	30V	16X30AWG	7/0.1	7.7	84.86	354 Ω/km
ANM11.017.17.030AB	UL20937	30V	17X30AWG	7/0.1	8	91.46	354 Ω/km
ANM11.017.18.030AB	UL20937	30V	18X30AWG	7/0.1	8	91.86	354 Ω/km
ANM11.017.19.030AB	UL20937	30V	19X30AWG	7/0.1	8	92.06	354 Ω/km
ANM11.017.20.030AB	UL20937	30V	20X30AWG	7/0.1	8.2	96.56	354 Ω/km
ANM11.017.21.030AB	UL20937	30V	21X30AWG	7/0.1	8.3	99.16	354 Ω/km
ANM11.017.22.030AB	UL20937	30V	22X30AWG	7/0.1	8.7	108.36	354 Ω/km
ANM11.017.23.030AB	UL20937	30V	23X30AWG	7/0.1	9	115.56	354 Ω/km
ANM11.017.24.030AB	UL20937	30V	24X30AWG	7/0.1	9	115.86	354 Ω/km
ANM11.017.25.030AB	UL20937	30V	25X30AWG	7/0.1	9.2	120.96	354 Ω/km
ANM11.017.26.030AB	UL20937	30V	26X30AWG	7/0.1	9.2	121.26	354 Ω/km
ANM11.017.27.030AB	UL20937	30V	27X30AWG	7/0.1	9.2	121.66	354 Ω/km
ANM11.017.28.030AB	UL20937	30V	28X30AWG	7/0.1	9.5	129.16	354 Ω/km
ANM11.017.29.030AB	UL20937	30V	29X30AWG	7/0.1	9.5	129.56	354 Ω/km
ANM11.017.30.030AB	UL20937	30V	30X30AWG	7/0.1	9.5	129.96	354 Ω/km
ANM11.017.31.030AB	UL20937	30V	31X30AWG	7/0.1	9.7	135.26	354 Ω/km
ANM11.017.32.030AB	UL20937	30V	32X30AWG	7/0.1	9.7	135.56	354 Ω/km
ANM11.017.33.030AB	UL20937	30V	33X30AWG	7/0.1	9.7	135.86	354 Ω/km
ANM11.017.34.030AB	UL20937	30V	34X30AWG	7/0.1	10	143.76	354 Ω/km
ANM11.017.35.030AB	UL20937	30V	35X30AWG	7/0.1	10	144.16	354 Ω/km
ANM11.017.36.030AB	UL20937	30V	36X30AWG	7/0.1	10	144.56	354 Ω/km
ANM11.017.37.030AB	UL20937	30V	37X30AWG	7/0.1	10	144.76	354 Ω/km
ANM11.017.38.030AB	UL20937	30V	38X30AWG	7/0.1	10.3	152.96	354 Ω/km
ANM11.017.39.030AB	UL20937	30V	39X30AWG	7/0.1	10.3	153.36	354 Ω/km
ANM11.017.40.030AB	UL20937	30V	40X30AWG	7/0.1	10.3	153.76	354 Ω/km
ANM11.017.41.030AB	UL20937	30V	41X30AWG	7/0.1	11	173.16	354 Ω/km
ANM11.017.42.030AB	UL20937	30V	42X30AWG	7/0.1	11	173.46	354 Ω/km
ANM11.017.43.030AB	UL20937	30V	43X30AWG	7/0.1	11	173.86	354 Ω/km



ANM11.017.44.030AB	UL20937	30V	44X30AWG	7/0.1	11	174.26	354 Ω/km
ANM11.017.45.030AB	UL20937	30V	45X30AWG	7/0.1	11.2	180.26	354 Ω/km
ANM11.017.46.030AB	UL20937	30V	46X30AWG	7/0.1	11.2	180.56	354 Ω/km
ANM11.017.47.030AB	UL20937	30V	47X30AWG	7/0.1	11.2	180.76	354 Ω/km
ANM11.017.48.030AB	UL20937	30V	48X30AWG	7/0.1	11.2	181.16	354 Ω/km
ANM11.017.49.030AB	UL20937	30V	49X30AWG	7/0.1	11.5	190.26	354 Ω/km
ANM11.017.50.030AB	UL20937	30V	50X30AWG	7/0.1	11.5	190.56	354 Ω/km
ANM11.017.51.030AB	UL20937	30V	51X30AWG	7/0.1	11.5	190.86	354 Ω/km
ANM11.017.52.030AB	UL20937	30V	52X30AWG	7/0.1	11.5	191.26	354 Ω/km
ANM11.017.53.030AB	UL20937	30V	53X30AWG	7/0.1	11.7	197.56	354 Ω/km
ANM11.017.54.030AB	UL20937	30V	54X30AWG	7/0.1	11.7	197.86	354 Ω/km
ANM11.017.55.030AB	UL20937	30V	55X30AWG	7/0.1	11.7	198.16	354 Ω/km
ANM11.017.56.030AB	UL20937	30V	56X30AWG	7/0.1	11.7	198.46	354 Ω/km
ANM11.017.57.030AB	UL20937	30V	57X30AWG	7/0.1	12	207.96	354 Ω/km
ANM11.017.58.030AB	UL20937	30V	58X30AWG	7/0.1	12	208.36	354 Ω/km
ANM11.017.59.030AB	UL20937	30V	59X30AWG	7/0.1	12	208.66	354 Ω/km
ANM11.017.60.030AB	UL20937	30V	60X30AWG	7/0.1	12	208.96	354 Ω/km
ANM11.017.61.030AB	UL20937	30V	61X30AWG	7/0.1	12	209.26	354 Ω/km
ANM11.017.62.030AB	UL20937	30V	62X30AWG	7/0.1	12.3	219.06	354 Ω/km
ANM11.017.63.030AB	UL20937	30V	63X30AWG	7/0.1	12.3	219.46	354 Ω/km
ANM11.017.64.030AB	UL20937	30V	64X30AWG	7/0.1	12.3	219.76	354 Ω/km
ANM11.017.65.030AB	UL20937	30V	65X30AWG	7/0.1	12.3	220.06	354 Ω/km
ANM11.017.02.029AB	UL20937	30V	2X29AWG	9/0.1	5.2	37.67	277 Ω/km
ANM11.017.03.029AB	UL20937	30V	3X29AWG	9/0.1	5.4	40.87	277 Ω/km
ANM11.017.04.029AB	UL20937	30V	4X29AWG	9/0.1	5.7	45.87	277 Ω/km
ANM11.017.05.029AB	UL20937	30V	5X29AWG	9/0.1	6	50.97	277 Ω/km
ANM11.017.06.029AB	UL20937	30V	6X29AWG	9/0.1	6.3	56.27	277 Ω/km
ANM11.017.07.029AB	UL20937	30V	7X29AWG	9/0.1	6.3	56.67	277 Ω/km
ANM11.017.08.029AB	UL20937	30V	8X29AWG	9/0.1	6.7	64.07	277 Ω/km
ANM11.017.09.029AB	UL20937	30V	9X29AWG	9/0.1	7.1	71.87	277 Ω/km
ANM11.017.10.029AB	UL20937	30V	10X29AWG	9/0.1	7.4	78.17	277 Ω/km
ANM11.017.11.029AB	UL20937	30V	11X29AWG	9/0.1	7.6	82.47	277 Ω/km
ANM11.017.12.029AB	UL20937	30V	12X29AWG	9/0.1	7.6	82.97	277 Ω/km
ANM11.017.13.029AB	UL20937	30V	13X29AWG	9/0.1	7.9	89.47	277 Ω/km
ANM11.017.14.029AB	UL20937	30V	14X29AWG	9/0.1	7.9	89.87	277 Ω/km
ANM11.017.15.029AB	UL20937	30V	15X29AWG	9/0.1	8.2	96.57	277 Ω/km
ANM11.017.16.029AB	UL20937	30V	16X29AWG	9/0.1	8.2	96.97	277 Ω/km
ANM11.017.17.029AB	UL20937	30V	17X29AWG	9/0.1	8.5	104.17	277 Ω/km
ANM11.017.18.029AB	UL20937	30V	18X29AWG	9/0.1	8.5	104.57	277 Ω/km
ANM11.017.19.029AB	UL20937	30V	19X29AWG	9/0.1	8.5	104.97	277 Ω/km
ANM11.017.20.029AB	UL20937	30V	20X29AWG	9/0.1	8.7	109.97	277 Ω/km
ANM11.017.21.029AB	UL20937	30V	21X29AWG	9/0.1	8.9	114.87	277 Ω/km



ANM11.017.22.029AB	UL20937	30V	22X29AWG	9/0.1	9.3	124.87	277 Ω /km
ANM11.017.23.029AB	UL20937	30V	23X29AWG	9/0.1	9.6	132.47	277 Ω /km
ANM11.017.24.029AB	UL20937	30V	24X29AWG	9/0.1	9.6	132.97	277 Ω /km
ANM11.017.25.029AB	UL20937	30V	25X29AWG	9/0.1	9.8	138.27	277 Ω /km
ANM11.017.26.029AB	UL20937	30V	26X29AWG	9/0.1	9.8	138.87	277 Ω /km
ANM11.017.27.029AB	UL20937	30V	27X29AWG	9/0.1	9.8	139.27	277 Ω /km
ANM11.017.28.029AB	UL20937	30V	28X29AWG	9/0.1	10.1	147.37	277 Ω /km
ANM11.017.29.029AB	UL20937	30V	29X29AWG	9/0.1	10.1	147.97	277 Ω /km
ANM11.017.30.029AB	UL20937	30V	30X29AWG	9/0.1	10.1	148.37	277 Ω /km
ANM11.017.31.029AB	UL20937	30V	31X29AWG	9/0.1	10.4	156.77	277 Ω /km
ANM11.017.32.029AB	UL20937	30V	32X29AWG	9/0.1	10.4	157.27	277 Ω /km
ANM11.017.33.029AB	UL20937	30V	33X29AWG	9/0.1	10.4	157.67	277 Ω /km
ANM11.017.34.029AB	UL20937	30V	34X29AWG	9/0.1	10.7	166.27	277 Ω /km
ANM11.017.35.029AB	UL20937	30V	35X29AWG	9/0.1	10.7	166.67	277 Ω /km
ANM11.017.36.029AB	UL20937	30V	36X29AWG	9/0.1	10.7	167.07	277 Ω /km
ANM11.017.37.029AB	UL20937	30V	37X29AWG	9/0.1	10.7	167.57	277 Ω /km
ANM11.017.38.029AB	UL20937	30V	38X29AWG	9/0.1	11.1	179.17	277 Ω /km
ANM11.017.39.029AB	UL20937	30V	39X29AWG	9/0.1	11.1	179.67	277 Ω /km
ANM11.017.40.029AB	UL20937	30V	40X29AWG	9/0.1	11.1	180.07	277 Ω /km
ANM11.017.41.029AB	UL20937	30V	41X29AWG	9/0.1	11.8	200.97	277 Ω /km
ANM11.017.42.029AB	UL20937	30V	42X29AWG	9/0.1	11.8	201.47	277 Ω /km
ANM11.017.43.029AB	UL20937	30V	43X29AWG	9/0.1	11.8	201.97	277 Ω /km
ANM11.017.44.029AB	UL20937	30V	44X29AWG	9/0.1	11.8	202.37	277 Ω /km
ANM11.017.45.029AB	UL20937	30V	45X29AWG	9/0.1	12	208.87	277 Ω /km
ANM11.017.46.029AB	UL20937	30V	46X29AWG	9/0.1	12	209.27	277 Ω /km
ANM11.017.47.029AB	UL20937	30V	47X29AWG	9/0.1	12	209.67	277 Ω /km
ANM11.017.48.029AB	UL20937	30V	48X29AWG	9/0.1	12	210.17	277 Ω /km
ANM11.017.49.029AB	UL20937	30V	49X29AWG	9/0.1	12.3	220.07	277 Ω /km
ANM11.017.50.029AB	UL20937	30V	50X29AWG	9/0.1	12.3	220.47	277 Ω /km
ANM11.017.51.029AB	UL20937	30V	51X29AWG	9/0.1	12.3	221.07	277 Ω /km
ANM11.017.52.029AB	UL20937	30V	52X29AWG	9/0.1	12.3	221.47	277 Ω /km
ANM11.017.53.029AB	UL20937	30V	53X29AWG	9/0.1	12.6	231.27	277 Ω /km
ANM11.017.54.029AB	UL20937	30V	54X29AWG	9/0.1	12.6	231.77	277 Ω /km
ANM11.017.55.029AB	UL20937	30V	55X29AWG	9/0.1	12.6	232.17	277 Ω /km
ANM11.017.56.029AB	UL20937	30V	56X29AWG	9/0.1	12.6	232.67	277 Ω /km
ANM11.017.57.029AB	UL20937	30V	57X29AWG	9/0.1	12.9	242.77	277 Ω /km
ANM11.017.58.029AB	UL20937	30V	58X29AWG	9/0.1	12.9	243.27	277 Ω /km
ANM11.017.59.029AB	UL20937	30V	59X29AWG	9/0.1	12.9	243.77	277 Ω /km
ANM11.017.60.029AB	UL20937	30V	60X29AWG	9/0.1	12.9	244.27	277 Ω /km
ANM11.017.61.029AB	UL20937	30V	61X29AWG	9/0.1	12.9	244.77	277 Ω /km
ANM11.017.62.029AB	UL20937	30V	62X29AWG	9/0.1	13.4	261.77	277 Ω /km
ANM11.017.63.029AB	UL20937	30V	63X29AWG	9/0.1	13.4	262.17	277 Ω /km



ANM11.017.64.029AB	UL20937	30V	64X29AWG	9/0.1	13.4	262.67	277 Ω/km
ANM11.017.65.029AB	UL20937	30V	65X29AWG	9/0.1	13.4	263.07	277 Ω/km
ANM11.017.02.028AB	UL20937	30V	2X28AWG	11/0.1	5.2	37.89	223 Ω/km
ANM11.017.03.028AB	UL20937	30V	3X28AWG	11/0.1	5.4	41.19	223 Ω/km
ANM11.017.04.028AB	UL20937	30V	4X28AWG	11/0.1	5.7	46.39	223 Ω/km
ANM11.017.05.028AB	UL20937	30V	5X28AWG	11/0.1	6	51.49	223 Ω/km
ANM11.017.06.028AB	UL20937	30V	6X28AWG	11/0.1	6.3	56.99	223 Ω/km
ANM11.017.07.028AB	UL20937	30V	7X28AWG	11/0.1	6.3	57.59	223 Ω/km
ANM11.017.08.028AB	UL20937	30V	8X28AWG	11/0.1	6.7	65.09	223 Ω/km
ANM11.017.09.028AB	UL20937	30V	9X28AWG	11/0.1	7.1	72.99	223 Ω/km
ANM11.017.10.028AB	UL20937	30V	10X28AWG	11/0.1	7.4	79.19	223 Ω/km
ANM11.017.11.028AB	UL20937	30V	11X28AWG	11/0.1	7.6	83.69	223 Ω/km
ANM11.017.12.028AB	UL20937	30V	12X28AWG	11/0.1	7.6	84.39	223 Ω/km
ANM11.017.13.028AB	UL20937	30V	13X28AWG	11/0.1	7.9	90.99	223 Ω/km
ANM11.017.14.028AB	UL20937	30V	14X28AWG	11/0.1	7.9	91.59	223 Ω/km
ANM11.017.15.028AB	UL20937	30V	15X28AWG	11/0.1	8.2	98.29	223 Ω/km
ANM11.017.16.028AB	UL20937	30V	16X28AWG	11/0.1	8.2	98.89	223 Ω/km
ANM11.017.17.028AB	UL20937	30V	17X28AWG	11/0.1	8.5	106.09	223 Ω/km
ANM11.017.18.028AB	UL20937	30V	18X28AWG	11/0.1	8.5	106.69	223 Ω/km
ANM11.017.19.028AB	UL20937	30V	19X28AWG	11/0.1	8.5	107.29	223 Ω/km
ANM11.017.20.028AB	UL20937	30V	20X28AWG	11/0.1	8.7	112.19	223 Ω/km
ANM11.017.21.028AB	UL20937	30V	21X28AWG	11/0.1	8.9	117.29	223 Ω/km
ANM11.017.22.028AB	UL20937	30V	22X28AWG	11/0.1	9.3	127.39	223 Ω/km
ANM11.017.23.028AB	UL20937	30V	23X28AWG	11/0.1	9.6	135.19	223 Ω/km
ANM11.017.24.028AB	UL20937	30V	24X28AWG	11/0.1	9.6	135.89	223 Ω/km
ANM11.017.25.028AB	UL20937	30V	25X28AWG	11/0.1	9.8	141.19	223 Ω/km
ANM11.017.26.028AB	UL20937	30V	26X28AWG	11/0.1	9.8	141.89	223 Ω/km
ANM11.017.27.028AB	UL20937	30V	27X28AWG	11/0.1	9.8	142.39	223 Ω/km
ANM11.017.28.028AB	UL20937	30V	28X28AWG	11/0.1	10.1	150.69	223 Ω/km
ANM11.017.29.028AB	UL20937	30V	29X28AWG	11/0.1	10.1	151.29	223 Ω/km
ANM11.017.30.028AB	UL20937	30V	30X28AWG	11/0.1	10.1	151.79	223 Ω/km
ANM11.017.31.028AB	UL20937	30V	31X28AWG	11/0.1	10.4	160.39	223 Ω/km
ANM11.017.32.028AB	UL20937	30V	32X28AWG	11/0.1	10.4	160.99	223 Ω/km
ANM11.017.33.028AB	UL20937	30V	33X28AWG	11/0.1	10.4	161.59	223 Ω/km
ANM11.017.34.028AB	UL20937	30V	34X28AWG	11/0.1	10.7	170.19	223 Ω/km
ANM11.017.35.028AB	UL20937	30V	35X28AWG	11/0.1	10.7	170.69	223 Ω/km
ANM11.017.36.028AB	UL20937	30V	36X28AWG	11/0.1	10.7	171.29	223 Ω/km
ANM11.017.37.028AB	UL20937	30V	37X28AWG	11/0.1	10.7	171.89	223 Ω/km
ANM11.017.38.028AB	UL20937	30V	38X28AWG	11/0.1	11.1	183.69	223 Ω/km
ANM11.017.39.028AB	UL20937	30V	39X28AWG	11/0.1	11.1	184.19	223 Ω/km
ANM11.017.40.028AB	UL20937	30V	40X28AWG	11/0.1	11.1	184.69	223 Ω/km
ANM11.017.41.028AB	UL20937	30V	41X28AWG	11/0.1	11.8	205.69	223 Ω/km



ANM11.017.42.028AB	UL20937	30V	42X28AWG	11/0.1	11.8	206.39	223 Ω/km
ANM11.017.43.028AB	UL20937	30V	43X28AWG	11/0.1	11.8	206.99	223 Ω/km
ANM11.017.44.028AB	UL20937	30V	44X28AWG	11/0.1	11.8	207.49	223 Ω/km
ANM11.017.45.028AB	UL20937	30V	45X28AWG	11/0.1	12	214.09	223 Ω/km
ANM11.017.46.028AB	UL20937	30V	46X28AWG	11/0.1	12	214.59	223 Ω/km
ANM11.017.47.028AB	UL20937	30V	47X28AWG	11/0.1	12	215.19	223 Ω/km
ANM11.017.48.028AB	UL20937	30V	48X28AWG	11/0.1	12	215.89	223 Ω/km
ANM11.017.49.028AB	UL20937	30V	49X28AWG	11/0.1	12.3	225.79	223 Ω/km
ANM11.017.50.028AB	UL20937	30V	50X28AWG	11/0.1	12.3	226.29	223 Ω/km
ANM11.017.51.028AB	UL20937	30V	51X28AWG	11/0.1	12.3	226.89	223 Ω/km
ANM11.017.52.028AB	UL20937	30V	52X28AWG	11/0.1	12.3	227.49	223 Ω/km
ANM11.017.53.028AB	UL20937	30V	53X28AWG	11/0.1	12.6	237.49	223 Ω/km
ANM11.017.54.028AB	UL20937	30V	54X28AWG	11/0.1	12.6	237.99	223 Ω/km
ANM11.017.55.028AB	UL20937	30V	55X28AWG	11/0.1	12.6	238.59	223 Ω/km
ANM11.017.56.028AB	UL20937	30V	56X28AWG	11/0.1	12.6	239.19	223 Ω/km
ANM11.017.57.028AB	UL20937	30V	57X28AWG	11/0.1	12.9	249.49	223 Ω/km
ANM11.017.58.028AB	UL20937	30V	58X28AWG	11/0.1	12.9	249.99	223 Ω/km
ANM11.017.59.028AB	UL20937	30V	59X28AWG	11/0.1	12.9	250.59	223 Ω/km
ANM11.017.60.028AB	UL20937	30V	60X28AWG	11/0.1	12.9	251.19	223 Ω/km
ANM11.017.61.028AB	UL20937	30V	61X28AWG	11/0.1	12.9	251.79	223 Ω/km
ANM11.017.62.028AB	UL20937	30V	62X28AWG	11/0.1	13.4	268.99	223 Ω/km
ANM11.017.63.028AB	UL20937	30V	63X28AWG	11/0.1	13.4	269.49	223 Ω/km
ANM11.017.64.028AB	UL20937	30V	64X28AWG	11/0.1	13.4	270.09	223 Ω/km
ANM11.017.65.028AB	UL20937	30V	65X28AWG	11/0.1	13.4	270.69	223 Ω/km
ANM11.017.02.027AB	UL20937	30V	2X27AWG	7/0.14	5.4	40.81	175 Ω/km
ANM11.017.03.027AB	UL20937	30V	3X27AWG	7/0.14	5.6	44.51	175 Ω/km
ANM11.017.04.027AB	UL20937	30V	4X27AWG	7/0.14	5.9	49.71	175 Ω/km
ANM11.017.05.027AB	UL20937	30V	5X27AWG	7/0.14	6.3	56.81	175 Ω/km
ANM11.017.06.027AB	UL20937	30V	6X27AWG	7/0.14	6.6	62.51	175 Ω/km
ANM11.017.07.027AB	UL20937	30V	7X27AWG	7/0.14	6.6	63.11	175 Ω/km
ANM11.017.08.027AB	UL20937	30V	8X27AWG	7/0.14	7	70.91	175 Ω/km
ANM11.017.09.027AB	UL20937	30V	9X27AWG	7/0.14	7.5	81.11	175 Ω/km
ANM11.017.10.027AB	UL20937	30V	10X27AWG	7/0.14	7.8	87.81	175 Ω/km
ANM11.017.11.027AB	UL20937	30V	11X27AWG	7/0.14	8	92.51	175 Ω/km
ANM11.017.12.027AB	UL20937	30V	12X27AWG	7/0.14	8	93.21	175 Ω/km
ANM11.017.13.027AB	UL20937	30V	13X27AWG	7/0.14	8.3	100.21	175 Ω/km
ANM11.017.14.027AB	UL20937	30V	14X27AWG	7/0.14	8.3	100.81	175 Ω/km
ANM11.017.15.027AB	UL20937	30V	15X27AWG	7/0.14	8.7	110.21	175 Ω/km
ANM11.017.16.027AB	UL20937	30V	16X27AWG	7/0.14	8.7	110.81	175 Ω/km
ANM11.017.17.027AB	UL20937	30V	17X27AWG	7/0.14	9	118.31	175 Ω/km
ANM11.017.18.027AB	UL20937	30V	18X27AWG	7/0.14	9	119.01	175 Ω/km
ANM11.017.19.027AB	UL20937	30V	19X27AWG	7/0.14	9	119.61	175 Ω/km



ANM11.017.20.027AB	UL20937	30V	20X27AWG	7/0.14	9.2	124.91	175 Ω/km
ANM11.017.21.027AB	UL20937	30V	21X27AWG	7/0.14	9.4	130.41	175 Ω/km
ANM11.017.22.027AB	UL20937	30V	22X27AWG	7/0.14	9.9	143.41	175 Ω/km
ANM11.017.23.027AB	UL20937	30V	23X27AWG	7/0.14	10.2	151.81	175 Ω/km
ANM11.017.24.027AB	UL20937	30V	24X27AWG	7/0.14	10.2	152.41	175 Ω/km
ANM11.017.25.027AB	UL20937	30V	25X27AWG	7/0.14	10.4	158.41	175 Ω/km
ANM11.017.26.027AB	UL20937	30V	26X27AWG	7/0.14	10.4	159.01	175 Ω/km
ANM11.017.27.027AB	UL20937	30V	27X27AWG	7/0.14	10.4	159.61	175 Ω/km
ANM11.017.28.027AB	UL20937	30V	28X27AWG	7/0.14	10.7	168.31	175 Ω/km
ANM11.017.29.027AB	UL20937	30V	29X27AWG	7/0.14	10.7	168.91	175 Ω/km
ANM11.017.30.027AB	UL20937	30V	30X27AWG	7/0.14	10.7	169.51	175 Ω/km
ANM11.017.31.027AB	UL20937	30V	31X27AWG	7/0.14	11.1	181.31	175 Ω/km
ANM11.017.32.027AB	UL20937	30V	32X27AWG	7/0.14	11.1	181.91	175 Ω/km
ANM11.017.33.027AB	UL20937	30V	33X27AWG	7/0.14	11.1	182.61	175 Ω/km
ANM11.017.34.027AB	UL20937	30V	34X27AWG	7/0.14	11.4	191.81	175 Ω/km
ANM11.017.35.027AB	UL20937	30V	35X27AWG	7/0.14	11.4	192.31	175 Ω/km
ANM11.017.36.027AB	UL20937	30V	36X27AWG	7/0.14	11.4	193.01	175 Ω/km
ANM11.017.37.027AB	UL20937	30V	37X27AWG	7/0.14	11.4	193.71	175 Ω/km
ANM11.017.38.027AB	UL20937	30V	38X27AWG	7/0.14	11.8	206.11	175 Ω/km
ANM11.017.39.027AB	UL20937	30V	39X27AWG	7/0.14	11.8	206.81	175 Ω/km
ANM11.017.40.027AB	UL20937	30V	40X27AWG	7/0.14	11.8	207.41	175 Ω/km
ANM11.017.41.027AB	UL20937	30V	41X27AWG	7/0.14	12.6	232.81	175 Ω/km
ANM11.017.42.027AB	UL20937	30V	42X27AWG	7/0.14	12.6	233.51	175 Ω/km
ANM11.017.43.027AB	UL20937	30V	43X27AWG	7/0.14	12.6	234.11	175 Ω/km
ANM11.017.44.027AB	UL20937	30V	44X27AWG	7/0.14	12.6	234.81	175 Ω/km
ANM11.017.45.027AB	UL20937	30V	45X27AWG	7/0.14	12.8	241.81	175 Ω/km
ANM11.017.46.027AB	UL20937	30V	46X27AWG	7/0.14	12.8	242.41	175 Ω/km
ANM11.017.47.027AB	UL20937	30V	47X27AWG	7/0.14	12.8	243.01	175 Ω/km
ANM11.017.48.027AB	UL20937	30V	48X27AWG	7/0.14	12.8	243.61	175 Ω/km
ANM11.017.49.027AB	UL20937	30V	49X27AWG	7/0.14	13.2	257.51	175 Ω/km
ANM11.017.50.027AB	UL20937	30V	50X27AWG	7/0.14	13.2	258.21	175 Ω/km
ANM11.017.51.027AB	UL20937	30V	51X27AWG	7/0.14	13.2	258.71	175 Ω/km
ANM11.017.52.027AB	UL20937	30V	52X27AWG	7/0.14	13.2	259.41	175 Ω/km
ANM11.017.53.027AB	UL20937	30V	53X27AWG	7/0.14	13.6	273.51	175 Ω/km
ANM11.017.54.027AB	UL20937	30V	54X27AWG	7/0.14	13.6	274.21	175 Ω/km
ANM11.017.55.027AB	UL20937	30V	55X27AWG	7/0.14	13.6	274.81	175 Ω/km
ANM11.017.56.027AB	UL20937	30V	56X27AWG	7/0.14	13.6	275.41	175 Ω/km
ANM11.017.57.027AB	UL20937	30V	57X27AWG	7/0.14	13.9	286.51	175 Ω/km
ANM11.017.58.027AB	UL20937	30V	58X27AWG	7/0.14	13.9	287.21	175 Ω/km
ANM11.017.59.027AB	UL20937	30V	59X27AWG	7/0.14	13.9	287.71	175 Ω/km
ANM11.017.60.027AB	UL20937	30V	60X27AWG	7/0.14	13.9	288.41	175 Ω/km
ANM11.017.61.027AB	UL20937	30V	61X27AWG	7/0.14	13.9	288.91	175 Ω/km



ANM11.017.62.027AB	UL20937	30V	62X27AWG	7/0.14	14.3	303.81	175 Ω/km
ANM11.017.63.027AB	UL20937	30V	63X27AWG	7/0.14	14.3	304.51	175 Ω/km
ANM11.017.64.027AB	UL20937	30V	64X27AWG	7/0.14	14.3	305.11	175 Ω/km
ANM11.017.65.027AB	UL20937	30V	65X27AWG	7/0.14	14.3	305.81	175 Ω/km
ANM11.017.02.026AB	UL20937	30V	2X26AWG	9/0.14	5.4	41.33	140 Ω/km
ANM11.017.03.026AB	UL20937	30V	3X26AWG	9/0.14	5.6	45.33	140 Ω/km
ANM11.017.04.026AB	UL20937	30V	4X26AWG	9/0.14	5.9	50.73	140 Ω/km
ANM11.017.05.026AB	UL20937	30V	5X26AWG	9/0.14	6.3	58.03	140 Ω/km
ANM11.017.06.026AB	UL20937	30V	6X26AWG	9/0.14	6.6	64.03	140 Ω/km
ANM11.017.07.026AB	UL20937	30V	7X26AWG	9/0.14	6.6	64.83	140 Ω/km
ANM11.017.08.026AB	UL20937	30V	8X26AWG	9/0.14	7	72.93	140 Ω/km
ANM11.017.09.026AB	UL20937	30V	9X26AWG	9/0.14	7.5	83.33	140 Ω/km
ANM11.017.10.026AB	UL20937	30V	10X26AWG	9/0.14	7.8	90.23	140 Ω/km
ANM11.017.11.026AB	UL20937	30V	11X26AWG	9/0.14	8	95.23	140 Ω/km
ANM11.017.12.026AB	UL20937	30V	12X26AWG	9/0.14	8	96.13	140 Ω/km
ANM11.017.13.026AB	UL20937	30V	13X26AWG	9/0.14	8.3	103.33	140 Ω/km
ANM11.017.14.026AB	UL20937	30V	14X26AWG	9/0.14	8.3	104.33	140 Ω/km
ANM11.017.15.026AB	UL20937	30V	15X26AWG	9/0.14	8.7	113.93	140 Ω/km
ANM11.017.16.026AB	UL20937	30V	16X26AWG	9/0.14	8.7	114.83	140 Ω/km
ANM11.017.17.026AB	UL20937	30V	17X26AWG	9/0.14	9	122.53	140 Ω/km
ANM11.017.18.026AB	UL20937	30V	18X26AWG	9/0.14	9	123.43	140 Ω/km
ANM11.017.19.026AB	UL20937	30V	19X26AWG	9/0.14	9	124.33	140 Ω/km
ANM11.017.20.026AB	UL20937	30V	20X26AWG	9/0.14	9.2	129.83	140 Ω/km
ANM11.017.21.026AB	UL20937	30V	21X26AWG	9/0.14	9.4	135.53	140 Ω/km
ANM11.017.22.026AB	UL20937	30V	22X26AWG	9/0.14	9.9	148.83	140 Ω/km
ANM11.017.23.026AB	UL20937	30V	23X26AWG	9/0.14	10.2	157.43	140 Ω/km
ANM11.017.24.026AB	UL20937	30V	24X26AWG	9/0.14	10.2	158.33	140 Ω/km
ANM11.017.25.026AB	UL20937	30V	25X26AWG	9/0.14	10.4	164.53	140 Ω/km
ANM11.017.26.026AB	UL20937	30V	26X26AWG	9/0.14	10.4	165.33	140 Ω/km
ANM11.017.27.026AB	UL20937	30V	27X26AWG	9/0.14	10.4	166.33	140 Ω/km
ANM11.017.28.026AB	UL20937	30V	28X26AWG	9/0.14	10.7	175.23	140 Ω/km
ANM11.017.29.026AB	UL20937	30V	29X26AWG	9/0.14	10.7	176.03	140 Ω/km
ANM11.017.30.026AB	UL20937	30V	30X26AWG	9/0.14	10.7	176.93	140 Ω/km
ANM11.017.31.026AB	UL20937	30V	31X26AWG	9/0.14	11.1	188.93	140 Ω/km
ANM11.017.32.026AB	UL20937	30V	32X26AWG	9/0.14	11.1	189.83	140 Ω/km
ANM11.017.33.026AB	UL20937	30V	33X26AWG	9/0.14	11.1	190.73	140 Ω/km
ANM11.017.34.026AB	UL20937	30V	34X26AWG	9/0.14	11.4	200.13	140 Ω/km
ANM11.017.35.026AB	UL20937	30V	35X26AWG	9/0.14	11.4	200.93	140 Ω/km
ANM11.017.36.026AB	UL20937	30V	36X26AWG	9/0.14	11.4	201.83	140 Ω/km
ANM11.017.37.026AB	UL20937	30V	37X26AWG	9/0.14	11.4	202.73	140 Ω/km
ANM11.017.38.026AB	UL20937	30V	38X26AWG	9/0.14	11.8	215.43	140 Ω/km
ANM11.017.39.026AB	UL20937	30V	39X26AWG	9/0.14	11.8	216.33	140 Ω/km



ANM11.017.40.026AB	UL20937	30V	40X26AWG	9/0.14	11.8	217.33	140 Ω/km
ANM11.017.41.026AB	UL20937	30V	41X26AWG	9/0.14	12.6	242.93	140 Ω/km
ANM11.017.42.026AB	UL20937	30V	42X26AWG	9/0.14	12.6	243.83	140 Ω/km
ANM11.017.43.026AB	UL20937	30V	43X26AWG	9/0.14	12.6	244.73	140 Ω/km
ANM11.017.44.026AB	UL20937	30V	44X26AWG	9/0.14	12.6	245.63	140 Ω/km
ANM11.017.45.026AB	UL20937	30V	45X26AWG	9/0.14	12.8	252.83	140 Ω/km
ANM11.017.46.026AB	UL20937	30V	46X26AWG	9/0.14	12.8	253.73	140 Ω/km
ANM11.017.47.026AB	UL20937	30V	47X26AWG	9/0.14	12.8	254.53	140 Ω/km
ANM11.017.48.026AB	UL20937	30V	48X26AWG	9/0.14	12.8	255.43	140 Ω/km
ANM11.017.49.026AB	UL20937	30V	49X26AWG	9/0.14	13.2	269.53	140 Ω/km
ANM11.017.50.026AB	UL20937	30V	50X26AWG	9/0.14	13.2	270.43	140 Ω/km
ANM11.017.51.026AB	UL20937	30V	51X26AWG	9/0.14	13.2	271.23	140 Ω/km
ANM11.017.52.026AB	UL20937	30V	52X26AWG	9/0.14	13.2	272.13	140 Ω/km
ANM11.017.53.026AB	UL20937	30V	53X26AWG	9/0.14	13.6	286.53	140 Ω/km
ANM11.017.54.026AB	UL20937	30V	54X26AWG	9/0.14	13.6	287.53	140 Ω/km
ANM11.017.55.026AB	UL20937	30V	55X26AWG	9/0.14	13.6	288.33	140 Ω/km
ANM11.017.56.026AB	UL20937	30V	56X26AWG	9/0.14	13.6	289.23	140 Ω/km
ANM11.017.57.026AB	UL20937	30V	57X26AWG	9/0.14	13.9	300.53	140 Ω/km
ANM11.017.58.026AB	UL20937	30V	58X26AWG	9/0.14	13.9	301.43	140 Ω/km
ANM11.017.59.026AB	UL20937	30V	59X26AWG	9/0.14	13.9	302.23	140 Ω/km
ANM11.017.60.026AB	UL20937	30V	60X26AWG	9/0.14	13.9	303.13	140 Ω/km
ANM11.017.61.026AB	UL20937	30V	61X26AWG	9/0.14	13.9	303.93	140 Ω/km
ANM11.017.62.026AB	UL20937	30V	62X26AWG	9/0.14	14.3	319.03	140 Ω/km
ANM11.017.63.026AB	UL20937	30V	63X26AWG	9/0.14	14.3	319.93	140 Ω/km
ANM11.017.64.026AB	UL20937	30V	64X26AWG	9/0.14	14.3	320.83	140 Ω/km
ANM11.017.65.026AB	UL20937	30V	65X26AWG	9/0.14	14.3	321.73	140 Ω/km
ANM11.017.02.025AB	UL20937	30V	2X25AWG	11/0.14	5.6	44.77	111 Ω/km
ANM11.017.03.025AB	UL20937	30V	3X25AWG	11/0.14	5.9	50.37	111 Ω/km
ANM11.017.04.025AB	UL20937	30V	4X25AWG	11/0.14	6.2	56.47	111 Ω/km
ANM11.017.05.025AB	UL20937	30V	5X25AWG	11/0.14	6.6	64.07	111 Ω/km
ANM11.017.06.025AB	UL20937	30V	6X25AWG	11/0.14	6.9	70.57	111 Ω/km
ANM11.017.07.025AB	UL20937	30V	7X25AWG	11/0.14	6.9	71.67	111 Ω/km
ANM11.017.08.025AB	UL20937	30V	8X25AWG	11/0.14	7.3	80.17	111 Ω/km
ANM11.017.09.025AB	UL20937	30V	9X25AWG	11/0.14	7.9	93.07	111 Ω/km
ANM11.017.10.025AB	UL20937	30V	10X25AWG	11/0.14	8.2	100.37	111 Ω/km
ANM11.017.11.025AB	UL20937	30V	11X25AWG	11/0.14	8.5	108.17	111 Ω/km
ANM11.017.12.025AB	UL20937	30V	12X25AWG	11/0.14	8.5	109.17	111 Ω/km
ANM11.017.13.025AB	UL20937	30V	13X25AWG	11/0.14	8.8	116.87	111 Ω/km
ANM11.017.14.025AB	UL20937	30V	14X25AWG	11/0.14	8.8	117.97	111 Ω/km
ANM11.017.15.025AB	UL20937	30V	15X25AWG	11/0.14	9.2	128.27	111 Ω/km
ANM11.017.16.025AB	UL20937	30V	16X25AWG	11/0.14	9.2	129.37	111 Ω/km
ANM11.017.17.025AB	UL20937	30V	17X25AWG	11/0.14	9.5	137.57	111 Ω/km



ANM11.017.18.025AB	UL20937	30V	18X25AWG	11/0.14	9.5	138.77	111 Ω/km
ANM11.017.19.025AB	UL20937	30V	19X25AWG	11/0.14	9.5	139.77	111 Ω/km
ANM11.017.20.025AB	UL20937	30V	20X25AWG	11/0.14	9.8	148.17	111 Ω/km
ANM11.017.21.025AB	UL20937	30V	21X25AWG	11/0.14	9.9	151.77	111 Ω/km
ANM11.017.22.025AB	UL20937	30V	22X25AWG	11/0.14	10.5	168.57	111 Ω/km
ANM11.017.23.025AB	UL20937	30V	23X25AWG	11/0.14	10.8	177.77	111 Ω/km
ANM11.017.24.025AB	UL20937	30V	24X25AWG	11/0.14	10.8	178.87	111 Ω/km
ANM11.017.25.025AB	UL20937	30V	25X25AWG	11/0.14	11.1	188.37	111 Ω/km
ANM11.017.26.025AB	UL20937	30V	26X25AWG	11/0.14	11.1	189.37	111 Ω/km
ANM11.017.27.025AB	UL20937	30V	27X25AWG	11/0.14	11.1	190.47	111 Ω/km
ANM11.017.28.025AB	UL20937	30V	28X25AWG	11/0.14	11.4	200.07	111 Ω/km
ANM11.017.29.025AB	UL20937	30V	29X25AWG	11/0.14	11.4	201.07	111 Ω/km
ANM11.017.30.025AB	UL20937	30V	30X25AWG	11/0.14	11.4	202.17	111 Ω/km
ANM11.017.31.025AB	UL20937	30V	31X25AWG	11/0.14	11.8	215.17	111 Ω/km
ANM11.017.32.025AB	UL20937	30V	32X25AWG	11/0.14	11.8	216.27	111 Ω/km
ANM11.017.33.025AB	UL20937	30V	33X25AWG	11/0.14	11.8	217.27	111 Ω/km
ANM11.017.34.025AB	UL20937	30V	34X25AWG	11/0.14	12.1	227.37	111 Ω/km
ANM11.017.35.025AB	UL20937	30V	35X25AWG	11/0.14	12.1	228.37	111 Ω/km
ANM11.017.36.025AB	UL20937	30V	36X25AWG	11/0.14	12.1	229.57	111 Ω/km
ANM11.017.37.025AB	UL20937	30V	37X25AWG	11/0.14	12.1	230.47	111 Ω/km
ANM11.017.38.025AB	UL20937	30V	38X25AWG	11/0.14	12.5	244.17	111 Ω/km
ANM11.017.39.025AB	UL20937	30V	39X25AWG	11/0.14	12.5	245.27	111 Ω/km
ANM11.017.40.025AB	UL20937	30V	40X25AWG	11/0.14	12.5	246.37	111 Ω/km
ANM11.017.41.025AB	UL20937	30V	41X25AWG	11/0.14	13.5	280.17	111 Ω/km
ANM11.017.42.025AB	UL20937	30V	42X25AWG	11/0.14	13.5	281.27	111 Ω/km
ANM11.017.43.025AB	UL20937	30V	43X25AWG	11/0.14	13.5	282.37	111 Ω/km
ANM11.017.44.025AB	UL20937	30V	44X25AWG	11/0.14	13.5	283.47	111 Ω/km
ANM11.017.45.025AB	UL20937	30V	45X25AWG	11/0.14	13.8	294.77	111 Ω/km
ANM11.017.46.025AB	UL20937	30V	46X25AWG	11/0.14	13.8	295.97	111 Ω/km
ANM11.017.47.025AB	UL20937	30V	47X25AWG	11/0.14	13.8	296.97	111 Ω/km
ANM11.017.48.025AB	UL20937	30V	48X25AWG	11/0.14	13.8	298.07	111 Ω/km
ANM11.017.49.025AB	UL20937	30V	49X25AWG	11/0.14	14.1	309.57	111 Ω/km
ANM11.017.50.025AB	UL20937	30V	50X25AWG	11/0.14	14.1	310.77	111 Ω/km
ANM11.017.51.025AB	UL20937	30V	51X25AWG	11/0.14	14.1	311.77	111 Ω/km
ANM11.017.52.025AB	UL20937	30V	52X25AWG	11/0.14	14.1	312.87	111 Ω/km
ANM11.017.53.025AB	UL20937	30V	53X25AWG	11/0.14	14.5	328.37	111 Ω/km
ANM11.017.54.025AB	UL20937	30V	54X25AWG	11/0.14	14.5	329.37	111 Ω/km
ANM11.017.55.025AB	UL20937	30V	55X25AWG	11/0.14	14.5	330.47	111 Ω/km
ANM11.017.56.025AB	UL20937	30V	56X25AWG	11/0.14	14.5	331.57	111 Ω/km
ANM11.017.57.025AB	UL20937	30V	57X25AWG	11/0.14	14.8	343.67	111 Ω/km
ANM11.017.58.025AB	UL20937	30V	58X25AWG	11/0.14	14.8	344.77	111 Ω/km
ANM11.017.59.025AB	UL20937	30V	59X25AWG	11/0.14	14.8	345.77	111 Ω/km



ANM11.017.60.025AB	UL20937	30V	60X25AWG	11/0.14	14.8	346.87	111 Ω/km
ANM11.017.61.025AB	UL20937	30V	61X25AWG	11/0.14	14.8	347.87	111 Ω/km
ANM11.017.62.025AB	UL20937	30V	62X25AWG	11/0.14	15.2	363.97	111 Ω/km
ANM11.017.63.025AB	UL20937	30V	63X25AWG	11/0.14	15.2	364.97	111 Ω/km
ANM11.017.64.025AB	UL20937	30V	64X25AWG	11/0.14	15.2	366.17	111 Ω/km
ANM11.017.65.025AB	UL20937	30V	65X25AWG	11/0.14	15.2	367.17	111 Ω/km
ANM11.017.02.024AB	UL20937	30V	2X24AWG	14/0.14	5.6	45.61	87.6 Ω/km
ANM11.017.03.024AB	UL20937	30V	3X24AWG	14/0.14	5.9	51.71	87.6 Ω/km
ANM11.017.04.024AB	UL20937	30V	4X24AWG	14/0.14	6.2	58.11	87.6 Ω/km
ANM11.017.05.024AB	UL20937	30V	5X24AWG	14/0.14	6.6	66.11	87.6 Ω/km
ANM11.017.06.024AB	UL20937	30V	6X24AWG	14/0.14	6.9	73.11	87.6 Ω/km
ANM11.017.07.024AB	UL20937	30V	7X24AWG	14/0.14	6.9	74.61	87.6 Ω/km
ANM11.017.08.024AB	UL20937	30V	8X24AWG	14/0.14	7.3	83.41	87.6 Ω/km
ANM11.017.09.024AB	UL20937	30V	9X24AWG	14/0.14	7.9	96.81	87.6 Ω/km
ANM11.017.10.024AB	UL20937	30V	10X24AWG	14/0.14	8.2	104.51	87.6 Ω/km
ANM11.017.11.024AB	UL20937	30V	11X24AWG	14/0.14	8.5	112.61	87.6 Ω/km
ANM11.017.12.024AB	UL20937	30V	12X24AWG	14/0.14	8.5	114.11	87.6 Ω/km
ANM11.017.13.024AB	UL20937	30V	13X24AWG	14/0.14	8.8	122.21	87.6 Ω/km
ANM11.017.14.024AB	UL20937	30V	14X24AWG	14/0.14	8.8	123.71	87.6 Ω/km
ANM11.017.15.024AB	UL20937	30V	15X24AWG	14/0.14	9.2	134.41	87.6 Ω/km
ANM11.017.16.024AB	UL20937	30V	16X24AWG	14/0.14	9.2	135.91	87.6 Ω/km
ANM11.017.17.024AB	UL20937	30V	17X24AWG	14/0.14	9.5	144.51	87.6 Ω/km
ANM11.017.18.024AB	UL20937	30V	18X24AWG	14/0.14	9.5	146.11	87.6 Ω/km
ANM11.017.19.024AB	UL20937	30V	19X24AWG	14/0.14	9.5	147.51	87.6 Ω/km
ANM11.017.20.024AB	UL20937	30V	20X24AWG	14/0.14	9.8	156.31	87.6 Ω/km
ANM11.017.21.024AB	UL20937	30V	21X24AWG	14/0.14	9.9	160.41	87.6 Ω/km
ANM11.017.22.024AB	UL20937	30V	22X24AWG	14/0.14	10.5	177.51	87.6 Ω/km
ANM11.017.23.024AB	UL20937	30V	23X24AWG	14/0.14	10.8	187.11	87.6 Ω/km
ANM11.017.24.024AB	UL20937	30V	24X24AWG	14/0.14	10.8	188.71	87.6 Ω/km
ANM11.017.25.024AB	UL20937	30V	25X24AWG	14/0.14	11.1	198.51	87.6 Ω/km
ANM11.017.26.024AB	UL20937	30V	26X24AWG	14/0.14	11.1	199.91	87.6 Ω/km
ANM11.017.27.024AB	UL20937	30V	27X24AWG	14/0.14	11.1	201.51	87.6 Ω/km
ANM11.017.28.024AB	UL20937	30V	28X24AWG	14/0.14	11.4	211.51	87.6 Ω/km
ANM11.017.29.024AB	UL20937	30V	29X24AWG	14/0.14	11.4	212.81	87.6 Ω/km
ANM11.017.30.024AB	UL20937	30V	30X24AWG	14/0.14	11.4	214.41	87.6 Ω/km
ANM11.017.31.024AB	UL20937	30V	31X24AWG	14/0.14	11.8	227.81	87.6 Ω/km
ANM11.017.32.024AB	UL20937	30V	32X24AWG	14/0.14	11.8	229.21	87.6 Ω/km
ANM11.017.33.024AB	UL20937	30V	33X24AWG	14/0.14	11.8	230.71	87.6 Ω/km
ANM11.017.34.024AB	UL20937	30V	34X24AWG	14/0.14	12.1	241.21	87.6 Ω/km
ANM11.017.35.024AB	UL20937	30V	35X24AWG	14/0.14	12.1	242.61	87.6 Ω/km
ANM11.017.36.024AB	UL20937	30V	36X24AWG	14/0.14	12.1	244.21	87.6 Ω/km
ANM11.017.37.024AB	UL20937	30V	37X24AWG	14/0.14	12.1	245.51	87.6 Ω/km



ANM11.017.38.024AB	UL20937	30V	38X24AWG	14/0.14	12.5	259.61	87.6Ω/km
ANM11.017.39.024AB	UL20937	30V	39X24AWG	14/0.14	12.5	261.11	87.6Ω/km
ANM11.017.40.024AB	UL20937	30V	40X24AWG	14/0.14	12.5	262.61	87.6Ω/km
ANM11.017.41.024AB	UL20937	30V	41X24AWG	14/0.14	13.5	296.81	87.6Ω/km
ANM11.017.42.024AB	UL20937	30V	42X24AWG	14/0.14	13.5	298.41	87.6Ω/km
ANM11.017.43.024AB	UL20937	30V	43X24AWG	14/0.14	13.5	299.81	87.6Ω/km
ANM11.017.44.024AB	UL20937	30V	44X24AWG	14/0.14	13.5	301.31	87.6Ω/km
ANM11.017.45.024AB	UL20937	30V	45X24AWG	14/0.14	13.8	313.11	87.6Ω/km
ANM11.017.46.024AB	UL20937	30V	46X24AWG	14/0.14	13.8	314.61	87.6Ω/km
ANM11.017.47.024AB	UL20937	30V	47X24AWG	14/0.14	13.8	316.01	87.6Ω/km
ANM11.017.48.024AB	UL20937	30V	48X24AWG	14/0.14	13.8	317.61	87.6Ω/km
ANM11.017.49.024AB	UL20937	30V	49X24AWG	14/0.14	14.1	329.51	87.6Ω/km
ANM11.017.50.024AB	UL20937	30V	50X24AWG	14/0.14	14.1	331.01	87.6Ω/km
ANM11.017.51.024AB	UL20937	30V	51X24AWG	14/0.14	14.1	332.51	87.6Ω/km
ANM11.017.52.024AB	UL20937	30V	52X24AWG	14/0.14	14.1	334.01	87.6Ω/km
ANM11.017.53.024AB	UL20937	30V	53X24AWG	14/0.14	14.5	349.91	87.6Ω/km
ANM11.017.54.024AB	UL20937	30V	54X24AWG	14/0.14	14.5	351.31	87.6Ω/km
ANM11.017.55.024AB	UL20937	30V	55X24AWG	14/0.14	14.5	352.81	87.6Ω/km
ANM11.017.56.024AB	UL20937	30V	56X24AWG	14/0.14	14.5	354.41	87.6Ω/km
ANM11.017.57.024AB	UL20937	30V	57X24AWG	14/0.14	14.8	366.81	87.6Ω/km
ANM11.017.58.024AB	UL20937	30V	58X24AWG	14/0.14	14.8	368.31	87.6Ω/km
ANM11.017.59.024AB	UL20937	30V	59X24AWG	14/0.14	14.8	369.81	87.6Ω/km
ANM11.017.60.024AB	UL20937	30V	60X24AWG	14/0.14	14.8	371.31	87.6Ω/km
ANM11.017.61.024AB	UL20937	30V	61X24AWG	14/0.14	14.8	372.61	87.6Ω/km
ANM11.017.62.024AB	UL20937	30V	62X24AWG	14/0.14	15.2	389.21	87.6Ω/km
ANM11.017.63.024AB	UL20937	30V	63X24AWG	14/0.14	15.2	390.61	87.6Ω/km
ANM11.017.64.024AB	UL20937	30V	64X24AWG	14/0.14	15.2	392.11	87.6Ω/km
ANM11.017.65.024AB	UL20937	30V	65X24AWG	14/0.14	15.2	393.61	87.6Ω/km
ANM11.017.02.023AB	UL20937	30V	2X23AWG	17/0.14	5.8	49.36	69.2Ω/km
ANM11.017.03.023AB	UL20937	30V	3X23AWG	17/0.14	6.1	55.96	69.2Ω/km
ANM11.017.04.023AB	UL20937	30V	4X23AWG	17/0.14	6.4	62.66	69.2Ω/km
ANM11.017.05.023AB	UL20937	30V	5X23AWG	17/0.14	6.8	71.56	69.2Ω/km
ANM11.017.06.023AB	UL20937	30V	6X23AWG	17/0.14	7.2	80.76	69.2Ω/km
ANM11.017.07.023AB	UL20937	30V	7X23AWG	17/0.14	7.2	82.66	69.2Ω/km
ANM11.017.08.023AB	UL20937	30V	8X23AWG	17/0.14	7.7	94.06	69.2Ω/km
ANM11.017.09.023AB	UL20937	30V	9X23AWG	17/0.14	8.2	106.16	69.2Ω/km
ANM11.017.10.023AB	UL20937	30V	10X23AWG	17/0.14	8.6	116.86	69.2Ω/km
ANM11.017.11.023AB	UL20937	30V	11X23AWG	17/0.14	8.9	125.36	69.2Ω/km
ANM11.017.12.023AB	UL20937	30V	12X23AWG	17/0.14	8.9	127.16	69.2Ω/km
ANM11.017.13.023AB	UL20937	30V	13X23AWG	17/0.14	9.2	136.06	69.2Ω/km
ANM11.017.14.023AB	UL20937	30V	14X23AWG	17/0.14	9.2	137.86	69.2Ω/km
ANM11.017.15.023AB	UL20937	30V	15X23AWG	17/0.14	9.6	149.36	69.2Ω/km



ANM11.017.16.023AB	UL20937	30V	16X23AWG	17/0.14	9.6	151.06	69.2Ω/km
ANM11.017.17.023AB	UL20937	30V	17X23AWG	17/0.14	10	163.06	69.2Ω/km
ANM11.017.18.023AB	UL20937	30V	18X23AWG	17/0.14	10	164.86	69.2Ω/km
ANM11.017.19.023AB	UL20937	30V	19X23AWG	17/0.14	10	166.66	69.2Ω/km
ANM11.017.20.023AB	UL20937	30V	20X23AWG	17/0.14	10.3	176.36	69.2Ω/km
ANM11.017.21.023AB	UL20937	30V	21X23AWG	17/0.14	10.5	183.46	69.2Ω/km
ANM11.017.22.023AB	UL20937	30V	22X23AWG	17/0.14	11	199.06	69.2Ω/km
ANM11.017.23.023AB	UL20937	30V	23X23AWG	17/0.14	11.4	212.16	69.2Ω/km
ANM11.017.24.023AB	UL20937	30V	24X23AWG	17/0.14	11.4	213.96	69.2Ω/km
ANM11.017.25.023AB	UL20937	30V	25X23AWG	17/0.14	11.7	224.66	69.2Ω/km
ANM11.017.26.023AB	UL20937	30V	26X23AWG	17/0.14	11.7	226.46	69.2Ω/km
ANM11.017.27.023AB	UL20937	30V	27X23AWG	17/0.14	11.7	228.26	69.2Ω/km
ANM11.017.28.023AB	UL20937	30V	28X23AWG	17/0.14	12	239.16	69.2Ω/km
ANM11.017.29.023AB	UL20937	30V	29X23AWG	17/0.14	12	240.96	69.2Ω/km
ANM11.017.30.023AB	UL20937	30V	30X23AWG	17/0.14	12	242.86	69.2Ω/km
ANM11.017.31.023AB	UL20937	30V	31X23AWG	17/0.14	12.4	256.96	69.2Ω/km
ANM11.017.32.023AB	UL20937	30V	32X23AWG	17/0.14	12.4	258.86	69.2Ω/km
ANM11.017.33.023AB	UL20937	30V	33X23AWG	17/0.14	12.4	260.66	69.2Ω/km
ANM11.017.34.023AB	UL20937	30V	34X23AWG	17/0.14	12.8	275.16	69.2Ω/km
ANM11.017.35.023AB	UL20937	30V	35X23AWG	17/0.14	12.8	277.06	69.2Ω/km
ANM11.017.36.023AB	UL20937	30V	36X23AWG	17/0.14	12.8	278.86	69.2Ω/km
ANM11.017.37.023AB	UL20937	30V	37X23AWG	17/0.14	12.8	280.76	69.2Ω/km
ANM11.017.38.023AB	UL20937	30V	38X23AWG	17/0.14	13.4	302.46	69.2Ω/km
ANM11.017.39.023AB	UL20937	30V	39X23AWG	17/0.14	13.4	304.26	69.2Ω/km
ANM11.017.40.023AB	UL20937	30V	40X23AWG	17/0.14	13.4	306.06	69.2Ω/km
ANM11.017.41.023AB	UL20937	30V	41X23AWG	17/0.14	14.3	339.26	69.2Ω/km
ANM11.017.42.023AB	UL20937	30V	42X23AWG	17/0.14	14.3	341.16	69.2Ω/km
ANM11.017.43.023AB	UL20937	30V	43X23AWG	17/0.14	14.3	342.96	69.2Ω/km
ANM11.017.44.023AB	UL20937	30V	44X23AWG	17/0.14	14.3	344.86	69.2Ω/km
ANM11.017.45.023AB	UL20937	30V	45X23AWG	17/0.14	14.6	357.56	69.2Ω/km
ANM11.017.46.023AB	UL20937	30V	46X23AWG	17/0.14	14.6	359.26	69.2Ω/km
ANM11.017.47.023AB	UL20937	30V	47X23AWG	17/0.14	14.6	361.16	69.2Ω/km
ANM11.017.48.023AB	UL20937	30V	48X23AWG	17/0.14	14.6	362.96	69.2Ω/km
ANM11.017.49.023AB	UL20937	30V	49X23AWG	17/0.14	14.9	375.96	69.2Ω/km
ANM11.017.50.023AB	UL20937	30V	50X23AWG	17/0.14	14.9	377.66	69.2Ω/km
ANM11.017.51.023AB	UL20937	30V	51X23AWG	17/0.14	14.9	379.46	69.2Ω/km
ANM11.017.52.023AB	UL20937	30V	52X23AWG	17/0.14	14.9	381.36	69.2Ω/km
ANM11.017.53.023AB	UL20937	30V	53X23AWG	17/0.14	15.3	398.46	69.2Ω/km
ANM11.017.54.023AB	UL20937	30V	54X23AWG	17/0.14	15.3	400.26	69.2Ω/km
ANM11.017.55.023AB	UL20937	30V	55X23AWG	17/0.14	15.3	402.06	69.2Ω/km
ANM11.017.56.023AB	UL20937	30V	56X23AWG	17/0.14	15.3	403.86	69.2Ω/km
ANM11.017.57.023AB	UL20937	30V	57X23AWG	17/0.14	15.7	421.26	69.2Ω/km



ANM11.017.58.023AB	UL20937	30V	58X23AWG	17/0.14	15.7	423.06	69.2 Ω/km
ANM11.017.59.023AB	UL20937	30V	59X23AWG	17/0.14	15.7	424.96	69.2 Ω/km
ANM11.017.60.023AB	UL20937	30V	60X23AWG	17/0.14	15.7	426.76	69.2 Ω/km
ANM11.017.61.023AB	UL20937	30V	61X23AWG	17/0.14	15.7	428.56	69.2 Ω/km
ANM11.017.62.023AB	UL20937	30V	62X23AWG	17/0.14	16.2	450.36	69.2 Ω/km
ANM11.017.63.023AB	UL20937	30V	63X23AWG	17/0.14	16.2	452.16	69.2 Ω/km
ANM11.017.64.023AB	UL20937	30V	64X23AWG	17/0.14	16.2	453.96	69.2 Ω/km
ANM11.017.65.023AB	UL20937	30V	65X23AWG	17/0.14	16.2	455.76	69.2 Ω/km
ANM11.017.02.022AB	UL20937	30V	2X22AWG	22/0.14	6	53.53	55.4 Ω/km
ANM11.017.03.022AB	UL20937	30V	3X22AWG	22/0.14	6.3	60.53	55.4 Ω/km
ANM11.017.04.022AB	UL20937	30V	4X22AWG	22/0.14	6.7	69.83	55.4 Ω/km
ANM11.017.05.022AB	UL20937	30V	5X22AWG	22/0.14	7.1	79.23	55.4 Ω/km
ANM11.017.06.022AB	UL20937	30V	6X22AWG	22/0.14	7.5	89.13	55.4 Ω/km
ANM11.017.07.022AB	UL20937	30V	7X22AWG	22/0.14	7.5	91.33	55.4 Ω/km
ANM11.017.08.022AB	UL20937	30V	8X22AWG	22/0.14	8	103.73	55.4 Ω/km
ANM11.017.09.022AB	UL20937	30V	9X22AWG	22/0.14	8.6	118.93	55.4 Ω/km
ANM11.017.10.022AB	UL20937	30V	10X22AWG	22/0.14	9	130.23	55.4 Ω/km
ANM11.017.11.022AB	UL20937	30V	11X22AWG	22/0.14	9.3	139.63	55.4 Ω/km
ANM11.017.12.022AB	UL20937	30V	12X22AWG	22/0.14	9.3	141.83	55.4 Ω/km
ANM11.017.13.022AB	UL20937	30V	13X22AWG	22/0.14	9.7	153.93	55.4 Ω/km
ANM11.017.14.022AB	UL20937	30V	14X22AWG	22/0.14	9.7	156.03	55.4 Ω/km
ANM11.017.15.022AB	UL20937	30V	15X22AWG	22/0.14	10.1	168.53	55.4 Ω/km
ANM11.017.16.022AB	UL20937	30V	16X22AWG	22/0.14	10.1	170.83	55.4 Ω/km
ANM11.017.17.022AB	UL20937	30V	17X22AWG	22/0.14	10.5	183.53	55.4 Ω/km
ANM11.017.18.022AB	UL20937	30V	18X22AWG	22/0.14	10.5	185.83	55.4 Ω/km
ANM11.017.19.022AB	UL20937	30V	19X22AWG	22/0.14	10.5	188.03	55.4 Ω/km
ANM11.017.20.022AB	UL20937	30V	20X22AWG	22/0.14	10.8	198.43	55.4 Ω/km
ANM11.017.21.022AB	UL20937	30V	21X22AWG	22/0.14	11	206.23	55.4 Ω/km
ANM11.017.22.022AB	UL20937	30V	22X22AWG	22/0.14	11.6	225.83	55.4 Ω/km
ANM11.017.23.022AB	UL20937	30V	23X22AWG	22/0.14	12	240.03	55.4 Ω/km
ANM11.017.24.022AB	UL20937	30V	24X22AWG	22/0.14	12	242.23	55.4 Ω/km
ANM11.017.25.022AB	UL20937	30V	25X22AWG	22/0.14	12.3	253.93	55.4 Ω/km
ANM11.017.26.022AB	UL20937	30V	26X22AWG	22/0.14	12.3	256.13	55.4 Ω/km
ANM11.017.27.022AB	UL20937	30V	27X22AWG	22/0.14	12.3	258.33	55.4 Ω/km
ANM11.017.28.022AB	UL20937	30V	28X22AWG	22/0.14	12.7	273.13	55.4 Ω/km
ANM11.017.29.022AB	UL20937	30V	29X22AWG	22/0.14	12.7	275.43	55.4 Ω/km
ANM11.017.30.022AB	UL20937	30V	30X22AWG	22/0.14	12.7	277.73	55.4 Ω/km
ANM11.017.31.022AB	UL20937	30V	31X22AWG	22/0.14	13.2	296.43	55.4 Ω/km
ANM11.017.32.022AB	UL20937	30V	32X22AWG	22/0.14	13.2	298.73	55.4 Ω/km
ANM11.017.33.022AB	UL20937	30V	33X22AWG	22/0.14	13.2	300.93	55.4 Ω/km
ANM11.017.34.022AB	UL20937	30V	34X22AWG	22/0.14	13.6	316.63	55.4 Ω/km
ANM11.017.35.022AB	UL20937	30V	35X22AWG	22/0.14	13.6	318.83	55.4 Ω/km



ANM11.017.36.022AB	UL20937	30V	36X22AWG	22/0.14	13.6	321.13	55.4 Ω/km
ANM11.017.37.022AB	UL20937	30V	37X22AWG	22/0.14	13.6	323.23	55.4 Ω/km
ANM11.017.38.022AB	UL20937	30V	38X22AWG	22/0.14	14.1	343.13	55.4 Ω/km
ANM11.017.39.022AB	UL20937	30V	39X22AWG	22/0.14	14.1	345.43	55.4 Ω/km
ANM11.017.40.022AB	UL20937	30V	40X22AWG	22/0.14	14.1	347.53	55.4 Ω/km
ANM11.017.41.022AB	UL20937	30V	41X22AWG	22/0.14	15.1	386.63	55.4 Ω/km
ANM11.017.42.022AB	UL20937	30V	42X22AWG	22/0.14	15.1	388.73	55.4 Ω/km
ANM11.017.43.022AB	UL20937	30V	43X22AWG	22/0.14	15.1	391.03	55.4 Ω/km
ANM11.017.44.022AB	UL20937	30V	44X22AWG	22/0.14	15.1	393.33	55.4 Ω/km
ANM11.017.45.022AB	UL20937	30V	45X22AWG	22/0.14	15.4	407.13	55.4 Ω/km
ANM11.017.46.022AB	UL20937	30V	46X22AWG	22/0.14	15.4	409.43	55.4 Ω/km
ANM11.017.47.022AB	UL20937	30V	47X22AWG	22/0.14	15.4	411.63	55.4 Ω/km
ANM11.017.48.022AB	UL20937	30V	48X22AWG	22/0.14	15.4	413.83	55.4 Ω/km
ANM11.017.49.022AB	UL20937	30V	49X22AWG	22/0.14	15.8	431.73	55.4 Ω/km
ANM11.017.50.022AB	UL20937	30V	50X22AWG	22/0.14	15.8	434.03	55.4 Ω/km
ANM11.017.51.022AB	UL20937	30V	51X22AWG	22/0.14	15.8	436.23	55.4 Ω/km
ANM11.017.52.022AB	UL20937	30V	52X22AWG	22/0.14	15.8	438.43	55.4 Ω/km
ANM11.017.53.022AB	UL20937	30V	53X22AWG	22/0.14	16.2	456.83	55.4 Ω/km
ANM11.017.54.022AB	UL20937	30V	54X22AWG	22/0.14	16.2	459.03	55.4 Ω/km
ANM11.017.55.022AB	UL20937	30V	55X22AWG	22/0.14	16.2	461.33	55.4 Ω/km
ANM11.017.56.022AB	UL20937	30V	56X22AWG	22/0.14	16.2	463.43	55.4 Ω/km
ANM11.017.57.022AB	UL20937	30V	57X22AWG	22/0.14	16.6	482.23	55.4 Ω/km
ANM11.017.58.022AB	UL20937	30V	58X22AWG	22/0.14	16.6	484.33	55.4 Ω/km
ANM11.017.59.022AB	UL20937	30V	59X22AWG	22/0.14	16.6	486.73	55.4 Ω/km
ANM11.017.60.022AB	UL20937	30V	60X22AWG	22/0.14	16.6	488.93	55.4 Ω/km
ANM11.017.61.022AB	UL20937	30V	61X22AWG	22/0.14	16.6	491.23	55.4 Ω/km
ANM11.017.62.022AB	UL20937	30V	62X22AWG	22/0.14	17.1	514.63	55.4 Ω/km
ANM11.017.63.022AB	UL20937	30V	63X22AWG	22/0.14	17.1	516.73	55.4 Ω/km
ANM11.017.64.022AB	UL20937	30V	64X22AWG	22/0.14	17.1	519.03	55.4 Ω/km
ANM11.017.65.022AB	UL20937	30V	65X22AWG	22/0.14	17.1	521.23	55.4 Ω/km
ANM11.017.02.021AB	UL20937	30V	2X21AWG	27/0.14	6.2	58.02	43.6 Ω/km
ANM11.017.03.021AB	UL20937	30V	3X21AWG	27/0.14	6.5	66.02	43.6 Ω/km
ANM11.017.04.021AB	UL20937	30V	4X21AWG	27/0.14	6.9	75.92	43.6 Ω/km
ANM11.017.05.021AB	UL20937	30V	5X21AWG	27/0.14	7.4	88.22	43.6 Ω/km
ANM11.017.06.021AB	UL20937	30V	6X21AWG	27/0.14	7.8	99.02	43.6 Ω/km
ANM11.017.07.021AB	UL20937	30V	7X21AWG	27/0.14	7.8	101.92	43.6 Ω/km
ANM11.017.08.021AB	UL20937	30V	8X21AWG	27/0.14	8.3	115.12	43.6 Ω/km
ANM11.017.09.021AB	UL20937	30V	9X21AWG	27/0.14	9	133.72	43.6 Ω/km
ANM11.017.10.021AB	UL20937	30V	10X21AWG	27/0.14	9.4	146.12	43.6 Ω/km
ANM11.017.11.021AB	UL20937	30V	11X21AWG	27/0.14	9.7	156.32	43.6 Ω/km
ANM11.017.12.021AB	UL20937	30V	12X21AWG	27/0.14	9.7	159.22	43.6 Ω/km
ANM11.017.13.021AB	UL20937	30V	13X21AWG	27/0.14	10.1	172.22	43.6 Ω/km



ANM11.017.14.021AB	UL20937	30V	14X21AWG	27/0.14	10.1	175.12	43.6Ω/km
ANM11.017.15.021AB	UL20937	30V	15X21AWG	27/0.14	10.6	191.22	43.6Ω/km
ANM11.017.16.021AB	UL20937	30V	16X21AWG	27/0.14	10.6	194.02	43.6Ω/km
ANM11.017.17.021AB	UL20937	30V	17X21AWG	27/0.14	11	207.92	43.6Ω/km
ANM11.017.18.021AB	UL20937	30V	18X21AWG	27/0.14	11	210.82	43.6Ω/km
ANM11.017.19.021AB	UL20937	30V	19X21AWG	27/0.14	11	213.62	43.6Ω/km
ANM11.017.20.021AB	UL20937	30V	20X21AWG	27/0.14	11.3	225.12	43.6Ω/km
ANM11.017.21.021AB	UL20937	30V	21X21AWG	27/0.14	11.5	233.82	43.6Ω/km
ANM11.017.22.021AB	UL20937	30V	22X21AWG	27/0.14	12.2	257.72	43.6Ω/km
ANM11.017.23.021AB	UL20937	30V	23X21AWG	27/0.14	12.6	273.12	43.6Ω/km
ANM11.017.24.021AB	UL20937	30V	24X21AWG	27/0.14	12.6	276.02	43.6Ω/km
ANM11.017.25.021AB	UL20937	30V	25X21AWG	27/0.14	12.9	288.62	43.6Ω/km
ANM11.017.26.021AB	UL20937	30V	26X21AWG	27/0.14	12.9	291.42	43.6Ω/km
ANM11.017.27.021AB	UL20937	30V	27X21AWG	27/0.14	12.9	294.32	43.6Ω/km
ANM11.017.28.021AB	UL20937	30V	28X21AWG	27/0.14	13.4	313.92	43.6Ω/km
ANM11.017.29.021AB	UL20937	30V	29X21AWG	27/0.14	13.4	316.82	43.6Ω/km
ANM11.017.30.021AB	UL20937	30V	30X21AWG	27/0.14	13.4	319.62	43.6Ω/km
ANM11.017.31.021AB	UL20937	30V	31X21AWG	27/0.14	13.9	339.62	43.6Ω/km
ANM11.017.32.021AB	UL20937	30V	32X21AWG	27/0.14	13.9	342.52	43.6Ω/km
ANM11.017.33.021AB	UL20937	30V	33X21AWG	27/0.14	13.9	345.32	43.6Ω/km
ANM11.017.34.021AB	UL20937	30V	34X21AWG	27/0.14	14.3	362.42	43.6Ω/km
ANM11.017.35.021AB	UL20937	30V	35X21AWG	27/0.14	14.3	365.32	43.6Ω/km
ANM11.017.36.021AB	UL20937	30V	36X21AWG	27/0.14	14.3	368.22	43.6Ω/km
ANM11.017.37.021AB	UL20937	30V	37X21AWG	27/0.14	14.3	371.02	43.6Ω/km
ANM11.017.38.021AB	UL20937	30V	38X21AWG	27/0.14	14.8	392.32	43.6Ω/km
ANM11.017.39.021AB	UL20937	30V	39X21AWG	27/0.14	14.8	395.22	43.6Ω/km
ANM11.017.40.021AB	UL20937	30V	40X21AWG	27/0.14	14.8	398.12	43.6Ω/km
ANM11.017.41.021AB	UL20937	30V	41X21AWG	27/0.14	15.9	443.32	43.6Ω/km
ANM11.017.42.021AB	UL20937	30V	42X21AWG	27/0.14	15.9	446.22	43.6Ω/km
ANM11.017.43.021AB	UL20937	30V	43X21AWG	27/0.14	15.9	449.12	43.6Ω/km
ANM11.017.44.021AB	UL20937	30V	44X21AWG	27/0.14	15.9	451.92	43.6Ω/km
ANM11.017.45.021AB	UL20937	30V	45X21AWG	27/0.14	16.2	466.92	43.6Ω/km
ANM11.017.46.021AB	UL20937	30V	46X21AWG	27/0.14	16.2	469.72	43.6Ω/km
ANM11.017.47.021AB	UL20937	30V	47X21AWG	27/0.14	16.2	472.62	43.6Ω/km
ANM11.017.48.021AB	UL20937	30V	48X21AWG	27/0.14	16.2	475.42	43.6Ω/km
ANM11.017.49.021AB	UL20937	30V	49X21AWG	27/0.14	16.6	494.82	43.6Ω/km
ANM11.017.50.021AB	UL20937	30V	50X21AWG	27/0.14	16.6	497.72	43.6Ω/km
ANM11.017.51.021AB	UL20937	30V	51X21AWG	27/0.14	16.6	500.62	43.6Ω/km
ANM11.017.52.021AB	UL20937	30V	52X21AWG	27/0.14	16.6	503.42	43.6Ω/km
ANM11.017.53.021AB	UL20937	30V	53X21AWG	27/0.14	17.1	527.42	43.6Ω/km
ANM11.017.54.021AB	UL20937	30V	54X21AWG	27/0.14	17.1	530.22	43.6Ω/km
ANM11.017.55.021AB	UL20937	30V	55X21AWG	27/0.14	17.1	533.02	43.6Ω/km



ANM11.017.56.021AB	UL20937	30V	56X21AWG	27/0.14	17.1	535.92	43.6Ω/km
ANM11.017.57.021AB	UL20937	30V	57X21AWG	27/0.14	17.5	556.12	43.6Ω/km
ANM11.017.58.021AB	UL20937	30V	58X21AWG	27/0.14	17.5	559.02	43.6Ω/km
ANM11.017.59.021AB	UL20937	30V	59X21AWG	27/0.14	17.5	561.82	43.6Ω/km
ANM11.017.60.021AB	UL20937	30V	60X21AWG	27/0.14	17.5	564.72	43.6Ω/km
ANM11.017.61.021AB	UL20937	30V	61X21AWG	27/0.14	17.5	567.52	43.6Ω/km
ANM11.017.62.021AB	UL20937	30V	62X21AWG	27/0.14	18	592.72	43.6Ω/km
ANM11.017.63.021AB	UL20937	30V	63X21AWG	27/0.14	18	595.52	43.6Ω/km
ANM11.017.64.021AB	UL20937	30V	64X21AWG	27/0.14	18	598.42	43.6Ω/km
ANM11.017.65.021AB	UL20937	30V	65X21AWG	27/0.14	18	601.32	43.6Ω/km
ANM11.017.02.020AB	UL20937	30V	2X20AWG	34/0.14	6.4	62.92	34.6Ω/km
ANM11.017.03.020AB	UL20937	30V	3X20AWG	34/0.14	6.7	71.92	34.6Ω/km
ANM11.017.04.020AB	UL20937	30V	4X20AWG	34/0.14	7.2	84.72	34.6Ω/km
ANM11.017.05.020AB	UL20937	30V	5X20AWG	34/0.14	7.6	95.92	34.6Ω/km
ANM11.017.06.020AB	UL20937	30V	6X20AWG	34/0.14	8.1	110.02	34.6Ω/km
ANM11.017.07.020AB	UL20937	30V	7X20AWG	34/0.14	8.1	113.62	34.6Ω/km
ANM11.017.08.020AB	UL20937	30V	8X20AWG	34/0.14	8.7	130.32	34.6Ω/km
ANM11.017.09.020AB	UL20937	30V	9X20AWG	34/0.14	9.3	147.92	34.6Ω/km
ANM11.017.10.020AB	UL20937	30V	10X20AWG	34/0.14	9.8	163.72	34.6Ω/km
ANM11.017.11.020AB	UL20937	30V	11X20AWG	34/0.14	10.1	175.12	34.6Ω/km
ANM11.017.12.020AB	UL20937	30V	12X20AWG	34/0.14	10.1	178.72	34.6Ω/km
ANM11.017.13.020AB	UL20937	30V	13X20AWG	34/0.14	10.6	195.72	34.6Ω/km
ANM11.017.14.020AB	UL20937	30V	14X20AWG	34/0.14	10.6	199.32	34.6Ω/km
ANM11.017.15.020AB	UL20937	30V	15X20AWG	34/0.14	11	213.92	34.6Ω/km
ANM11.017.16.020AB	UL20937	30V	16X20AWG	34/0.14	11	217.62	34.6Ω/km
ANM11.017.17.020AB	UL20937	30V	17X20AWG	34/0.14	11.5	235.62	34.6Ω/km
ANM11.017.18.020AB	UL20937	30V	18X20AWG	34/0.14	11.5	239.22	34.6Ω/km
ANM11.017.19.020AB	UL20937	30V	19X20AWG	34/0.14	11.5	242.92	34.6Ω/km
ANM11.017.20.020AB	UL20937	30V	20X20AWG	34/0.14	11.8	255.42	34.6Ω/km
ANM11.017.21.020AB	UL20937	30V	21X20AWG	34/0.14	12.1	268.22	34.6Ω/km
ANM11.017.22.020AB	UL20937	30V	22X20AWG	34/0.14	12.7	290.72	34.6Ω/km
ANM11.017.23.020AB	UL20937	30V	23X20AWG	34/0.14	13.3	314.02	34.6Ω/km
ANM11.017.24.020AB	UL20937	30V	24X20AWG	34/0.14	13.3	317.72	34.6Ω/km
ANM11.017.25.020AB	UL20937	30V	25X20AWG	34/0.14	13.6	331.52	34.6Ω/km
ANM11.017.26.020AB	UL20937	30V	26X20AWG	34/0.14	13.6	335.22	34.6Ω/km
ANM11.017.27.020AB	UL20937	30V	27X20AWG	34/0.14	13.6	338.72	34.6Ω/km
ANM11.017.28.020AB	UL20937	30V	28X20AWG	34/0.14	14.1	359.92	34.6Ω/km
ANM11.017.29.020AB	UL20937	30V	29X20AWG	34/0.14	14.1	363.62	34.6Ω/km
ANM11.017.30.020AB	UL20937	30V	30X20AWG	34/0.14	14.1	367.22	34.6Ω/km
ANM11.017.31.020AB	UL20937	30V	31X20AWG	34/0.14	14.5	385.32	34.6Ω/km
ANM11.017.32.020AB	UL20937	30V	32X20AWG	34/0.14	14.5	389.02	34.6Ω/km
ANM11.017.33.020AB	UL20937	30V	33X20AWG	34/0.14	14.5	392.62	34.6Ω/km



ANM11.017.34.020AB	UL20937	30V	34X20AWG	34/0.14	15	414.82	34.6Ω/km
ANM11.017.35.020AB	UL20937	30V	35X20AWG	34/0.14	15	418.42	34.6Ω/km
ANM11.017.36.020AB	UL20937	30V	36X20AWG	34/0.14	15	422.02	34.6Ω/km
ANM11.017.37.020AB	UL20937	30V	37X20AWG	34/0.14	15	425.72	34.6Ω/km
ANM11.017.38.020AB	UL20937	30V	38X20AWG	34/0.14	15.6	452.42	34.6Ω/km
ANM11.017.39.020AB	UL20937	30V	39X20AWG	34/0.14	15.6	456.12	34.6Ω/km
ANM11.017.40.020AB	UL20937	30V	40X20AWG	34/0.14	15.6	459.72	34.6Ω/km
ANM11.017.41.020AB	UL20937	30V	41X20AWG	34/0.14	16.7	507.92	34.6Ω/km
ANM11.017.42.020AB	UL20937	30V	42X20AWG	34/0.14	16.7	511.62	34.6Ω/km
ANM11.017.43.020AB	UL20937	30V	43X20AWG	34/0.14	16.7	515.22	34.6Ω/km
ANM11.017.44.020AB	UL20937	30V	44X20AWG	34/0.14	16.7	518.82	34.6Ω/km
ANM11.017.45.020AB	UL20937	30V	45X20AWG	34/0.14	17	535.22	34.6Ω/km
ANM11.017.46.020AB	UL20937	30V	46X20AWG	34/0.14	17	538.82	34.6Ω/km
ANM11.017.47.020AB	UL20937	30V	47X20AWG	34/0.14	17	542.52	34.6Ω/km
ANM11.017.48.020AB	UL20937	30V	48X20AWG	34/0.14	17	546.22	34.6Ω/km
ANM11.017.49.020AB	UL20937	30V	49X20AWG	34/0.14	17.5	571.32	34.6Ω/km
ANM11.017.50.020AB	UL20937	30V	50X20AWG	34/0.14	17.5	575.02	34.6Ω/km
ANM11.017.51.020AB	UL20937	30V	51X20AWG	34/0.14	17.5	578.62	34.6Ω/km
ANM11.017.52.020AB	UL20937	30V	52X20AWG	34/0.14	17.5	582.32	34.6Ω/km
ANM11.017.53.020AB	UL20937	30V	53X20AWG	34/0.14	17.9	603.72	34.6Ω/km
ANM11.017.54.020AB	UL20937	30V	54X20AWG	34/0.14	17.9	607.22	34.6Ω/km
ANM11.017.55.020AB	UL20937	30V	55X20AWG	34/0.14	17.9	610.92	34.6Ω/km
ANM11.017.56.020AB	UL20937	30V	56X20AWG	34/0.14	17.9	614.52	34.6Ω/km
ANM11.017.57.020AB	UL20937	30V	57X20AWG	34/0.14	18.4	640.82	34.6Ω/km
ANM11.017.58.020AB	UL20937	30V	58X20AWG	34/0.14	18.4	644.52	34.6Ω/km
ANM11.017.59.020AB	UL20937	30V	59X20AWG	34/0.14	18.4	648.12	34.6Ω/km
ANM11.017.60.020AB	UL20937	30V	60X20AWG	34/0.14	18.4	651.82	34.6Ω/km
ANM11.017.61.020AB	UL20937	30V	61X20AWG	34/0.14	18.4	655.42	34.6Ω/km
ANM11.017.62.020AB	UL20937	30V	62X20AWG	34/0.14	19	687.12	34.6Ω/km
ANM11.017.63.020AB	UL20937	30V	63X20AWG	34/0.14	19	690.82	34.6Ω/km
ANM11.017.64.020AB	UL20937	30V	64X20AWG	34/0.14	19	694.42	34.6Ω/km
ANM11.017.65.020AB	UL20937	30V	65X20AWG	34/0.14	19	698.12	34.6Ω/km
ANM11.017.02.019AB	UL20937	30V	2X19AWG	43/0.14	6.6	68.66	27.4Ω/km
ANM11.017.03.019AB	UL20937	30V	3X19AWG	43/0.14	6.9	78.66	27.4Ω/km
ANM11.017.04.019AB	UL20937	30V	4X19AWG	43/0.14	7.4	92.76	27.4Ω/km
ANM11.017.05.019AB	UL20937	30V	5X19AWG	43/0.14	7.9	107.26	27.4Ω/km
ANM11.017.06.019AB	UL20937	30V	6X19AWG	43/0.14	8.4	122.56	27.4Ω/km
ANM11.017.07.019AB	UL20937	30V	7X19AWG	43/0.14	8.4	127.06	27.4Ω/km
ANM11.017.08.019AB	UL20937	30V	8X19AWG	43/0.14	9	145.36	27.4Ω/km
ANM11.017.09.019AB	UL20937	30V	9X19AWG	43/0.14	9.7	166.86	27.4Ω/km
ANM11.017.10.019AB	UL20937	30V	10X19AWG	43/0.14	10.2	184.26	27.4Ω/km
ANM11.017.11.019AB	UL20937	30V	11X19AWG	43/0.14	10.5	196.76	27.4Ω/km



ANM11.017.12.019AB	UL20937	30V	12X19AWG	43/0.14	10.5	201.36	27.4 Ω/km
ANM11.017.13.019AB	UL20937	30V	13X19AWG	43/0.14	11	219.76	27.4 Ω/km
ANM11.017.14.019AB	UL20937	30V	14X19AWG	43/0.14	11	224.46	27.4 Ω/km
ANM11.017.15.019AB	UL20937	30V	15X19AWG	43/0.14	11.5	243.36	27.4 Ω/km
ANM11.017.16.019AB	UL20937	30V	16X19AWG	43/0.14	11.5	248.06	27.4 Ω/km
ANM11.017.17.019AB	UL20937	30V	17X19AWG	43/0.14	12	267.56	27.4 Ω/km
ANM11.017.18.019AB	UL20937	30V	18X19AWG	43/0.14	12	272.26	27.4 Ω/km
ANM11.017.19.019AB	UL20937	30V	19X19AWG	43/0.14	12	276.86	27.4 Ω/km
ANM11.017.20.019AB	UL20937	30V	20X19AWG	43/0.14	12.3	290.86	27.4 Ω/km
ANM11.017.21.019AB	UL20937	30V	21X19AWG	43/0.14	12.6	304.86	27.4 Ω/km
ANM11.017.22.019AB	UL20937	30V	22X19AWG	43/0.14	13.4	335.86	27.4 Ω/km
ANM11.017.23.019AB	UL20937	30V	23X19AWG	43/0.14	13.9	357.66	27.4 Ω/km
ANM11.017.24.019AB	UL20937	30V	24X19AWG	43/0.14	13.9	362.46	27.4 Ω/km
ANM11.017.25.019AB	UL20937	30V	25X19AWG	43/0.14	14.2	377.76	27.4 Ω/km
ANM11.017.26.019AB	UL20937	30V	26X19AWG	43/0.14	14.2	382.36	27.4 Ω/km
ANM11.017.27.019AB	UL20937	30V	27X19AWG	43/0.14	14.2	386.96	27.4 Ω/km
ANM11.017.28.019AB	UL20937	30V	28X19AWG	43/0.14	14.7	409.86	27.4 Ω/km
ANM11.017.29.019AB	UL20937	30V	29X19AWG	43/0.14	14.7	414.46	27.4 Ω/km
ANM11.017.30.019AB	UL20937	30V	30X19AWG	43/0.14	14.7	419.16	27.4 Ω/km
ANM11.017.31.019AB	UL20937	30V	31X19AWG	43/0.14	15.2	442.46	27.4 Ω/km
ANM11.017.32.019AB	UL20937	30V	32X19AWG	43/0.14	15.2	447.16	27.4 Ω/km
ANM11.017.33.019AB	UL20937	30V	33X19AWG	43/0.14	15.2	451.76	27.4 Ω/km
ANM11.017.34.019AB	UL20937	30V	34X19AWG	43/0.14	15.7	475.96	27.4 Ω/km
ANM11.017.35.019AB	UL20937	30V	35X19AWG	43/0.14	15.7	480.56	27.4 Ω/km
ANM11.017.36.019AB	UL20937	30V	36X19AWG	43/0.14	15.7	485.16	27.4 Ω/km
ANM11.017.37.019AB	UL20937	30V	37X19AWG	43/0.14	15.7	489.76	27.4 Ω/km
ANM11.017.38.019AB	UL20937	30V	38X19AWG	43/0.14	16.3	518.56	27.4 Ω/km
ANM11.017.39.019AB	UL20937	30V	39X19AWG	43/0.14	16.3	523.06	27.4 Ω/km
ANM11.017.40.019AB	UL20937	30V	40X19AWG	43/0.14	16.3	527.76	27.4 Ω/km
ANM11.017.41.019AB	UL20937	30V	41X19AWG	43/0.14	17.5	583.16	27.4 Ω/km
ANM11.017.42.019AB	UL20937	30V	42X19AWG	43/0.14	17.5	587.86	27.4 Ω/km
ANM11.017.43.019AB	UL20937	30V	43X19AWG	43/0.14	17.5	592.46	27.4 Ω/km
ANM11.017.44.019AB	UL20937	30V	44X19AWG	43/0.14	17.5	597.16	27.4 Ω/km
ANM11.017.45.019AB	UL20937	30V	45X19AWG	43/0.14	17.8	614.96	27.4 Ω/km
ANM11.017.46.019AB	UL20937	30V	46X19AWG	43/0.14	17.8	619.66	27.4 Ω/km
ANM11.017.47.019AB	UL20937	30V	47X19AWG	43/0.14	17.8	624.36	27.4 Ω/km
ANM11.017.48.019AB	UL20937	30V	48X19AWG	43/0.14	17.8	629.06	27.4 Ω/km
ANM11.017.49.019AB	UL20937	30V	49X19AWG	43/0.14	18.3	656.26	27.4 Ω/km
ANM11.017.50.019AB	UL20937	30V	50X19AWG	43/0.14	18.3	660.96	27.4 Ω/km
ANM11.017.51.019AB	UL20937	30V	51X19AWG	43/0.14	18.3	665.56	27.4 Ω/km
ANM11.017.52.019AB	UL20937	30V	52X19AWG	43/0.14	18.3	670.26	27.4 Ω/km
ANM11.017.53.019AB	UL20937	30V	53X19AWG	43/0.14	18.8	697.96	27.4 Ω/km



ANM11.017.54.019AB	UL20937	30V	54X19AWG	43/0.14	18.8	702.56	27.4Ω/km
ANM11.017.55.019AB	UL20937	30V	55X19AWG	43/0.14	18.8	707.26	27.4Ω/km
ANM11.017.56.019AB	UL20937	30V	56X19AWG	43/0.14	18.8	711.76	27.4Ω/km
ANM11.017.57.019AB	UL20937	30V	57X19AWG	43/0.14	19.3	740.26	27.4Ω/km
ANM11.017.58.019AB	UL20937	30V	58X19AWG	43/0.14	19.3	744.76	27.4Ω/km
ANM11.017.59.019AB	UL20937	30V	59X19AWG	43/0.14	19.3	749.46	27.4Ω/km
ANM11.017.60.019AB	UL20937	30V	60X19AWG	43/0.14	19.3	754.06	27.4Ω/km
ANM11.017.61.019AB	UL20937	30V	61X19AWG	43/0.14	19.3	758.76	27.4Ω/km
ANM11.017.62.019AB	UL20937	30V	62X19AWG	43/0.14	20.9	841.16	27.4Ω/km
ANM11.017.63.019AB	UL20937	30V	63X19AWG	43/0.14	20.9	845.76	27.4Ω/km
ANM11.017.64.019AB	UL20937	30V	64X19AWG	43/0.14	20.9	850.36	27.4Ω/km
ANM11.017.65.019AB	UL20937	30V	65X19AWG	43/0.14	20.9	855.06	27.4Ω/km
ANM11.017.02.018AB	UL20937	30V	2X18AWG	29/0.19	6.8	75.03	21.8Ω/km
ANM11.017.03.018AB	UL20937	30V	3X18AWG	29/0.19	7.1	86.43	21.8Ω/km
ANM11.017.04.018AB	UL20937	30V	4X18AWG	29/0.19	7.6	102.03	21.8Ω/km
ANM11.017.05.018AB	UL20937	30V	5X18AWG	29/0.19	8.2	120.33	21.8Ω/km
ANM11.017.06.018AB	UL20937	30V	6X18AWG	29/0.19	8.7	137.33	21.8Ω/km
ANM11.017.07.018AB	UL20937	30V	7X18AWG	29/0.19	8.7	143.23	21.8Ω/km
ANM11.017.08.018AB	UL20937	30V	8X18AWG	29/0.19	9.3	163.23	21.8Ω/km
ANM11.017.09.018AB	UL20937	30V	9X18AWG	29/0.19	10.1	189.03	21.8Ω/km
ANM11.017.10.018AB	UL20937	30V	10X18AWG	29/0.19	10.6	208.43	21.8Ω/km
ANM11.017.11.018AB	UL20937	30V	11X18AWG	29/0.19	10.9	222.63	21.8Ω/km
ANM11.017.12.018AB	UL20937	30V	12X18AWG	29/0.19	10.9	228.53	21.8Ω/km
ANM11.017.13.018AB	UL20937	30V	13X18AWG	29/0.19	11.4	248.63	21.8Ω/km
ANM11.017.14.018AB	UL20937	30V	14X18AWG	29/0.19	11.4	254.53	21.8Ω/km
ANM11.017.15.018AB	UL20937	30V	15X18AWG	29/0.19	12	278.43	21.8Ω/km
ANM11.017.16.018AB	UL20937	30V	16X18AWG	29/0.19	12	284.53	21.8Ω/km
ANM11.017.17.018AB	UL20937	30V	17X18AWG	29/0.19	12.5	305.93	21.8Ω/km
ANM11.017.18.018AB	UL20937	30V	18X18AWG	29/0.19	12.5	312.03	21.8Ω/km
ANM11.017.19.018AB	UL20937	30V	19X18AWG	29/0.19	12.5	318.03	21.8Ω/km
ANM11.017.20.018AB	UL20937	30V	20X18AWG	29/0.19	12.8	333.53	21.8Ω/km
ANM11.017.21.018AB	UL20937	30V	21X18AWG	29/0.19	13.2	352.73	21.8Ω/km
ANM11.017.22.018AB	UL20937	30V	22X18AWG	29/0.19	14	386.13	21.8Ω/km
ANM11.017.23.018AB	UL20937	30V	23X18AWG	29/0.19	14.5	410.13	21.8Ω/km
ANM11.017.24.018AB	UL20937	30V	24X18AWG	29/0.19	14.5	416.03	21.8Ω/km
ANM11.017.25.018AB	UL20937	30V	25X18AWG	29/0.19	14.8	433.23	21.8Ω/km
ANM11.017.26.018AB	UL20937	30V	26X18AWG	29/0.19	14.8	439.13	21.8Ω/km
ANM11.017.27.018AB	UL20937	30V	27X18AWG	29/0.19	14.8	445.03	21.8Ω/km
ANM11.017.28.018AB	UL20937	30V	28X18AWG	29/0.19	15.3	469.93	21.8Ω/km
ANM11.017.29.018AB	UL20937	30V	29X18AWG	29/0.19	15.3	475.93	21.8Ω/km
ANM11.017.30.018AB	UL20937	30V	30X18AWG	29/0.19	15.3	481.93	21.8Ω/km
ANM11.017.31.018AB	UL20937	30V	31X18AWG	29/0.19	15.9	511.33	21.8Ω/km



ANM11.017.32.018AB	UL20937	30V	32X18AWG	29/0.19	15.9	517.33	21.8Ω/km
ANM11.017.33.018AB	UL20937	30V	33X18AWG	29/0.19	15.9	523.33	21.8Ω/km
ANM11.017.34.018AB	UL20937	30V	34X18AWG	29/0.19	16.4	549.53	21.8Ω/km
ANM11.017.35.018AB	UL20937	30V	35X18AWG	29/0.19	16.4	555.53	21.8Ω/km
ANM11.017.36.018AB	UL20937	30V	36X18AWG	29/0.19	16.4	561.63	21.8Ω/km
ANM11.017.37.018AB	UL20937	30V	37X18AWG	29/0.19	16.4	567.43	21.8Ω/km
ANM11.017.38.018AB	UL20937	30V	38X18AWG	29/0.19	17	598.53	21.8Ω/km
ANM11.017.39.018AB	UL20937	30V	39X18AWG	29/0.19	17	604.53	21.8Ω/km
ANM11.017.40.018AB	UL20937	30V	40X18AWG	29/0.19	17	610.53	21.8Ω/km
ANM11.017.41.018AB	UL20937	30V	41X18AWG	29/0.19	18.3	673.93	21.8Ω/km
ANM11.017.42.018AB	UL20937	30V	42X18AWG	29/0.19	18.3	679.83	21.8Ω/km
ANM11.017.43.018AB	UL20937	30V	43X18AWG	29/0.19	18.3	685.93	21.8Ω/km
ANM11.017.44.018AB	UL20937	30V	44X18AWG	29/0.19	18.3	691.83	21.8Ω/km
ANM11.017.45.018AB	UL20937	30V	45X18AWG	29/0.19	18.6	711.53	21.8Ω/km
ANM11.017.46.018AB	UL20937	30V	46X18AWG	29/0.19	18.6	717.53	21.8Ω/km
ANM11.017.47.018AB	UL20937	30V	47X18AWG	29/0.19	18.6	723.53	21.8Ω/km
ANM11.017.48.018AB	UL20937	30V	48X18AWG	29/0.19	18.6	729.43	21.8Ω/km
ANM11.017.49.018AB	UL20937	30V	49X18AWG	29/0.19	19.1	759.03	21.8Ω/km
ANM11.017.50.018AB	UL20937	30V	50X18AWG	29/0.19	19.1	765.03	21.8Ω/km
ANM11.017.51.018AB	UL20937	30V	51X18AWG	29/0.19	19.1	770.83	21.8Ω/km
ANM11.017.52.018AB	UL20937	30V	52X18AWG	29/0.19	19.1	776.93	21.8Ω/km
ANM11.017.53.018AB	UL20937	30V	53X18AWG	29/0.19	20.7	859.93	21.8Ω/km
ANM11.017.54.018AB	UL20937	30V	54X18AWG	29/0.19	20.7	865.73	21.8Ω/km
ANM11.017.55.018AB	UL20937	30V	55X18AWG	29/0.19	20.7	871.83	21.8Ω/km
ANM11.017.56.018AB	UL20937	30V	56X18AWG	29/0.19	20.7	877.73	21.8Ω/km
ANM11.017.57.018AB	UL20937	30V	57X18AWG	29/0.19	21.2	909.63	21.8Ω/km
ANM11.017.58.018AB	UL20937	30V	58X18AWG	29/0.19	21.2	915.63	21.8Ω/km
ANM11.017.59.018AB	UL20937	30V	59X18AWG	29/0.19	21.2	921.53	21.8Ω/km
ANM11.017.60.018AB	UL20937	30V	60X18AWG	29/0.19	21.2	927.63	21.8Ω/km
ANM11.017.61.018AB	UL20937	30V	61X18AWG	29/0.19	21.2	933.53	21.8Ω/km
ANM11.017.62.018AB	UL20937	30V	62X18AWG	29/0.19	21.8	971.53	21.8Ω/km
ANM11.017.63.018AB	UL20937	30V	63X18AWG	29/0.19	21.8	977.63	21.8Ω/km
ANM11.017.64.018AB	UL20937	30V	64X18AWG	29/0.19	21.8	983.53	21.8Ω/km
ANM11.017.65.018AB	UL20937	30V	65X18AWG	29/0.19	21.8	989.43	21.8Ω/km
ANM11.017.02.017AB	UL20937	30V	2X17AWG	37/0.19	7.2	85.54	17.3Ω/km
ANM11.017.03.017AB	UL20937	30V	3X17AWG	37/0.19	7.6	100.54	17.3Ω/km
ANM11.017.04.017AB	UL20937	30V	4X17AWG	37/0.19	8.1	118.24	17.3Ω/km
ANM11.017.05.017AB	UL20937	30V	5X17AWG	37/0.19	8.7	138.64	17.3Ω/km
ANM11.017.06.017AB	UL20937	30V	6X17AWG	37/0.19	9.3	159.94	17.3Ω/km
ANM11.017.07.017AB	UL20937	30V	7X17AWG	37/0.19	9.3	167.34	17.3Ω/km
ANM11.017.08.017AB	UL20937	30V	8X17AWG	37/0.19	10	192.04	17.3Ω/km
ANM11.017.09.017AB	UL20937	30V	9X17AWG	37/0.19	10.8	220.84	17.3Ω/km



ANM11.017.10.017AB	UL20937	30V	10X17AWG	37/0.19	11.4	245.14	17.3Ω/km
ANM11.017.11.017AB	UL20937	30V	11X17AWG	37/0.19	11.8	264.34	17.3Ω/km
ANM11.017.12.017AB	UL20937	30V	12X17AWG	37/0.19	11.8	271.74	17.3Ω/km
ANM11.017.13.017AB	UL20937	30V	13X17AWG	37/0.19	12.3	294.54	17.3Ω/km
ANM11.017.14.017AB	UL20937	30V	14X17AWG	37/0.19	12.3	301.84	17.3Ω/km
ANM11.017.15.017AB	UL20937	30V	15X17AWG	37/0.19	12.9	328.34	17.3Ω/km
ANM11.017.16.017AB	UL20937	30V	16X17AWG	37/0.19	12.9	335.74	17.3Ω/km
ANM11.017.17.017AB	UL20937	30V	17X17AWG	37/0.19	13.6	366.54	17.3Ω/km
ANM11.017.18.017AB	UL20937	30V	18X17AWG	37/0.19	13.6	373.94	17.3Ω/km
ANM11.017.19.017AB	UL20937	30V	19X17AWG	37/0.19	13.6	381.34	17.3Ω/km
ANM11.017.20.017AB	UL20937	30V	20X17AWG	37/0.19	14	402.64	17.3Ω/km
ANM11.017.21.017AB	UL20937	30V	21X17AWG	37/0.19	14.3	420.74	17.3Ω/km
ANM11.017.22.017AB	UL20937	30V	22X17AWG	37/0.19	15.1	457.74	17.3Ω/km
ANM11.017.23.017AB	UL20937	30V	23X17AWG	37/0.19	15.7	488.34	17.3Ω/km
ANM11.017.24.017AB	UL20937	30V	24X17AWG	37/0.19	15.7	495.74	17.3Ω/km
ANM11.017.25.017AB	UL20937	30V	25X17AWG	37/0.19	16.1	519.14	17.3Ω/km
ANM11.017.26.017AB	UL20937	30V	26X17AWG	37/0.19	16.1	526.44	17.3Ω/km
ANM11.017.27.017AB	UL20937	30V	27X17AWG	37/0.19	16.1	533.94	17.3Ω/km
ANM11.017.28.017AB	UL20937	30V	28X17AWG	37/0.19	16.6	561.74	17.3Ω/km
ANM11.017.29.017AB	UL20937	30V	29X17AWG	37/0.19	16.6	569.14	17.3Ω/km
ANM11.017.30.017AB	UL20937	30V	30X17AWG	37/0.19	16.6	576.54	17.3Ω/km
ANM11.017.31.017AB	UL20937	30V	31X17AWG	37/0.19	17.2	609.24	17.3Ω/km
ANM11.017.32.017AB	UL20937	30V	32X17AWG	37/0.19	17.2	616.64	17.3Ω/km
ANM11.017.33.017AB	UL20937	30V	33X17AWG	37/0.19	17.2	623.94	17.3Ω/km
ANM11.017.34.017AB	UL20937	30V	34X17AWG	37/0.19	17.8	657.64	17.3Ω/km
ANM11.017.35.017AB	UL20937	30V	35X17AWG	37/0.19	17.8	665.04	17.3Ω/km
ANM11.017.36.017AB	UL20937	30V	36X17AWG	37/0.19	17.8	672.54	17.3Ω/km
ANM11.017.37.017AB	UL20937	30V	37X17AWG	37/0.19	17.8	679.84	17.3Ω/km
ANM11.017.38.017AB	UL20937	30V	38X17AWG	37/0.19	18.5	719.04	17.3Ω/km
ANM11.017.39.017AB	UL20937	30V	39X17AWG	37/0.19	18.5	726.44	17.3Ω/km
ANM11.017.40.017AB	UL20937	30V	40X17AWG	37/0.19	18.5	733.74	17.3Ω/km
ANM11.017.41.017AB	UL20937	30V	41X17AWG	37/0.19	20.9	856.54	17.3Ω/km
ANM11.017.42.017AB	UL20937	30V	42X17AWG	37/0.19	20.9	863.94	17.3Ω/km
ANM11.017.43.017AB	UL20937	30V	43X17AWG	37/0.19	20.9	871.34	17.3Ω/km
ANM11.017.44.017AB	UL20937	30V	44X17AWG	37/0.19	20.9	878.64	17.3Ω/km
ANM11.017.45.017AB	UL20937	30V	45X17AWG	37/0.19	21.3	907.04	17.3Ω/km
ANM11.017.46.017AB	UL20937	30V	46X17AWG	37/0.19	21.3	914.44	17.3Ω/km
ANM11.017.47.017AB	UL20937	30V	47X17AWG	37/0.19	21.3	921.84	17.3Ω/km
ANM11.017.48.017AB	UL20937	30V	48X17AWG	37/0.19	21.3	929.14	17.3Ω/km
ANM11.017.49.017AB	UL20937	30V	49X17AWG	37/0.19	21.8	963.34	17.3Ω/km
ANM11.017.50.017AB	UL20937	30V	50X17AWG	37/0.19	21.8	970.64	17.3Ω/km
ANM11.017.51.017AB	UL20937	30V	51X17AWG	37/0.19	21.8	978.04	17.3Ω/km



ANM11.017.52.017AB	UL20937	30V	52X17AWG	37/0.19	21.8	985.44	17.3 Ω/km
ANM11.017.53.017AB	UL20937	30V	53X17AWG	37/0.19	22.4	1025.84	17.3 Ω/km
ANM11.017.54.017AB	UL20937	30V	54X17AWG	37/0.19	22.4	1033.24	17.3 Ω/km
ANM11.017.55.017AB	UL20937	30V	55X17AWG	37/0.19	22.4	1040.54	17.3 Ω/km
ANM11.017.56.017AB	UL20937	30V	56X17AWG	37/0.19	22.4	1047.94	17.3 Ω/km
ANM11.017.57.017AB	UL20937	30V	57X17AWG	37/0.19	23	1089.14	17.3 Ω/km
ANM11.017.58.017AB	UL20937	30V	58X17AWG	37/0.19	23	1096.64	17.3 Ω/km
ANM11.017.59.017AB	UL20937	30V	59X17AWG	37/0.19	23	1103.94	17.3 Ω/km
ANM11.017.60.017AB	UL20937	30V	60X17AWG	37/0.19	23	1111.34	17.3 Ω/km
ANM11.017.61.017AB	UL20937	30V	61X17AWG	37/0.19	23	1118.74	17.3 Ω/km
ANM11.017.62.017AB	UL20937	30V	62X17AWG	37/0.19	23.7	1166.64	17.3 Ω/km
ANM11.017.63.017AB	UL20937	30V	63X17AWG	37/0.19	23.7	1174.04	17.3 Ω/km
ANM11.017.64.017AB	UL20937	30V	64X17AWG	37/0.19	23.7	1181.44	17.3 Ω/km
ANM11.017.65.017AB	UL20937	30V	65X17AWG	37/0.19	23.7	1188.74	17.3 Ω/km
ANM11.017.02.016AB	UL20937	30V	2X16AWG	27/0.25	7.4	93.91	13.7 Ω/km
ANM11.017.03.016AB	UL20937	30V	3X16AWG	27/0.25	7.8	111.41	13.7 Ω/km
ANM11.017.04.016AB	UL20937	30V	4X16AWG	27/0.25	8.4	133.61	13.7 Ω/km
ANM11.017.05.016AB	UL20937	30V	5X16AWG	27/0.25	9	156.71	13.7 Ω/km
ANM11.017.06.016AB	UL20937	30V	6X16AWG	27/0.25	9.6	180.71	13.7 Ω/km
ANM11.017.07.016AB	UL20937	30V	7X16AWG	27/0.25	9.6	190.21	13.7 Ω/km
ANM11.017.08.016AB	UL20937	30V	8X16AWG	27/0.25	10.3	217.71	13.7 Ω/km
ANM11.017.09.016AB	UL20937	30V	9X16AWG	27/0.25	11.2	252.01	13.7 Ω/km
ANM11.017.10.016AB	UL20937	30V	10X16AWG	27/0.25	11.8	279.11	13.7 Ω/km
ANM11.017.11.016AB	UL20937	30V	11X16AWG	27/0.25	12.2	300.91	13.7 Ω/km
ANM11.017.12.016AB	UL20937	30V	12X16AWG	27/0.25	12.2	310.61	13.7 Ω/km
ANM11.017.13.016AB	UL20937	30V	13X16AWG	27/0.25	12.8	339.01	13.7 Ω/km
ANM11.017.14.016AB	UL20937	30V	14X16AWG	27/0.25	12.8	348.61	13.7 Ω/km
ANM11.017.15.016AB	UL20937	30V	15X16AWG	27/0.25	13.5	381.51	13.7 Ω/km
ANM11.017.16.016AB	UL20937	30V	16X16AWG	27/0.25	13.5	391.11	13.7 Ω/km
ANM11.017.17.016AB	UL20937	30V	17X16AWG	27/0.25	14.1	421.61	13.7 Ω/km
ANM11.017.18.016AB	UL20937	30V	18X16AWG	27/0.25	14.1	431.21	13.7 Ω/km
ANM11.017.19.016AB	UL20937	30V	19X16AWG	27/0.25	14.1	440.81	13.7 Ω/km
ANM11.017.20.016AB	UL20937	30V	20X16AWG	27/0.25	14.5	464.71	13.7 Ω/km
ANM11.017.21.016AB	UL20937	30V	21X16AWG	27/0.25	14.8	485.51	13.7 Ω/km
ANM11.017.22.016AB	UL20937	30V	22X16AWG	27/0.25	15.7	529.41	13.7 Ω/km
ANM11.017.23.016AB	UL20937	30V	23X16AWG	27/0.25	16.3	563.11	13.7 Ω/km
ANM11.017.24.016AB	UL20937	30V	24X16AWG	27/0.25	16.3	572.81	13.7 Ω/km
ANM11.017.25.016AB	UL20937	30V	25X16AWG	27/0.25	16.7	598.81	13.7 Ω/km
ANM11.017.26.016AB	UL20937	30V	26X16AWG	27/0.25	16.7	608.41	13.7 Ω/km
ANM11.017.27.016AB	UL20937	30V	27X16AWG	27/0.25	16.7	618.01	13.7 Ω/km
ANM11.017.28.016AB	UL20937	30V	28X16AWG	27/0.25	17.3	653.11	13.7 Ω/km
ANM11.017.29.016AB	UL20937	30V	29X16AWG	27/0.25	17.3	662.71	13.7 Ω/km



ANM11.017.30.016AB	UL20937	30V	30X16AWG	27/0.25	17.3	672.31	13.7 Ω/km
ANM11.017.31.016AB	UL20937	30V	31X16AWG	27/0.25	17.9	708.31	13.7 Ω/km
ANM11.017.32.016AB	UL20937	30V	32X16AWG	27/0.25	17.9	717.81	13.7 Ω/km
ANM11.017.33.016AB	UL20937	30V	33X16AWG	27/0.25	17.9	727.41	13.7 Ω/km
ANM11.017.34.016AB	UL20937	30V	34X16AWG	27/0.25	18.5	764.21	13.7 Ω/km
ANM11.017.35.016AB	UL20937	30V	35X16AWG	27/0.25	18.5	773.91	13.7 Ω/km
ANM11.017.36.016AB	UL20937	30V	36X16AWG	27/0.25	18.5	783.51	13.7 Ω/km
ANM11.017.37.016AB	UL20937	30V	37X16AWG	27/0.25	18.5	793.01	13.7 Ω/km
ANM11.017.38.016AB	UL20937	30V	38X16AWG	27/0.25	19.2	835.61	13.7 Ω/km
ANM11.017.39.016AB	UL20937	30V	39X16AWG	27/0.25	19.2	845.21	13.7 Ω/km
ANM11.017.40.016AB	UL20937	30V	40X16AWG	27/0.25	19.2	854.81	13.7 Ω/km
ANM11.017.41.016AB	UL20937	30V	41X16AWG	27/0.25	21.7	989.11	13.7 Ω/km
ANM11.017.42.016AB	UL20937	30V	42X16AWG	27/0.25	21.7	998.61	13.7 Ω/km
ANM11.017.43.016AB	UL20937	30V	43X16AWG	27/0.25	21.7	1008.31	13.7 Ω/km
ANM11.017.44.016AB	UL20937	30V	44X16AWG	27/0.25	21.7	1017.71	13.7 Ω/km
ANM11.017.45.016AB	UL20937	30V	45X16AWG	27/0.25	22.1	1049.11	13.7 Ω/km
ANM11.017.46.016AB	UL20937	30V	46X16AWG	27/0.25	22.1	1058.61	13.7 Ω/km
ANM11.017.47.016AB	UL20937	30V	47X16AWG	27/0.25	22.1	1068.21	13.7 Ω/km
ANM11.017.48.016AB	UL20937	30V	48X16AWG	27/0.25	22.1	1077.81	13.7 Ω/km
ANM11.017.49.016AB	UL20937	30V	49X16AWG	27/0.25	22.7	1120.91	13.7 Ω/km
ANM11.017.50.016AB	UL20937	30V	50X16AWG	27/0.25	22.7	1130.41	13.7 Ω/km
ANM11.017.51.016AB	UL20937	30V	51X16AWG	27/0.25	22.7	1139.91	13.7 Ω/km
ANM11.017.52.016AB	UL20937	30V	52X16AWG	27/0.25	22.7	1149.61	13.7 Ω/km
ANM11.017.53.016AB	UL20937	30V	53X16AWG	27/0.25	23.3	1193.31	13.7 Ω/km
ANM11.017.54.016AB	UL20937	30V	54X16AWG	27/0.25	23.3	1202.81	13.7 Ω/km
ANM11.017.55.016AB	UL20937	30V	55X16AWG	27/0.25	23.3	1212.51	13.7 Ω/km
ANM11.017.56.016AB	UL20937	30V	56X16AWG	27/0.25	23.3	1221.91	13.7 Ω/km
ANM11.017.57.016AB	UL20937	30V	57X16AWG	27/0.25	23.9	1266.71	13.7 Ω/km
ANM11.017.58.016AB	UL20937	30V	58X16AWG	27/0.25	23.9	1276.31	13.7 Ω/km
ANM11.017.59.016AB	UL20937	30V	59X16AWG	27/0.25	23.9	1285.81	13.7 Ω/km
ANM11.017.60.016AB	UL20937	30V	60X16AWG	27/0.25	23.9	1295.51	13.7 Ω/km
ANM11.017.61.016AB	UL20937	30V	61X16AWG	27/0.25	23.9	1305.01	13.7 Ω/km
ANM11.017.62.016AB	UL20937	30V	62X16AWG	27/0.25	24.6	1356.71	13.7 Ω/km
ANM11.017.63.016AB	UL20937	30V	63X16AWG	27/0.25	24.6	1366.21	13.7 Ω/km
ANM11.017.64.016AB	UL20937	30V	64X16AWG	27/0.25	24.6	1375.91	13.7 Ω/km
ANM11.017.65.016AB	UL20937	30V	65X16AWG	27/0.25	24.6	1385.41	13.7 Ω/km